JOHANNESBURG, SOUTH AFRICA · SAST (UTC+2)

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer

I build agentic workflows and full-stack systems a teammate can review, deploy, and trust — career pipelines, multimodal assistants, and research desks, with a human decision on every irreversible step.

AI Engineer · Full-stack .NET developer · AI systems architect · Product engineer

AVAILABILITY	ENGAGEMENT
Available	On-site, hybrid, or remote

Johannesburg, Pretoria, Cape Town, Durban, and remote teams

View selected work · View CV

LinkedIn Contact 065 842 4274

A public GitHub profile is not on the résumé. Request the repositories.



SELECTED WORK

Four systems worth an interview

Open the case studies

01 · CAREER PIPELINE — Human approval required

JobNet

A daily career pipeline that ranks roles against the case studies and sends a letter only when the posting prints an employer address.

ROLE
Designed and operated the pipeline

STACK
Agents · Gmail · macOS automation · CV tailoring

RESULT
20:00 SAST scrape, sentence ranker, one role per company. A note is sent only when the posting prints an employer address, that mailbox verifies, and the letter cites the role. Otherwise the send is held. The previous run is reported at 15:00 SAST.

Read case study · Open the read-only demo

02 · MULTIMODAL ASSISTANT — Live, with a labelled fallback

Mercatus Assist & THINK

A .NET service and a React workspace that call Gemini from the server, keep the API key off the browser, and say so when the live path is down.

ROLE
Built the API, the proxy, and the workspace

STACK
C# · ASP.NET Core 8 · React 19 · TypeScript · Gemini · nginx · systemd

RESULT
Provider-swappable chat completions, exponential backoff on 429 and 5xx, per-IP caps, and a labelled demo mode when the robot is unhealthy.

Read case study · Open Mercatus Assist

03 · RESEARCH SYSTEM — Paper research desk

Forex Mercatus Codex

A hosted Python terminal for charts, multi-market views, and a session-scoped paper bot — built so it cannot be mistaken for a brokerage.

ROLE
Built, hosted, and bounded the desk

STACK
Python · Highcharts · yfinance · Ubuntu VPS

RESULT
About 87 MB on disk, quotes refreshing near every 60 seconds, up to 24 sessions with a 2-hour idle TTL, and a public health JSON.

Read case study · Open the paper desk

04 · BROWSER STUDIO — Runs in the browser

SoundX

Load a demo, play it, shape the master, and generate. Audio stays on the machine. No sign-in.

ROLE
Built the browser DAW and the AI Producer

STACK
Web Audio · TypeScript · DSP · AI Producer

RESULT
A guided four-step demo — Load Demo, Play, Shape master, Generate. Generate can listen to the buffer, estimate tempo from onsets, and wait for you to apply it.

Read case study · Open SoundX

HOW THE SYSTEMS ARE BUILT

Agentic workflows, with a person on the irreversible step

AI-assisted means a model returns a bounded output: a draft, a summary, a setting. Agentic means the system can pick an approved tool, keep state, and propose the next step. It does not mean the system sends mail, places orders, or hides a failure.

01	02	03	04	05	06
Intent	Context	Router	Tools	Human gate	Record
What the person asked for	Only the data that task needs	Model, tool, or fallback	Approved APIs and files	Stop before irreversible acts	Status, latency, source

ABOUT

Who you would be hiring

I want a team that ships applied AI with clear ownership: model calls behind a service, a human decision before anything irreversible, and production habits — retries, rate limits, health checks — on the first public version.

Self-taught.

Read the résumé

Mar 2026 – present
AI systems architect and founder
Project Antigravity

Ongoing
Full-stack, .NET, and AI systems
Mens Mercatus

Before the portfolio
Operations and optimization
Earlier systems work

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

WORK

Role, stack, result, and a demo — on every card

Start here if you have ten minutes. Each card is one system. The case study pages add the problem, the architecture, a 60–90 second path, and the limits.

01 · CAREER PIPELINE — Human approval required

JobNet

A daily career pipeline that ranks roles against the case studies and sends a letter only when the posting prints an employer address.

ROLE
Designed and operated the pipeline

STACK
Agents · Gmail · macOS automation · CV tailoring

RESULT
20:00 SAST scrape, sentence ranker, one role per company. A note is sent only when the posting prints an employer address, that mailbox verifies, and the letter cites the role. Otherwise the send is held. The previous run is reported at 15:00 SAST.

Read case study | Open the read-only demo

02 · MULTIMODAL ASSISTANT — Live, with a labelled fallback

Mercatus Assist & THINK

A .NET service and a React workspace that call Gemini from the server, keep the API key off the browser, and say so when the live path is down.

ROLE
Built the API, the proxy, and the workspace

STACK
C# · ASP.NET Core 8 · React 19 · TypeScript · Gemini · nginx · systemd

RESULT
Provider-swappable chat completions, exponential backoff on 429 and 5xx, per-IP caps, and a labelled demo mode when the robot is unhealthy.

Read case study | Open Mercatus Assist

03 · RESEARCH SYSTEM — Paper research desk

Forex Mercatus Codex

A hosted Python terminal for charts, multi-market views, and a session-scoped paper bot — built so it cannot be mistaken for a brokerage.

ROLE
Built, hosted, and bounded the desk

STACK
Python · Highcharts · yfinance · Ubuntu VPS

RESULT
About 87 MB on disk, quotes refreshing near every 60 seconds, up to 24 sessions with a 2-hour idle TTL, and a public health JSON.

Read case study | Open the paper desk

04 · BROWSER STUDIO — Runs in the browser

SoundX

Load a demo, play it, shape the master, and generate. Audio stays on the machine. No sign-in.

ROLE
Built the browser DAW and the AI Producer

STACK
Web Audio · TypeScript · DSP · AI Producer

RESULT
A guided four-step demo — Load Demo, Play, Shape master, Generate. Generate can listen to the buffer, estimate tempo from onsets, and wait for you to apply it.

Read case study | Open SoundX

Production evidence

These are the checks a reviewer can do without a private repo. Screens of the live flows are the demos themselves — open them from the cards.

Repositories No public GitHub profile is listed on the résumé. Ask for a walkthrough of the flagship codebases.	**Tests** Automated suites stay with the private source. Public checks are the health JSON, the labelled fallback, and the no-send rule.	**Deployment** Ubuntu VPS, systemd for the .NET robot, nginx, Cloudflare in front of the static site, Python desk on port 8790.
Monitoring Forex publishes health JSON. Assist exposes failure by switching to a labelled demo instead of a silent error.	**Security** API keys stay on the VPS. Per-IP caps on THINK. JobNet sends only when a posting prints an address. The paper desk cannot place an order.	**Performance** Published numbers only: ~60s quote refresh, 24 sessions / 2h idle, ~87 MB desk, backoff on 429 and 5xx.

Continue to the case studies

Katlego Mokoto
AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

CASE STUDIES

The same story, four times

Every flagship uses one skeleton so a recruiter and an engineer can read them the same way. Other experiments live in Labs.

01 CHALLENGE | 02 ROLE AND SCOPE | 03 ARCHITECTURE | 04 60-90 SECOND DEMO | 05 AI BEHAVIOR | 06 RESULT | 07 LIMITS

01 · CAREER PIPELINE

JobNet

A daily career pipeline that ranks roles against the case studies and sends a letter only when the posting prints an employer address.

Open the full study

02 · MULTIMODAL ASSISTANT

Mercatus Assist & THINK

A .NET service and a React workspace that call Gemini from the server, keep the API key off the browser, and say so when the live path is down.

Open the full study

03 · RESEARCH SYSTEM

Forex Mercatus Codex

A hosted Python terminal for charts, multi-market views, and a session-scoped paper bot — built so it cannot be mistaken for a brokerage.

Open the full study

04 · BROWSER STUDIO

SoundX

Load a demo, play it, shape the master, and generate. Audio stays on the machine. No sign-in.

Open the full study

Shared architecture

The products look different. The control model is the same: a narrow context, an approved tool, a human gate, and a visible failure mode.

01	02	03	04	05	06
Intent	**Context**	**Router**	**Tools**	**Human gate**	**Record**
What the person asked for	Only the data that task needs	Model, tool, or fallback	Approved APIs and files	Stop before irreversible acts	Status, latency, source

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

01 · CAREER PIPELINE

JobNet

A daily career pipeline that ranks roles against the case studies and sends a letter only when the posting prints an employer address.

Human approval required

Open the read-only demo | Alternate JobNet entry

Challenge

Applying across many AI and engineering boards by hand is slow, and tools that submit on their own are unsafe. The job was to shorten the research and drafting loop without giving the system permission to apply or send mail.

Role and scope

Designed and operated the pipeline

- Set a daily 20:00 SAST scrape, then a rank against the case studies. The previous run is mailed at 15:00 SAST.
- Kept a human confirm step before any submit. The system queues work; it does not apply.
- Added inbox watching so replies can be noticed, with notify paths that still require a person to send.
- Published a live read-only shortlist so a reviewer can see the pipeline without touching a mailbox.

STACK

Agents | Gmail | macOS automation | CV tailoring

MEASURED RESULT

Scrape
Every day at 20:00 SAST
LinkedIn guest search. A 15:00 SAST mail reports the previous run.

Tailor
15:00 SAST
Report of the previous 20:00 scrape, mailed to the candidate.

Shortlist
11 posts
Read-only desk on 7 Oct 2026. Hub also listed 18 Gmail drafts.

Sends
Gated
A letter leaves only when the posting prints an employer address.

Architecture

01
Collect
Daily scrape at 20:00 SAST across public listings. Read-only collection.


02
Match
A hashed sentence embedding ranks each posting against JobNet, Assist, THINK, Forex, and SoundX, and keeps one role per company. The report names the closest case study and a line from the posting.

03
Draft
The 15:00 SAST report covers the previous run. A letter is prepared only for a role that clears the ranker.

04
Send gate
Mail leaves only if the address is on the posting, the domain resolves, and the letter names that title, company, and summary. Missing addresses are held, not guessed.


60–90 second demo

1. Open the read-only shortlist. You should see roles, not a send button that fires mail.
2. Open one queued draft and read the source it was written from.
3. Look for the approval state. If the only next step is a human send, the gate is doing its job.
4. Stop there. The 90-second demo is the boundary, not a live application.



Narrated guide, then the read-only shortlist. Open desk stays a review step. Nothing is sent. Press play to hear the spoken guide. If you prefer reduced motion, use the numbered path above and skip the player.

Flows to look at



Read-only shortlist

Captured from the public JobNet desk: 11 posts, draft-only, scraped 7 Oct 2026.

Open the live flow

AI behavior

- AI-assisted: classification and a tailored draft from résumé context.
- Agentic: scheduled collection, retrieval of the relevant CV context, and placement into a review queue.
- Not autonomous: no auto-apply, no auto-send, no irreversible decision.
- Provenance to ask for in a code review: which source was used, when the draft was created, and what the human changed.

Security

- Mailbox send is outside the agent's permissions.
- The public demo is read-only so visitors cannot trigger applications.
- Personal application data should be reviewed, retained, or deleted by the operator — ask for that policy in a code walkthrough.

Monitoring

- Scheduled jobs are the heartbeat: if 20:00 or 15:00 does not run, the queue goes stale.
- The public surface is a read-only shortlist, separate from the private mailbox routine.

Limits

- This is a personal operating system for a job search, not a multi-tenant product.
- Draft quality still depends on the source posting and the résumé context.
- Automated test files are in the private source. Public proof is the read-only demo, the schedule, and the send gate.

Contact me | View the résumé | All case studies

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

02 · MULTIMODAL ASSISTANT

Mercatus Assist & THINK

A .NET service and a React workspace that call Gemini from the server, keep the API key off the browser, and say so when the live path is down.

Live, with a labelled fallback

Open Mercatus Assist | Open THINK

Challenge

A portfolio assistant is easy to fake with a browser key. The engineering problem was a real model call, a swap-able provider, a safe public surface, and an honest screen when the service is down.

Role and scope

Built the API, the proxy, and the workspace

- Shipped an ASP.NET Core 8 minimal API in C# that calls Gemini through an OpenAI-compatible chat completions client, so the provider can change in config.
- Ran that API as a systemd service on an Ubuntu VPS, behind nginx, with the static site behind Cloudflare.
- Put a same-origin proxy in front so the API key stays on the server.
- Built THINK as a React 19, Vite, and TypeScript workspace: chat, image, live voice over WebSocket, plus sites, code, and a learning path.
- Labelled the fallback. If the live robot is unhealthy, the UI says it is demo coaching instead of pretending.

STACK

C# | ASP.NET Core 8 | React 19 | TypeScript | Gemini | nginx | systemd

MEASURED RESULT

Retries
429 and 5xx
Exponential backoff on the ASP.NET client.

Key location
VPS only
Same-origin proxy. Not shipped to the browser.

Caps
Per IP
Daily caps on chat, image, video, and live voice.

Fallback
Labelled
Demo coaching when the robot health check fails.

Architecture

01
Experience
Mercatus Assist for guided chat. THINK for multimodal work: chat, image, live voice, sites, code, and learning.


02
Gateway
Same-origin proxy to the VPS. The browser never receives the provider key.

03
Robot
ASP.NET Core 8 minimal API. OpenAI-compatible client. Exponential backoff on HTTP 429 and 5xx.

04
Fallback
Health failure switches the surface to a labelled demo path. Live and demo are not the same state.


60–90 second demo

1. Play the 60-second walkthrough on this page, then open Mercatus Assist.
2. Ask one question. Note whether the reply is marked live or demo.
3. Open THINK and try chat only. Live voice and image are capped per IP — that cap is the control, not a bug.
4. If the robot is down, the honest outcome is the labelled fallback, not a blank error.




Narrated guide, then a question on the live robot, including the moment it is still thinking. Press play to hear the spoken guide. If you prefer reduced motion, use the numbered path above and skip the player.

Flows to look at



Mercatus Assist
Live path through the VPS proxy. The banner names Gemini and the retry behavior. Feed copy inside THINK is product content, not a résumé claim.



THINK
React workspace: pulse, chat, live voice, sites, and code. The model key stays on the server.

Open the live flow

AI behavior

- AI-assisted: one bounded model response for chat, image, or voice.
- Agentic: routing across approved surfaces (chat, voice relay, tool-style paths) with session context.
- Human-controlled: the visitor chooses the path. The service does not take external actions on their behalf.
- Observability: live versus demo is a visible state. Rate limits are per IP on chat, image, video, and live voice.

Security

- API key isolation on the VPS.
- Per-IP rate limits on the public multimodal paths.
- Provider is config-swappable, so a key rotation does not require a UI rewrite.
- No private prompts are published here to prove the architecture.

Monitoring

- The fallback itself is a health signal: visitors see demo mode instead of a silent failure.
- Process supervision is systemd on Ubuntu, with nginx in front and Cloudflare on the static site.

Limits

- THINK is a portfolio workspace with caps, not an unlimited production assistant.
- A public GitHub profile is not on the résumé. The service code is available in a walkthrough.
- Unit-test counts are not published. The public checks are the fallback label, the proxy boundary, and the retry policy.

Contact me | View the résumé | All case studies

Katlego Mokoto
AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

03 · RESEARCH SYSTEM

Forex Mercatus Codex

A hosted Python terminal for charts, multi-market views, and a session-scoped paper bot — built so it cannot be mistaken for a brokerage.

Paper research desk

Open the paper desk

Challenge

Show market structure, multi-panel analysis, and a bot loop without letting a visitor believe they are placing a real order. The hard part is the boundary, not the chart.

Role and scope

Built, hosted, and bounded the desk

- Built a Python and Highcharts desk covering Chart, Multi, Whales, Flow, and Bot.
- Hosted it on the VPS. The process listens on port 8790 and is published over HTTPS.
- Gave each browser tab its own session-scoped paper bot instead of one shared tape.
- Fused public feeds (Yahoo, Kraken, Binance) and fell back to synthetic tape when a feed is unavailable.
- Cut inventory and load path so cold start and static serving are clearer on an ~87 MB app.

STACK

Python · Highcharts · yfinance · Ubuntu VPS

MEASURED RESULT

Footprint
~87 MB
Python desk size cited on the résumé.

Freshness
~60 seconds
Public mid rates refresh on that cadence.

Sessions
24 max
2-hour idle TTL. Session-scoped paper bots.

Orders
None
Health reports paper_only. No broker connection.

Architecture

01
Feeds
Public market data, with synthetic tape when a source is down. A delayed snapshot, not a broker feed.


02
Desk
Chart, multi-symbol compare, flow and whale views, and a paper bot. Highcharts for the portfolio demo.

03
Session
One paper bot per browser tab. Cap of 24 sessions. Idle sessions expire after 2 hours.

04
Policy
paper_only is true. Sign-in and journal edits stay off on the public desk. No order can be placed.


60–90 second demo

1. Open the desk and confirm the paper label before you touch a symbol.
2. Pick one symbol, then compare a second market in the multi view.
3. Run one paper action. It should change simulated state only.
4. Open the health JSON and check paper_only, the symbol list, and the session cap.



Narrated guide, then the paper chart. The line under the desk reports paper_only. Press play to hear the spoken guide. If you prefer reduced motion, use the numbered path above and skip the player.

Flows to look at



Paper desk
Public entry: paper label, session scope, delayed quotes, and a four-step tour. The embedded chart loads after this screen.

Open the live flow

AI behavior

- The bot is a constrained research assistant on simulated state.
- It can summarize retrieved data and propose a paper-only action.
- A policy gate blocks live orders. The simulated state is explicit.
- Useful provenance on a response: timestamp, data source, and whether the line is observation, analysis, or simulation.

Security

- No broker credentials and no order route.
- Public desk disables sign-in and journal edits.
- Each visitor session is isolated from other visitors' paper state.

Monitoring

- Published health JSON: paper_only, symbols, data sources, session cap, idle TTL.
- Symbols on that health snapshot include SPX, NQ, BTC, XAU, and EURUSD.
- Data sources noted there include synthetic tape, Yahoo, Binance, CFTC, and Forex Factory.

Limits

- This is simulated research, not a brokerage, not an exchange, and not advice.
- Quotes are delayed public snapshots. A missing feed becomes synthetic tape, which is labelled.
- Highcharts is used as a non-commercial portfolio demo.
- Test suites are in the private source. The public check is the health endpoint plus the paper-only UI.

Contact me · View the résumé · All case studies

Katlego Mokoto
AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

04 · BROWSER STUDIO

SoundX

Load a demo, play it, shape the master, and generate. Audio stays on the machine.

No sign-in.

Runs in the browser

Open SoundX

Challenge

A music demo usually sends audio to someone else's server. The job was a studio you can open in a tab: playback, a mixer, and an assistant that suggests settings without taking the session away from you.

Role and scope

Built the browser DAW and the AI Producer

- Built SoundX as a browser DAW: library, pattern and song views, mixer, and a master bus.
- Added a four-step demo path so a visitor can Load Demo, press Play, shape the master, and Generate without an account.
- Shipped an AI Producer that takes a request and proposes drums, bass, keys, or arrangement ideas. It does not silently overwrite the session.
- Kept synthesis, the microphone path, and export in the browser. There is no hosted listening session.

STACK

Web Audio · TypeScript · DSP · AI Producer

MEASURED RESULT

Demo path
4 steps
Load Demo, Play, Shape master, Generate.

Sign-in
None
The public studio opens without an account.

Audio
In the browser
Web Audio. No hosted listening session.

Apply
You confirm
The producer proposes. The session changes when you apply.

Architecture

01
Session
The studio state lives in the tab. Closing it leaves nothing on a server.


02
Engine
Web Audio for playback, stems, the mixer, and the master EQ and reverb path.

03
AI Producer
A local assistant. It proposes a pattern or a processing chain and explains it. You apply or dismiss it.

04
Export
The demo UI offers WAV, FLAC, MP3, and Ogg from the browser. The mic is optional and permissioned.


60–90 second demo

1. Open SoundX. You should see the demo path, not a login wall.
2. Load Demo, then press Play. The transport should move without an account.
3. Open Shape master and move one control. The change stays in this tab.
4. Ask the AI Producer for a change and apply it yourself. It should not replace the session on its own.



Narrated guide, then load demo and play. The AI Producer offers a move. The session changes only if you apply it. Press play to hear the spoken guide. If you prefer reduced motion, use the numbered path above and skip the player.

Flows to look at



SoundX
The public studio: demo path, transport, mixer, and the AI Producer panel.

Open the live flow

AI behavior

- AI-assisted: a suggested drum, bass, keys, or arrangement idea from a written request.
- Agentic: the producer can pick a demo path step and propose the next control change.
- Human-controlled: Apply and Dismiss stay with the person. The session is not overwritten in the background.
- The public studio describes the producer as local logic, not a cloud model call.

Security

- No account and no upload of the session to a portfolio server.
- Microphone capture is optional and asks the browser for permission.
- The producer cannot export or publish on its own.

Monitoring

- This demo has no server health endpoint. The check is local: Play makes sound, and the demo path chips advance.
- If Web Audio is blocked, the page still shows the studio and the written path.

Limits

- This is a browser demo, not a hosted DAW with saved cloud projects.
- Sound quality and export depend on the browser's Web Audio support.
- Automated tests sit with the private source. The public check is the four-step path on /apps/sound-deck/.

Contact me · View the résumé · All case studies

Katlego Mokoto
AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

RÉSUMÉ · AVAILABLE · SAST (UTC+2)

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer

I build agentic workflows and full-stack systems a teammate can review, deploy, and trust — career pipelines, multimodal assistants, and research desks, with a human decision on every irreversible step.

Download résumé PDF
Download CV PDF
Download ATS PDF

The résumé and CV use this page's dark field. The ATS file is the plain copy for application systems.

065 842 4274 katlego.mokoto.km@gmail.com LinkedIn Johannesburg, South Africa · On-site, hybrid, or remote

SELECTED SYSTEMS

What is live

01 · CAREER PIPELINE

JobNet

20:00 SAST scrape, sentence ranker, one role per company. A note is sent only when the posting prints an employer address, that mailbox verifies, and the letter cites the role. Otherwise the send is held. The previous run is reported at 15:00 SAST.

Open the case study

02 · MULTIMODAL ASSISTANT

Mercatus Assist & THINK

Provider-swappable chat completions, exponential backoff on 429 and 5xx, per-IP caps, and a labelled demo mode when the robot is unhealthy.

Open the case study

03 · RESEARCH SYSTEM

Forex Mercatus Codex

About 87 MB on disk, quotes refreshing near every 60 seconds, up to 24 sessions with a 2-hour idle TTL, and a public health JSON.

Open the case study

04 · BROWSER STUDIO

SoundX

A guided four-step demo — Load Demo, Play, Shape master, Generate. Generate can listen to the buffer, estimate tempo from onsets, and wait for you to apply it.

Open the case study

STACK

Tools I ship with

PYTHON
Forex Mercatus Codex engine, FastAPI, Pandas, NumPy, yfinance, paper-bot and session models

LANGUAGES
Python, TypeScript, C#, JavaScript, SQL, Bash

FRONTEND
React 19, Next.js, Vite, TypeScript, Tailwind, Flutter, Web Audio studio UI

AI
LLM orchestration, RAG, LangChain, ChromaDB, Ollama, Gemini, Agent Zero, tool-using agents with human approval

MACHINE LEARNING
Pandas, NumPy, yfinance, OR-Tools, regime and paper-research models, DSP and stem analysis

BACKEND
ASP.NET Core 8, FastAPI, Node.js, WebSockets, Redis

DATA
PostgreSQL, Pandas, NumPy, yfinance, OR-Tools

INFRA
Docker, Linux, systemd, nginx, Cloudflare, Ubuntu VPS, Nebius

Education

Self-taught.

AI engineering, full-stack .NET, and product engineering roles. Open to teams in South Africa and remote.

EXPERIENCE

Where the work sits

01
Mar 2026 – present
AI systems architect and founder
Project Antigravity

- Local-first agent tooling on Apple Silicon M4 with Ollama.
- Agent Zero and Cursor for orchestration. Nebius for training and deploy experiments.

02
Ongoing
Full-stack, .NET, and AI systems
Mens Mercatus

- Mercatus Assist: ASP.NET Core 8 service calling Gemini through an OpenAI-compatible client, with retries, systemd, nginx, and Cloudflare.
- THINK: React 19 workspace with a server-side proxy and live-voice WebSocket relay.
- JobNet, Mercatus Assist, Forex Mercatus Codex, and SoundX, documented as the case studies on this site.

03
Before the portfolio
Operations and optimization
Earlier systems work

- Fleet and logistics optimization with OR-Tools.
- Diesel and mechanical operations — systems thinking under physical constraints.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

LABS · ARCHIVE

Everything that is not a flagship

One Work page, one case-study set, one résumé, one contact path. These experiments stay available without competing for the first screen. SoundX lives with the case studies. These experiments stay off the first screen.

RAG and agents

Animated map

Retrieval, a single agent, and a three-step desk, animated. A one-page PDF sits beside the drawing. Assist and JobNet are the live cuts of those shapes.

RAG · AGENT · PDF

Open

Blueprints

Static pack

Event-flow screens and architecture diagrams: signup, rate lock, check-in, payout, disputes, compliance gates. Reference drawings, not a live service.

SVG · STATIC UI

Open

Mercatus Concierge

Builder shell

A venture-coach shell for plan and build notes, design picks, and role kits. Exploratory UI, not a flagship case study.

PRODUCT UI

Open

Project Antigravity

Local stack

Since March 2026: terminal-first local models on Apple Silicon M4 with Ollama, Agent Zero, and Cursor, plus Nebius for training and deploy experiments.

OLLAMA · AGENT ZERO · NEBIUS

Open

Flutter overlay

Mobile UI

A Flutter package for z-order between a sound bar and a social band, with a theme extension, haptics, and a demo app.

FLUTTER · DART

Open

ProxNet

Edge notes

Offline-first BLE and WebRTC mesh experiments, and local SSD layout for model weights and vector stores.

REACT NATIVE · WEBRTC

Open

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

LABS · ARCHITECTURE

RAG, an agent, and a desk of three

The same three shapes as the reference drawing, walked in order. A pulse marks the live step. Assist is the retrieval path. JobNet is the agent path. The nightly script is the small multi-agent desk.

Download the one-page PDF

PLAYING

Pause

RETRIEVE, THEN ANSWER

RAG

- **Question**
  You ask about a system.
- **Embedding**
  The question becomes a vector.
- **Passages**
  JobNet, Assist, Forex, SoundX.
- **Augment**
  Retrieved passage plus the question.
- **Model**
  The reply names the passage.

Assist does this with the four case studies. The question is matched locally, the passage is named, then Gemini answers.

DECIDE, THEN USE A TOOL

Agent

- **Question**
  A new listing arrives.
- **Agent**
  Memory of what was already sent.
- **Tools**
  Ranker, mailbox check, letter.
- **Sources**
  The posting text. Nothing invented.
- **Result**
  Sent, or held, then a report.

JobNet is this shape. It ranks, checks the posting for an address, and holds the letter when the check fails.

ONE DESK, THREE WORKERS

Multi-agent RAG

- **Question**
  Tonight's shortlist.
- **Aggregator**
  Keeps one role per company.
- **Rank**
  Embedding against the case studies.
- **Retrieve**
  Evidence line from the posting.
- **Gate**
  Send only with a printed address.

The drawing is the pattern. This portfolio runs the three jobs in one nightly script, not as separate cloud agents.

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274

CONTACT

Hire me

Available for ai engineer / full-stack .net developer roles.

Johannesburg, Pretoria, Cape Town, Durban, and remote teams.

On-site, hybrid, or remote.

065 842 4274
katlego.mokoto.km@gmail.com
LinkedIn
CV PDF
Résumé PDF
ATS PDF

Call or WhatsApp 065 842 4274. The form delivers to my inbox.

Name

Email

Company or team

Message

Email Katlego

Or email katlego.mokoto.km@gmail.com directly

Katlego Mokoto

AI Engineer / Full-Stack .NET Developer. Johannesburg, South Africa. Available for on-site, hybrid, or remote work.

© 2026 Mens Mercatus · Katlego Mokoto · 065 842 4274