RESEARCH EDITION · 14 OCTOBER 2026 · REVISED 17 OCTOBER 2026

ENHANCEMENT CATAS

Dossier for ML and AI research: from expertise to an independent practice

82 PAGES | 10 VIDEO MAPS | 12 REPOSITORY CARDS | 48 REGISTERED SOURCES

CONTENTS

01 Enhancement Catas
02 Executive summary
03 The decision-ready executive brief
04 Evidence, provenance and omissions
05 Reading routes and the operating model
06 How to Launch (and Not Screw Up) Your AI Consulting Business
07 Engagement architecture
08 Outbound with business evidence
09 Estimation without false certainty
10 The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables
11 Sell diagnosis before implementation
12 Value pricing and incentive alignment
13 Proof, referrals and probabilistic work
14 If I Started AI/ML Freelancing in 2026, I'd Do This
15 Get going: commercial readiness
16 Get paid: discovery to proposal
17 Get good: anchor contracts and scaling
18 Why Engineers Should Consider AI Consulting (And How to Start)
19 Authority without a large audience
20 Employee-to-owner economics
21 Advisory leverage with boundaries
22 The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic
23 Partner-led routes to market
24 Digital footprint and industry pain
25 Run a real professional practice
26 How to Find, Build, and Deliver GenAI Projects
27 Find: workflow opportunity design
28 Build: an evidence-first pilot
29 Deliver: adoption and acceptance
30 What Nobody Tells You About AI Consulting
31 Qualification, positioning and proposals
32 IP, NDAs and delivery constraints
33 Advisory, implementation and exit paths
34 Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru
35 Rates, occupancy and intermediaries
36 Spikes, volatile data and reusable assets
37 Networks, fit and client concentration
38 How To Land Your First AI Client As A Freelancer (100+ Beginners Did This)
39 Upwork credibility and proposals
40 Sales calls and qualification
41 Niche choice and independent channels
42 The Four Key AI Consulting Basics (Full Framework)
43 Driver trees for measurable outcomes
44 Business acumen and communication
45 Structured choices without fake precision
46 Positioning and offer design
47 Qualification and opportunity gates
48 Pricing-floor laboratory
49 Value model and benefit attribution
50 Scope, contracts and change control
51 Architecture selection: rules, ML, RAG or agents
52 Data access, quality and lineage
53 RAG schematic and retrieval diagnosis
54 Evaluation contract and error-analysis loop
55 LLM judges: calibration and failure modes
56 Agent workflows and safe action gates
57 MCP and tool-boundary security
58 Observability, incident response and human control
59 Conventional ML: validation and leakage
60 Fine-tuning versus retrieval and prompting
61 Deployment gates and handover rehearsal
62 Repository adoption and embedding policy
63 Jurisdiction, privacy and research boundaries
64 The ninety-day launch playbook
65 Reusable asset kit and decision log
66 instructor-ai/instructor
67 langchain-ai/langgraph
68 promptfoo/promptfoo
69 Arize-ai/phoenix
70 mlflow/mlflow
71 qdrant/qdrant
72 dlt-hub/dlt
73 BerriAI/litellm

74 explodinggradients/ragas
75 n8n-io/n8n
76 microsoft/Presidio
77 anthropics/anthropic-cookbook
78 Original schemas and executable boundaries
79 Glossary and distinctions
80 Source register / 01
81 Source register / 02
82 How I apply this for clients

01

ORIENTATION

Enhancement Catas

Dossier for ML and AI research · Independent engineering practice · Research edition / 14 October 2026

Expertise is not yet a business.

An advanced engineer does not need another catalogue of AI tools. The missing system connects an expensive, observable client problem to a bounded intervention, a credible evaluation, a safe deployment and a commercial arrangement that supports continued ownership. This dossier develops that system from ten selected videos and a separately gathered technical evidence corpus.

The core recommendation is to begin with a narrow paid diagnostic, prove a measurable result in a restricted pilot, and expand only when data access, operational ownership and economics justify doing so. Sell a reduction in a named business problem; do not sell "AGI transformation," an unqualified accuracy promise or an architecture diagram without a measurement plan.

WHAT THIS EDITION CONTAINS

An executive summary, ten four-page video dossiers, chapter maps, consulting frameworks, production engineering schematics, ML validation guidance, security boundaries, financial examples, twelve repository inspection cards, a ninety-day operating plan and a closing section on how I apply the method in client work. The interactive edition offers search, page navigation, reading progress, a pricing-floor calculator and click-to-load YouTube embeds. The PDF edition uses the same content.

READ THIS EVIDENCE BOUNDARY FIRST

YouTube metadata and published chapter descriptions were retrieved for all ten videos. Caption endpoints returned empty responses. These pages are therefore not transcript-complete summaries. Chapters are mapped faithfully where available; deeper implementation guidance is explicitly editorial synthesis supported by separate sources. No invented quotations, unseen speaker statements or guaranteed income outcomes are included.

DESIGN

This web edition follows the Mens Mercatus Gazette style: ivory paper, dark rails, red accent typography, ruled separators and numbered architecture blocks. The title "Enhancement Catas" is kept exactly as originally named.

SCHEMATIC



SOURCES

- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Building Effective AI Agents \ Anthropic – https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- AI Risk Management Framework | NIST – https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

02

ORIENTATION

Executive summary

The whole dossier in one page: what to sell, how to deliver it, and where the evidence stops.

THE PROBLEM THIS DOSSIER SOLVES

Technical skill is not yet a business. What turns it into one is a repeatable system: find an expensive, observable client problem; scope a bounded intervention; prove it with a credible evaluation; release it safely; and price it so the work can be owned and supported over time.

EIGHT CONCLUSIONS

- **Sell diagnosis before implementation.** Start with a narrow, paid diagnostic that produces a baseline, a data-readiness assessment and a go/no-go decision.
- **Sell a named business problem, not a technology.** "Reduce time spent reconciling support policies while preserving citations" qualifies a buyer; "RAG engineer" does not. Do not sell "AGI transformation" or unqualified accuracy promises.
- **Treat evaluation as a deliverable.** Agree in-scope inputs, material mistakes, sampling and the person who accepts the result before the pilot starts. Compare against a deterministic baseline.
- **Use the simplest adequate architecture.** Rules, conventional ML, retrieval, workflows and agents each have a place; added complexity must answer a measured failure.
- **Earn autonomy in stages.** Offline evaluation, then shadow use, then supervised production, then narrowly authorized action. Authorization belongs to deterministic controls, never to the model.
- **Price from a floor, then stress-test.** Compute the hourly floor from compensation, overhead, reserve and realistic utilization, and test fixed fees against low, central and adverse effort.
- **Manage capacity and concentration.** An anchor client helps cash flow but raises dependency risk. Budget time for sales, admin, evaluation, support and reusable assets.
- **Use repositories as evidence of interfaces, not of safety.** Pin a commit, read the license and tests, and reproduce a narrow example before proposing a tool to a client.


THE EVIDENCE BOUNDARY

The dossier is built from ten consulting videos and a separately gathered technical corpus retrieved on 14 October 2026. Video metadata and published chapters were retrieved for all ten videos, but every caption request returned empty, so video pages are chapter maps, not transcript summaries. Applied pages are labelled editorial synthesis supported by official documentation, standards and inspected repository files. Failed retrievals (four 404s and one 403) stay in the source register. Creator income anecdotes are not verified and are not used as forecasts.

HOW TO USE IT

Pick a reading route on the operating-model page, make one decision per chapter, and produce one artifact each time. The pricing-floor calculator runs entirely in your browser. The final section shows how I apply the method in client work.

SCHEMATIC



QUESTION	SHORT ANSWER
What do I sell first?	A bounded, paid diagnostic
How is success judged?	An agreed evaluation contract against a baseline
How much autonomy?	Draft first; act only when evidence and controls justify it
How do I price?	From a cost floor, stress-tested for effort risk
What is out of scope?	AGI claims, guaranteed accuracy, unauthorized data

SOURCES

- AI Evals: Everything You Need to Know – Hamel's Blog — https://hamel.dev/blog/posts/evals-faq/ Public document · HTTP 200
- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- Evaluation best practices | OpenAI API — https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200

03

ORIENTATION

The decision-ready executive brief

Build the smallest commercially useful system that you can evaluate and safely operate.

THE COMMERCIAL THESIS

Start by selecting one buyer, one recurring workflow and one business consequence. A “RAG engineer” label describes a supply-side capability; “reduce time spent reconciling support policies while preserving source citations” describes a buyer problem. The second is easier to qualify because the client can identify volume, current effort, error costs and an accountable process owner. A discovery conversation should test whether the consequence matters enough to fund a change, not merely whether the client is interested in AI.

THE DELIVERY THESIS

Treat evaluation as a purchased deliverable. Before a pilot, agree which inputs are in scope, which mistakes matter, how evidence will be sampled and who accepts the result. Implement a deterministic baseline and compare the proposed AI system with it. Release in stages: offline evaluation, shadow use, supervised production and only then narrowly authorized action. Keep rollback and manual work paths available.


THE OPERATING THESIS

Your economic constraint is not maximum coding speed. It is total capacity after sales, administration, evaluation, support and downtime. An anchor engagement may improve cash-flow predictability, but one dominant client also increases concentration and dependency risk. Price expected work and uncertainty separately; reserve time for maintaining reusable assets and building independent lead sources. Keep client-specific data out of those assets.

THE RESEARCH THESIS

Use public repositories to understand architecture, interfaces, licenses and failure surfaces—not as proof that a deployment is safe. Pin a commit, inspect tests and configuration, verify the license files and reproduce a narrow example before proposing it to a client. Source-visible software may restrict commercial hosting or embedding. AGI remains a research horizon in this dossier: sell verifiable capabilities available in a defined deployment, not speculative general intelligence.

SCHEMATIC



DECISION	DEFAULT	RECONSIDER WHEN
First offer	Paid diagnostic	Buyer already has a validated scope
Architecture	Simplest adequate workflow	Measured failure warrants complexity
Release	Human-approved action	Risk and evidence justify autonomy
Revenue	Bounded project + explicit support	Long-term capacity agreement is preferable

SOURCES

- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- AI Evals: Everything You Need to Know – Hamel's Blog — https://hamel.dev/blog/posts/evals-faq/ Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

04

ORIENTATION

Evidence, provenance and omissions

Research rigor means saying what was retrieved—and what was not.

THREE EVIDENCE LANES

VIDEO MAP identifies concepts explicitly present in the retrieved title, description or chapters. PRIMARY GUIDANCE draws on official documentation, standards, government guidance and inspected repository files. EDITORIAL SYNTHESIS provides applied interpretation, original diagrams, templates and hypothetical calculations. A shared topic does not imply a speaker endorsed a particular framework, tool or numerical threshold. The source strip on each page identifies the evidence used for that page.

RETRIEVAL AND TIME

The corpus was gathered on 14 October 2026. YouTube publication dates and runtimes came from player metadata. GitHub snapshots include the default branch, full commit identifier, README and selected source/configuration/license files. Mutable documentation can change after retrieval, and an inspected main-branch commit is not necessarily a stable release. Older videos and standards are retained for durable concepts; current documentation is used for implementation context. This is not a guarantee of six-month freshness for every source.

COVERAGE LIMITATIONS

All ten caption requests returned empty responses, and a browser transcript attempt did not populate segments. Consequently there is no word-for-word coverage claim, quotation analysis or verification of every anecdote. Two supplementary episode pages returned 404 and an Upwork support page returned 403; failed retrievals remain in the source register. A source's existence in search results is not equivalent to having read its full text. Chapter timestamps below come from published descriptions, not a manually verified playback transcript.

WHAT CORROBORATION CAN ESTABLISH

Agreement among engineering guidance from Hamel Husain, Anthropic and OpenAI supports the practical recommendation to evaluate representative tasks, calibrate automated grading and iterate from observed failures. It does not establish a universal ROI or ideal price. Consulting revenue anecdotes remain unverified creator claims and are not used as a forecast. Legal guidance identifies questions to review with qualified counsel; this dossier does not determine compliance or replace jurisdiction-specific advice.

SCHEMATIC



SOURCES

- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Demystifying evals for AI agents \ Anthropic – https://www.anthropic.com/engineering/demystifying-evals-for-ai-agents Public document · HTTP 200
- Evaluation best practices | OpenAI API – https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200
- Licensing a repository - GitHub Docs – https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

05

ORIENTATION

Reading routes and the operating model

Use the dossier as an implementation reference, not a consumption challenge.

ROUTE A · LAUNCH THE PRACTICE

Read video dossiers 01, 03, 04 and 05, then positioning, qualification, pricing, contracting and the ninety-day plan. Produce a one-page offer, a qualification checklist and a baseline financial model before increasing outreach. Success is a useful paid conversation or a disqualified lead—not finishing all the videos.

ROUTE B · IMPROVE AN ACTIVE ENGAGEMENT

Read video dossiers 02, 06, 07 and 08, then evaluation, RAG, ML validation, observability and handover. Bring a current workflow and its failures. Compare the dossier's gate criteria with your statement of work. Identify which evidence is absent before proposing more infrastructure or autonomy.

ROUTE C · BUILD A REUSABLE TECHNICAL FOUNDATION

Read the technical engineering section and repository cards. Select at most one orchestration tool, one evaluation mechanism and one trace store for a first pilot. Use source links to inspect the exact files; the dossier embeds original illustrative schemas, not unlicensed wholesale repository copies. Dependencies are not installed or executed by opening a repository card.

THE FIVE CONNECTED SYSTEMS

Market sensing identifies a worthwhile problem. Sales converts that problem into an authorized scope. Engineering converts the scope into a tested artifact. Operations maintains its reliability. Finance ensures that the work is sustainable. A breakdown in any system propagates: weak qualification causes scope churn, scope churn erodes margin, low margin reduces support capacity and poor support damages referrals.

A PRACTICAL READING CADENCE

For each chapter, make one decision and create one artifact. Examples include a list of excluded inputs, a labelled error sample, a signed acceptance rubric or a repository license inventory. Put unresolved questions into a decision log with an owner and deadline. Treat diagrams as starting models: redraw them to reflect the client's actual data ownership, approval steps and deployment constraints.

HOW THE INTERACTIVE EDITION WORKS

Search matches page titles, body text and repository details. Pages can be marked read locally in this browser; nothing is synced or sent anywhere. Videos load only when requested. The PDF download is a snapshot of this edition. Calculator values are editable assumptions, not market rates or financial advice.

SCHEMATIC



SOURCES

- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- ai-playbook – https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

06

01 · LAUNCH THE CONSULTANCY

How to Launch (and Not Screw Up) Your AI Consulting Business

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

How to Launch (and Not Screw Up) Your AI Consulting Business · Jason Liu · 2025-04-10 · 46 min

Open on YouTube ↗

SOURCE AND SCOPE

How to Launch (and Not Screw Up) Your AI Consulting Business is published by Jason Liu, dated 2025-04-10, with a runtime of 46 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Introduction and Meeting Andy
03:16	Client Success Stories
08:21	Opportunities in AI Consulting
11:22	Effective Outbound Tactics
20:59	Setting Client Expectations
24:37	Project Structure and Phases
26:47	Q&A Session
28:03	Transitioning to a Product-Focused Business
29:58	Developing Your Web Presence
33:05	Value-Based Pricing vs. Time and Materials
37:47	The Importance of Accurate Estimation
41:19	Engaging Clients with AI Solutions
44:36	Concluding Thoughts and Next Steps

SOURCES

- How to Launch (and Not Screw Up) Your AI Consulting Business — `https://www.youtube.com/watch?v=drbwfZkl9ig`
  `Video metadata · Description + chapters retrieved; captions empty`

07

01 · LAUNCH THE CONSULTANCY

Engagement architecture

EDITORIAL SYNTHESIS · Sell phases, not an unbounded promise.

SEPARATE UNCERTAINTY FROM DELIVERY

A diagnostic establishes whether the problem is feasible and valuable; a pilot measures performance on a limited workflow; implementation integrates and hardens the chosen design; operations supports a live service. These are different purchase decisions. A client should be able to stop after the diagnostic and still own a useful report, baseline and decision. Bundling every stage into a single fixed price before data access moves unknown risk onto the engineer and encourages rushed acceptance.

MAKE PHASE GATES EXPLICIT

For a diagnostic, specify access needed, interviews, data sample, decision memo and exclusions. For a pilot, define supported inputs, reference baseline, evaluation set and acceptance criteria. For implementation, define identity integration, environments, monitoring, rollback and training. For support, state response windows and excluded enhancements. Distinguish a response-time commitment from a resolution guarantee and avoid promising around-the-clock support as a solo operator.

CONTROL CLIENT EXPECTATIONS

Show the difference between a persuasive demo and a production system. A demo may work on selected examples, use manual preparation or omit access controls. Document those gaps before the client forms a procurement expectation. Explain that model behavior is probabilistic but service ownership is not: the contract still needs an accountable owner, incident process and bounded scope. Unknowns become paid investigation items rather than silently absorbed work.

ARTIFACT AND FAILURE TEST

Create a stage-gate sheet with deliverable, evidence, approver, payment event and stop condition. Ask: can the client accept this stage without relying on my verbal explanation? If not, the deliverable is underspecified. Test the pause scenario: when data is delayed, who pays for reserved capacity and what happens to dates? Put the agreed answer in the commercial documents before beginning.

SCHEMATIC



SOURCES

- How to Launch (and Not Screw Up) Your AI Consulting Business — https://www.youtube.com/watch?v=drbwfZkl9ig Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

08

01 · LAUNCH THE CONSULTANCY

Outbound with business evidence

EDITORIAL SYNTHESIS · The strongest outreach starts with a verifiable workflow hypothesis.

CHOOSE A TRIGGER YOU CAN OBSERVE

Useful signals include a public hiring push for a repetitive function, an announced product expansion, a documented support backlog or a platform migration. A signal suggests a possible problem; it does not prove the organization has that problem. Phrase the message as a hypothesis and invite correction. Avoid claiming internal insight from public data or using scraped personal information merely because it is technically accessible.

BUILD A MINIMUM CREDIBLE MESSAGE

Name the buyer's workflow, the likely friction, a narrowly relevant proof asset and a low-pressure next step. For example: "Your published knowledge base spans several product versions. I built a citation-checking support prototype; would a short discussion about version-specific retrieval be useful?" The proof asset should show scope, representative failures and measurement—not just a polished chatbot. Keep outreach truthful and comply with consent, privacy and anti-spam requirements for the recipient's jurisdiction.


MEASURE CONVERSION AT EACH STAGE

Track researched accounts, delivered messages, relevant replies, qualified meetings, diagnostics proposed and diagnostics won. Open rates are unreliable and can create privacy burdens; business-stage movement is more actionable. If replies are weak, revisit relevance. If meetings do not qualify, revisit targeting. If qualified opportunities do not close, inspect urgency, authority, evidence and commercial clarity before increasing message volume.

DO NOT AUTOMATE A BROKEN APPROACH

Test manually on a small set of appropriate accounts before building tooling. Never represent an automated message as personal research if it was not. Maintain suppression lists, an opt-out process and contact provenance. A sales automation agent should draft rather than send until policy and quality are proven. The engineering skill is valuable when it strengthens evidence and consistency, not when it produces more irrelevant outreach.

SCHEMATIC



SOURCES

- How to Launch (and Not Screw Up) Your AI Consulting Business — https://www.youtube.com/watch?v=drbwfZkl9ig Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Who makes an application to process Special Personal Information? - — https://inforegulator.org.za/popia/ Public document · HTTP 200

09

01 · LAUNCH THE CONSULTANCY

Estimation without false certainty

EDITORIAL SYNTHESIS · An estimate is a model of work, dependencies and uncertainty—not a precise promise.

DECOMPOSE THE ENGAGEMENT

Estimate discovery, data preparation, evaluation, implementation, integration, security review, deployment, documentation and project management separately. Include client dependencies: access approvals, domain-expert reviews, procurement and acceptance. Distinguish effort from elapsed time. A task taking two engineering days may sit behind a two-week security approval, and a fixed calendar deadline may require reserved capacity even when the client is blocked.

USE RANGES AND ASSUMPTIONS

Provide low, central and adverse scenarios for uncertain work. Identify which assumption makes each scenario plausible and what evidence would narrow it. A data spike may determine whether source documents have stable identifiers or whether OCR repair dominates the project. Do not present a contingency percentage as scientifically derived when it is an editorial planning buffer. For high uncertainty, sell a bounded investigation before quoting the implementation.

LINK CHANGE CONTROL TO EVIDENCE

Define a change as a new input class, integration, acceptance threshold, deployment region or requirement not in the agreed baseline. Record the request, impact, options and client decision. Some discoveries are contractor errors and should not automatically become chargeable changes; allocate responsibility fairly. Keep an assumption log so both parties can see when an agreed premise has changed.

CHECK ECONOMIC EXPOSURE

Model the proposed price against expected total hours and an adverse case, including support and rework. If the downside would threaten the practice, reduce scope, change the commercial model or decline. Milestones should reflect meaningful delivered value, not arbitrary fractions of time. Maintain a reserve for uncertainty, and distinguish cash collected from revenue recognition and after-tax owner income.

SCHEMATIC



SOURCES

- How to Launch (and Not Screw Up) Your AI Consulting Business — https://www.youtube.com/watch?v=drbwfZkl9ig Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200

10

02 · DATA, DOLLARS, DELIVERABLES

The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables · Vanishing Gradients · 2024-10-25 · 90 min

Open on YouTube ↗

SOURCE AND SCOPE

The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables is published by Vanishing Gradients, dated 2024-10-25, with a runtime of 90 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Introduction
01:13	Freelancing in AI: Jason's Journey
02:25	Jason's Background: Stitch Fix and Meta
03:07	Transition to Consulting
04:07	Overcoming Challenges: RSI and Rediscovery
05:52	Coaching and Commentary in AI
07:00	Building a Consulting Business
08:23	Marketing and Business Development Strategies
15:52	Understanding Client Needs and Value Creation
44:48	Identifying Client Needs and Offering Solutions
45:46	Value-Based Pricing Strategies
50:04	Role-Playing Different Consultant Scenarios
57:01	Building Proof and Getting Referrals
58:59	The Hustle of Independent Consulting
01:19:24	Navigating the AI Consulting Landscape
01:28:57	Final Thoughts and Q&A

SOURCES

- The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables — https://www.youtube.com/watch?v=9CFs06UDbGI Video metadata · Description + chapters retrieved; captions empty

11

02 · DATA, DOLLARS, DELIVERABLES

Sell diagnosis before implementation

EDITORIAL SYNTHESIS · A client request is a starting hypothesis, not the final specification.

ASK WHAT MUST CHANGE

When a buyer asks for an agent, ask what outcome the agent is expected to create, why the current process fails and who experiences the consequence. The desired intervention might be search, better data quality, an interface change or staff training rather than autonomous execution. A technically advanced consultant creates value by finding the smallest adequate intervention, including when that intervention is not AI.

OBSERVE WORK, NOT JUST OPINIONS

Request a walkthrough using a realistic case. Capture decisions, source systems, exceptions, handoffs, time spent and failure consequences. Interview the process owner, frontline users and the person who pays for the change. These perspectives can conflict. A manager may prioritize cost, users may prioritize control, and compliance may prohibit the proposed data flow. Surface the conflict early rather than letting the prototype conceal it.

WRITE A PROBLEM CONTRACT

State the workflow, affected population, current baseline, target improvement, constraints and owner. Separate a business outcome such as reduced handling time from a technical measure such as retrieval hit rate. Technical success can coexist with no business value if users do not adopt the system or reviews take as long as the original task. The diagnostic should connect both measurement levels.

DELIVER A DECISION, NOT A PITCH

Provide options: improve the existing process, implement a deterministic automation, add bounded AI assistance or defer. Compare evidence, costs, uncertainties and risks. A useful diagnostic can recommend not proceeding; this is a feature of independent advice, not a sales failure. The resulting memo becomes the basis of a bounded next phase rather than an obligation to purchase your preferred architecture.

SCHEMATIC



SOURCES

- The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables — https://www.youtube.com/watch?v=9CFs06UDbGI Video metadata · Description + chapters retrieved; captions empty
- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog — https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

12

02 · DATA, DOLLARS, DELIVERABLES

Value pricing and incentive alignment

EDITORIAL SYNTHESIS · Price can reflect value without pretending uncertainty has disappeared.

DISCOVER THE VALUE MECHANISM

Determine how an improvement affects labor, throughput, revenue, risk or experience. Labor time saved is not automatically cash saved: staff may use the released time elsewhere. Revenue upside is not attributable solely to an AI system when marketing, seasonality or process changes also matter. State the counterfactual and separate gross opportunity from realistically captured benefit.

CREATE BOUNDED OPTIONS

Offer choices with different outcomes or scope, not the identical project at three arbitrary prices. A diagnostic may produce a decision and benchmark; a pilot may validate one workflow; implementation may add integration and operating readiness. Each option must be viable, with a clear buyer benefit, acceptance criterion and exclusions. Do not use price anchoring to obscure obligations or imply that the cheapest option is unsafe.

RESPECT DELIVERY ECONOMICS

A value-informed price still needs a cost and capacity check. If benefit is large but unmeasurable, success fees can create disputes. If benefit is small, a complex system may not justify its lifecycle costs. Fixed fees work best when boundaries are credible; time-and-materials may be appropriate for exploration; retainers must specify capacity, deliverables or response commitments. No single pricing model is inherently superior in every engagement.

ALIGN INCENTIVES CAREFULLY

Avoid a fee structure that rewards increasing model usage when the client wants lower operating cost. Avoid a success metric the client can change without your control. Agree the measurement window, attribution assumptions, data source and treatment of external events. Require counsel and financial review for material performance-based arrangements. The dossier's examples are hypothetical illustrations, not market-rate recommendations or promises of creator-like income.

SCHEMATIC



SOURCES

- The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables — https://www.youtube.com/watch?v=9CFs06UDbGI Video metadata · Description + chapters retrieved; captions empty
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

13

02 · DATA, DOLLARS, DELIVERABLES

Proof, referrals and probabilistic work

EDITORIAL SYNTHESIS · Demonstrate disciplined uncertainty rather than "perfect AI."

BUILD PROOF THAT A BUYER CAN INSPECT

A strong case study describes context, constraints, baseline, intervention, measurement and remaining failures. Obtain explicit permission to publish client identifiers, screenshots and results. When permission is absent, use a synthetic demonstration and label it as such. Do not imply a synthetic example represents a real commercial outcome. Keep confidential data and intellectual property out of portfolio assets.

EXPLAIN PROBABILISTIC BEHAVIOR OPERATIONALLY

Model outputs can vary, but the system can still impose deterministic controls: schema validation, permissions, allowed actions, retry limits and manual fallback. Measure task success across representative cases rather than cherry-picking a single successful run. Report where failure concentrates and whether the remaining errors are acceptable for the intended use. A probabilistic system needs a stronger evidence process, not weaker accountability.

EARN REFERRALS AT THE RIGHT MOMENT

Ask after a specific milestone the client recognizes as valuable, and make the request easy: describe the buyer and problem you serve. Do not request disclosure of sensitive internal networks or incentivize endorsements without appropriate disclosure. Referrals are a channel to nurture, not a guaranteed compounding law. Track whether referred prospects fit your offer and whether the referrer's credibility is being responsibly used.

TRANSFER THE IMPROVEMENT PROCESS

Teach the client how to review traces, label errors and prioritize experiments. A consulting engagement should leave the team better at making decisions, not merely dependent on your prompts. Deliver a review rubric and decision log. Tie ongoing advisory work to actual evaluation cycles and decisions; avoid open-ended meetings that produce no operational artifact.

SCHEMATIC



SOURCES

- The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables — https://www.youtube.com/watch?v=9CFs06UDbGI Video metadata · Description + chapters retrieved; captions empty
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog — https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Evaluation best practices | OpenAI API — https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

14

03 · THE 2026 FREELANCE BLUEPRINT

If I Started AI/ML Freelancing in 2026, I'd Do This

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

If I Started AI/ML Freelancing in 2026, I'd Do This · Dave Ebbelaar · 2026-05-04 · 16 min

Open on YouTube ↗

SOURCE AND SCOPE

If I Started AI/ML Freelancing in 2026, I'd Do This is published by Dave Ebbelaar, dated 2026-05-04, with a runtime of 16 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Freelance AI Business Blueprint
00:50	Getting Started with Freelancing
05:25	Transitioning to Paid Work
10:50	Scaling Your Freelance Career
12:47	Joining the Data Freelancer Program
14:10	Recap of the AfricAI Event
15:03	Final Thoughts on Freelancing

SOURCES

- If I Started AI/ML Freelancing in 2026, I'd Do This — `https://www.youtube.com/watch?v=CRYea6gFWgk` `Video metadata · Description + chapters retrieved; captions empty`

15

03 · THE 2026 FREELANCE BLUEPRINT

Get going: commercial readiness

EDITORIAL SYNTHESIS · For an advanced engineer, readiness is mostly packaging and buyer access.

INVENTORY PROOF BEFORE BUILDING MORE

List shipped systems, domain experience, architecture decisions, evaluation work and collaboration evidence. Determine what can be disclosed and what must remain confidential. A mature engineer may already have strong proof but present it as a list of tools. Translate it into a short narrative of the problem, constraints, tradeoffs and result. Do not invent employer ROI or claim sole credit for team outcomes.

CHOOSE A NARROW INITIAL SERVICE

Define a buyer role, workflow and bounded intervention. Examples are a retrieval-quality diagnostic for a support team, document extraction validation for an operations team or a forecasting audit for a supply-chain team. Avoid simultaneously offering all AI, ML and automation services. Breadth can remain in your engineering capabilities while the entry offer stays specific enough to be understood and purchased.

CREATE A DEMONSTRABLE ARTIFACT

Use public or synthetic data with known licensing and representativeness limits. Show baseline behavior, important failures, a mitigation and before/after measurements. Include a plain-language explanation and a technical appendix. A good portfolio artifact makes your judgment visible. It need not become a complete SaaS product, a production-grade multi-agent framework or a long unpaid implementation.

OPEN A REAL CONVERSATION

Prepare a professional profile, clear offer, case-study page and short discovery agenda. Contact appropriate existing relationships first, with no pressure to buy or disclose internal information. Record objections as market feedback. “Get going” is not endless preparation: a few buyer conversations can reveal more about willingness to pay than another month of speculative tool building.

SCHEMATIC



SOURCES

- If I Started AI/ML Freelancing in 2026, I'd Do This — https://www.youtube.com/watch?v=CRYea6gFWgk Video metadata · Description + chapters retrieved; captions empty
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

16

03 · THE 2026 FREELANCE BLUEPRINT

Get paid: discovery to proposal

EDITORIAL SYNTHESIS · The proposal should document agreement already reached, not surprise the buyer.

QUALIFY BEFORE WRITING

Establish why the issue matters now, who owns the budget, what access is possible and how purchasing decisions are made. Confirm whether the contact can sponsor the work or merely wants information. Explore the cost of doing nothing and competing priorities. A qualified opportunity does not require a particular budget number, but it does require a plausible path to authorization and access.

SELL A DECISION-SIZED NEXT STEP

When uncertainty is high, propose a paid diagnostic with interviews, sample analysis and a decision memo. Explain what the client will own even if implementation is not recommended. For well-understood work, propose a bounded pilot with acceptance criteria and a review date. Keep the first purchase small enough to authorize but large enough to fund honest investigation and produce useful evidence.

MAKE THE DOCUMENT OPERATIONAL

Include objective, scope, deliverables, dependencies, schedule assumptions, acceptance, price, payment, change control and support boundaries. Identify client obligations, such as domain review within a specified window. Specify how delays affect dates. A commercial proposal and legal agreement play different roles; have counsel review terms around IP, liability, data processing and termination rather than copying legal language from a creator's example.

PROTECT PAYMENT DISCIPLINE

Confirm the authorized legal entity and purchase-order requirements. Use sensible milestones or deposits agreed in advance. Do not begin a materially expanded scope based on a casual message. Maintain accurate invoicing and distinguish overdue payment from disputed acceptance. Escalate professionally, preserve records and follow the contract; an automated reminder is not a substitute for a clear commercial relationship.

SCHEMATIC



SOURCES

- If I Started AI/ML Freelancing in 2026, I'd Do This — https://www.youtube.com/watch?v=CRYea6gFWgk Video metadata · Description + chapters retrieved; captions empty
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

17

03 · THE 2026 FREELANCE BLUEPRINT

Get good: anchor contracts and scaling

EDITORIAL SYNTHESIS · Predictability is valuable; dependence is a risk to price and manage.

UNDERSTAND THE ANCHOR MODEL

An anchor engagement reserves a meaningful portion of capacity or provides recurring work. It can stabilize cash flow and reduce constant selling. It can also limit time for other clients, create conflicts and resemble employment in ways that raise jurisdiction-specific classification questions. Distinguish promised recurring work from signed minimum commitments. Forecast conservatively until payments and renewal patterns are established.

SPECIFY CAPACITY AND PRIORITIES

Agree what is included, how tasks are prioritized, response windows, rollover policy and what happens when capacity is exhausted. “Unlimited AI support” is not a manageable solo service. Clarify whether the client buys availability, deliverables or access to advice. Do not allocate the same reserved hours to multiple clients. Track support load separately from planned delivery.

PROTECT INDEPENDENT RESILIENCE

Maintain a lead pipeline and documented reusable assets while serving the anchor client. Set internal concentration limits as a planning policy, not a universal benchmark. Model a lost-client scenario: months of cash runway, replacement sales time and existing obligations. Ensure termination rights and notice periods are understood. Keep conflicts of interest and confidentiality boundaries explicit when working across organizations.

SCALE ONLY THE REPEATABLE PART

Standardize diagnostic templates, evaluation runners, deployment checklists and reporting—not unproven sales claims. Subcontract only when ownership, security access, quality review and economics are clear. Productization becomes sensible when repeated demand and common requirements are observed, not merely because engineering a product feels easier than selling services. Preserve a feedback loop between client outcomes and service design.

SCHEMATIC



SOURCES

- If I Started AI/ML Freelancing in 2026, I'd Do This — https://www.youtube.com/watch?v=CRYea6gFWgk Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

18

04 · ENGINEERS INTO CONSULTING

Why Engineers Should Consider AI Consulting (And How to Start)

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

Why Engineers Should Consider AI Consulting (And How to Start) · Hamel Husain · 2024-11-18 · 36 min

Open on YouTube ↗

SOURCE AND SCOPE

Why Engineers Should Consider AI Consulting (And How to Start) is published by Hamel Husain, dated 2024-11-18, with a runtime of 36 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

SOURCES

- Why Engineers Should Consider AI Consulting (And How to Start) — https://www.youtube.com/watch?v=nyNQtkiW-ME Video metadata · Description + chapters retrieved; captions empty

19

04 · ENGINEERS INTO CONSULTING

Authority without a large audience

EDITORIAL SYNTHESIS · Technical content should expose judgment, not chase reach.

WRITE FOR A BUYER PROBLEM

Publish one concrete failure analysis: what was attempted, why it failed, what evidence changed the design and what remains uncertain. The target reader is a technical sponsor or workflow owner, not every AI enthusiast. Avoid disclosing private traces; use permissioned or synthetic examples and explicitly label them.

MAKE EXPERTISE LEGIBLE

Pair a plain-language consequence with a technical appendix. A retrieval post might explain how stale documents cause incorrect support answers, then show metadata filtering and an evaluation rubric. This signals both engineering depth and an ability to communicate across functions. Cite external sources and distinguish your own observations from vendor guidance.


CREATE A REPEATABLE PROOF LOOP

Turn each safe-to-share experiment into a short case note, a diagram and a discussion prompt. Invite correction from practitioners. Audience size is an incomplete metric: a small number of relevant conversations can be more commercially valuable than broad attention. Track the origin and fit of inquiries without claiming causal attribution for every conversion.

AVOID PREMATURE CONTENT MACHINERY

Do not spend months designing a personal brand before testing an offer. A clear profile and a credible proof asset are enough to begin. Generated content needs factual review and authentic authorship. Publishing unsupported revenue claims, fake client stories or copied repository examples can damage trust faster than good content builds it.

SCHEMATIC



SOURCES

- Why Engineers Should Consider AI Consulting (And How to Start) — https://www.youtube.com/watch?v=nyNQtkiW-ME Video metadata · Description + chapters retrieved; captions empty
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog — https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

20

04 · ENGINEERS INTO CONSULTING

Employee-to-owner economics

EDITORIAL SYNTHESIS · Technical seniority transfers; payroll predictability does not.

SEPARATE RATE FROM LIVELIHOOD

A quoted hourly rate is not an annual salary. Non-billable sales, administration, leave, support and gaps reduce realized income. Include overhead, taxes, pension or benefits, insurance and reserve needs in a planning model. The calculator in this dossier computes a hypothetical revenue floor before jurisdiction-specific tax treatment; it is not a market benchmark.

LEARN TO OWN THE DECISION

An employee may receive a defined backlog and internal escalation routes. An independent consultant must clarify the problem, allocate risk and negotiate access. Saying no to unsuitable work is part of the service. Ownership means documenting decisions and surfacing constraints, not accepting unlimited accountability for outcomes you cannot control.

PLAN A TRANSITION RUNWAY

Model conservative cash collection, delayed procurement and a lost opportunity. Consider whether employment terms permit outside work and whether past employer materials can be reused. Keep independent equipment, accounts and IP boundaries where required. Obtain local advice on business registration, worker classification and taxes before relying on an assumed legal structure.

MONITOR SUSTAINABILITY

Reserve protected time for selling, maintaining assets and recovery. Excessive utilization can hide a declining pipeline and growing support debt. Review forecast, invoices, obligations and capacity weekly. Judge independence by durable economics and professional autonomy, not a creator's best revenue month.

SCHEMATIC



SOURCES

- Why Engineers Should Consider AI Consulting (And How to Start) — https://www.youtube.com/watch?v=nyNQtkiW-ME Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200

21

04 · ENGINEERS INTO CONSULTING

Advisory leverage with boundaries

EDITORIAL SYNTHESIS · High-value advice requires evidence and a defined decision.

WHAT ADVISORY BUYS

A client may need an architecture review, evaluation design, vendor assessment or prioritized experiment plan rather than a contractor writing every component. Specify the decision, participants, inputs and output. Advice that produces a documented choice and rationale is more tangible than an open-ended promise of access to expertise.

USE TOOLS TO SUPPORT, NOT REPLACE, JUDGMENT

AI can draft memos, organize evidence and propose test cases. Review those outputs against the underlying sources and client constraints. Never upload confidential material to an unapproved service. An advisor remains responsible for the quality and boundaries of the recommendation, even when a model accelerates preparation.

EXPLAIN WHAT IS NOT INCLUDED

Separate a recommendation from a guarantee of implementation success. The team still needs engineering capacity, data access and accountable operating ownership. A workshop should not be sold as a completed transformation. State the implementation assumptions and offer a follow-up evidence review rather than implying advice alone resolves production risk.

MAKE LEVERAGE AUDITABLE

Deliver decision records, comparison criteria, failure examples and next actions. Track whether the recommendation was implemented and whether the outcome changed. Reuse your methods, not confidential client artifacts. Advisory scales only when quality and context survive; fewer hours do not automatically mean greater value.

SCHEMATIC



SOURCES

- Why Engineers Should Consider AI Consulting (And How to Start) — https://www.youtube.com/watch?v=nyNQtkiW-ME Video metadata · Description + chapters retrieved; captions empty
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog — https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

22

05 · CODE TO BUSINESS IMPACT

The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic · DataTalksClub ⬛ · 2026-08-17 · 65 min

Open on YouTube ↗

SOURCE AND SCOPE

The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic is published by DataTalksClub ⬛, dated 2026-08-17, with a runtime of 65 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Landing the First Consulting Client via Academic Research
06:06	Transitioning from Research to Consulting
11:42	Becoming a Platform Implementation Partner
18:20	Building Your Digital Footprint
23:22	Positioning: Selling Business Outcomes vs. Technical Skills
31:02	Networking Strategies and Finding Industry Pain Points
36:45	Is Consulting Right For You?
44:17	Adapting to AI and Changing Market Demands
50:16	Business Mindset: Investing in Tools and Outsourcing
55:52	Start Early and Pay It Forward
1:02:37	The Practical Handbook for Data Consulting

SOURCES

- The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic — https://www.youtube.com/watch?v=usQiNUVoCzE Video metadata · Description + chapters retrieved; captions empty

23

05 · CODE TO BUSINESS IMPACT

Partner-led routes to market

EDITORIAL SYNTHESIS · Platform alignment can improve access, but independence must remain visible.

IDENTIFY IMPLEMENTATION GAPS

A platform ecosystem can introduce work around migration, integration, data quality and adoption. Investigate which buyer problems remain after a product purchase. A platform certification is not proof of consulting demand, and a partnership badge is not a promise of referrals. Validate the actual partner program requirements, costs and permissible claims directly.

BUILD A FOCUSED CAPABILITY

Choose a platform because it fits the client's workflow and your service, not merely because the vendor offers marketing. Produce a repeatable assessment and implementation checklist. Demonstrate constraints as well as benefits. A partner should be able to explain when a simpler or competing tool is appropriate.

DOCUMENT INCENTIVES

Disclose referral commissions or resale interests where relevant. Separate commercial incentives from architecture evaluation. Clarify who contracts with the client, who owns support, who manages procurement and whether your agreement permits subcontracting. Do not imply the vendor warranties your implementation.

MAINTAIN CHANNEL RESILIENCE

Use partnerships as one channel alongside direct relationships, content and referrals. Track qualified introductions and delivered outcomes, not badge counts. A concentrated dependency on one vendor can expose the practice to program changes and platform economics. Preserve portable interfaces, client-owned data and exit documentation.

SCHEMATIC



SOURCES

- The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic — https://www.youtube.com/watch?v=usQiNUVoCzE Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

24

05 · CODE TO BUSINESS IMPACT

Digital footprint and industry pain

EDITORIAL SYNTHESIS · Visibility should make a specific buyer recognize a specific problem.

TALK TO A WORKFLOW OWNER

Ask about exceptions, delayed handoffs, reconciliation work and information the team repeatedly searches for. Interviews reveal possible pain but not necessarily budget. Triangulate with observable workflow evidence, actual volumes and sponsor priorities. Avoid treating every annoyance as an automation opportunity.

PRESENT OUTCOMES ACCURATELY

Describe your service in business language with explicit scope. “Improve policy retrieval for support agents” is more useful than listing twenty frameworks. Pair it with evidence of quality and a clear call to action. Keep portfolio claims truthful, permissioned and dated; a past deployment may not use the current tool version.

BUILD A USEFUL FOOTPRINT

A concise profile, case study, source-linked technical article and clear contact route can be sufficient. Maintain consistent positioning across channels. Public repositories can demonstrate rigor when they include tests, limitations and documentation, but stars are not a measure of client value or operational readiness.

LEARN FROM MISMATCH

Record why conversations stall: no urgency, no access, no sponsor, too broad a scope or no acceptable economics. Update the offer before expanding marketing. Market learning is a disciplined feedback process. Do not scrape sensitive business or personal data to manufacture apparent insight.

SCHEMATIC



SOURCES

- The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic — https://www.youtube.com/watch?v=usQiNUVoCzE Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Who makes an application to process Special Personal Information? - — https://inforegulator.org.za/popia/ Public document · HTTP 200

25

05 · CODE TO BUSINESS IMPACT

Run a real professional practice

EDITORIAL SYNTHESIS · Operational competence is part of technical credibility.

INVEST SELECTIVELY

Buy tools when they solve a measured bottleneck or reduce material risk. Separate required professional costs from speculative subscriptions. A solo consultant may benefit from accounting support and legal review more than another orchestration platform. Evaluate total recurring cost, cancellation terms, data handling and exportability.

CREATE BASIC GOVERNANCE

Maintain contracts, invoices, access records, licenses, decision logs and a delivery calendar. Use client-specific environments and avoid mixing credentials. Designate owners for acceptance, incidents and data deletion. Professionalism includes timely communication and reliable records, not merely strong code.


OUTSOURCE WITH CONTROLS

Before delegating, obtain contractual permission and define confidentiality, IP, access, quality review and responsibility. Give least-privilege access for the minimum period. Review outputs and revoke access when work ends. Outsourcing does not transfer your accountability to the client.

ADAPT WITHOUT CHASING TRENDS

Review recurring client needs and measured delivery failures. Add a service or tool only when it improves a real outcome. AI market change creates opportunities but also makes generic offerings easy to imitate. Durable differentiation comes from domain context, evaluation discipline and trusted operating ownership.

SCHEMATIC



SOURCES

- The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic — https://www.youtube.com/watch?v=usQiNUVoCzE Video metadata · Description + chapters retrieved; captions empty
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

26

06 · FIND, BUILD AND DELIVER

How to Find, Build, and Deliver GenAI Projects

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

How to Find, Build, and Deliver GenAI Projects · Dave Ebbelaar · 2024-06-13 · 46 min

Open on YouTube ↗

SOURCE AND SCOPE

How to Find, Build, and Deliver GenAI Projects is published by Dave Ebbelaar, dated 2024-06-13, with a runtime of 46 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Introduction
02:17	Part 1: How to Find GenAI Projects
17:34	Part 2: How to Build GenAI Projects
31:33	Part 3: How to Deliver GenAI Projects

SOURCES

- How to Find, Build, and Deliver GenAI Projects — https://www.youtube.com/watch?v=zp-rLollQrM Video metadata · Description + chapters retrieved; captions empty

27

06 · FIND, BUILD AND DELIVER

Find: workflow opportunity design

EDITORIAL SYNTHESIS · A valuable GenAI project has a workflow, an owner and a measurable counterfactual.

MAP THE PROCESS

Identify the trigger, inputs, decisions, outputs, exceptions and downstream user. A document assistant needs more than a corpus: it needs a defined use case and an authority policy. Determine where the current workflow loses time or quality, and whether information is available and lawful to process.

COMPARE INTERVENTION TYPES

Start with search, rules or a conventional interface. Add language generation only where ambiguity or synthesis requires it. Consider whether a supervised recommendation is enough. Autonomous action adds risks around permissions, state and recovery that may be unnecessary for the buyer's desired outcome.

SCORE OPPORTUNITIES TRANSPARENTLY

Use a simple matrix of value, feasibility, data readiness, adoption and risk. Weights are an internal decision aid, not an objective market ranking. Exclude prohibited or high-consequence use cases until qualified governance exists. A lower-scoring idea may still be worth a paid diagnostic if the uncertainty is cheap to resolve.

CREATE THE OPPORTUNITY BRIEF

Specify target users, current baseline, proposed intervention, expected mechanism, required access and stop conditions. Record what is known versus assumed. This brief links acquisition to engineering: the sales promise should already describe the evidence needed to establish success.

SCHEMATIC



SOURCES

- How to Find, Build, and Deliver GenAI Projects — https://www.youtube.com/watch?v=zp-rLollQrM Video metadata · Description + chapters retrieved; captions empty
- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

28

06 · FIND, BUILD AND DELIVER

Build: an evidence-first pilot

EDITORIAL SYNTHESIS · Build only what the pilot needs to answer.

FREEZE THE QUESTION

Choose a bounded workflow, representative sample and primary success criterion. Define supported inputs and exclude unrelated use cases. A pilot should answer whether an intervention is useful under specified conditions, not whether AI can solve every possible exception.

CREATE EVALUATION FIRST

Label examples with domain experts. Include ordinary cases, edge cases and cases the system should refuse or escalate. Compare against an existing process or simple baseline. Keep tuning data separate from holdout evidence where possible, and do not infer production reliability from a small handpicked demonstration.


BUILD THE MINIMUM PIPELINE

Implement data preparation, retrieval or prediction, output validation and a review surface. Store version identifiers and traces with appropriate redaction. Add access control and safe failure behavior before real client data is used. Avoid multi-agent complexity unless measured failures show why it is needed.

REPORT A DECISION

Present performance by relevant slice, costs, latency, reviewer burden and unresolved failures. Explain whether to stop, revise or proceed. A pilot that falsifies the initial hypothesis is useful if it prevents a more expensive deployment. Preserve the evidence and assumptions for the implementation gate.

SCHEMATIC



SOURCES

- How to Find, Build, and Deliver GenAI Projects – https://www.youtube.com/watch?v=zp-rLollQrM Video metadata · Description + chapters retrieved; captions empty
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Evaluation best practices | OpenAI API – https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200
- Building Effective AI Agents \ Anthropic – https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200

29

06 · FIND, BUILD AND DELIVER

Deliver: adoption and acceptance

EDITORIAL SYNTHESIS · A system is delivered when the client can use, review and operate it.

DEFINE ACCEPTANCE BEFORE LAUNCH

Translate requirements into demonstrable checks: supported tasks, authorization, failure behavior, latency budget, logging, documentation and review workflow. Keep business KPI expectations separate from contractor-controlled delivery checks. Agree who signs off, which evidence is required and how defects are classified.

BUILD THE HUMAN WORKFLOW

Users need to know what the system can do, when it may be wrong and how to report a failure. Training should use realistic tasks and visible exceptions. If review takes longer than the old process, apparent model accuracy may produce no practical benefit. Measure adoption and burden rather than assuming a deployed interface will be used.

TRANSFER OPERATIONS

Deliver architecture, data lineage, deployment instructions, backup and rollback, dependency versions, access ownership and incident contacts. Test a recovery exercise with the client. Ensure recurring third-party charges and retention policies are understood. Do not leave production credentials only in the consultant's personal accounts.

SEPARATE SUPPORT FROM ENHANCEMENT

Agree a stabilization window, defect process and ongoing support model. A new workflow, integration or requirement is not automatically a bug. Keep a fair change-control process and an enhancement backlog. End the engagement with a recorded acceptance decision and access cleanup.

SCHEMATIC



SOURCES

- How to Find, Build, and Deliver GenAI Projects — https://www.youtube.com/watch?v=zp-rLollQrM Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

30

07 · THE UNSPOKEN CONSULTING REALITIES

What Nobody Tells You About AI Consulting

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

What Nobody Tells You About AI Consulting · Jason Liu · 2025-09-16 · 57 min

Open on YouTube ↗

SOURCE AND SCOPE

What Nobody Tells You About AI Consulting is published by Jason Liu, dated 2025-09-16, with a runtime of 57 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Introduction and Session Goals
02:23	Consulting Experiences and Insights
07:39	Breakthrough Moments in Consulting
12:44	Positioning, Pricing, and Proposals
20:52	Future Plans and Exit Strategies
28:30	Handling Intellectual Property and NDAs
32:47	Deploying AI Solutions: Challenges and Strategies
34:39	Understanding Client Pain Points and Positioning
40:38	Consulting Strategies and Client Management
49:35	Advice for Aspiring Consultants
53:20	Final Thoughts and Summary

SOURCES

- What Nobody Tells You About AI Consulting — `https://www.youtube.com/watch?v=WoyfzxbtXdo` `Video metadata · Description + chapters retrieved; captions empty`

31

07 · THE UNSPOKEN CONSULTING REALITIES

Qualification, positioning and proposals

EDITORIAL SYNTHESIS · Advanced capability does not make every opportunity suitable.

IDENTIFY A VIABLE SPONSOR

Determine the problem owner, budget path, decision process, technical constraints and timeline. A curious contact may not control any of these. Qualify the organization's ability to provide data, domain review and operating support. An enthusiastic buyer without access may create months of unpaid blocked work.

POSITION AROUND THE ACTUAL PAIN

Explore the consequence beneath the requested tool: errors, delay, cost, compliance exposure or lost throughput. A broad "AI consultant" pitch makes it hard to compare value. Use a narrow entry offer while remaining capable of recommending alternatives. Do not promise a result before the required evidence exists.

USE A PROPOSAL AS AN ALIGNMENT RECORD

Document objective, in-scope workflow, exclusions, dependencies, evidence, price and decision gates. State assumptions plainly. For uncertain implementations, split paid investigation from delivery. Give options with meaningful scope differences and disclose what the client must supply.

RECOGNIZE DISQUALIFYING SIGNALS

Warning signs include demands for guaranteed model correctness, unclear data rights, no accountable approver, refusal to define scope or requests for unauthorized access. Some issues can be resolved by a smaller diagnostic; others justify declining. Keep a decision log to improve future qualification instead of rationalizing every rejected lead.

SCHEMATIC



SOURCES

- What Nobody Tells You About AI Consulting — https://www.youtube.com/watch?v=WoyfzxbtXdo Video metadata · Description + chapters retrieved; captions empty
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

32

07 · THE UNSPOKEN CONSULTING REALITIES

IP, NDAs and delivery constraints

EDITORIAL SYNTHESIS · Confidentiality, ownership and permissions are architectural requirements.

SEPARATE IP CATEGORIES

Distinguish pre-existing consultant assets, client data, bespoke deliverables, third-party dependencies and generated outputs. Agree rights for each category and whether reusable generic improvements can be retained. Do not assume a payment automatically transfers every right or that a public repository is free of obligations. Qualified legal review is needed for material agreements.

TRANSLATE CONFIDENTIALITY INTO CONTROLS

An NDA does not configure storage, access, model-provider retention or logging. Use client-approved services, least-privilege credentials, defined retention and redacted traces. Identify subcontractors and subprocessors. Keep sensitive information out of public demos, issue reports and unapproved model prompts.

CHECK PRACTICAL DEPLOYMENT READINESS

Determine whether the client can operate the proposed stack, complete identity integration, approve network access and review outputs. The best model choice can still fail procurement or security requirements. Include these gates in planning, not as last-minute additions after the pilot.

DELIVER AN OWNERSHIP INVENTORY

List repositories, licenses, environments, accounts, datasets, model versions, documentation and operational contacts. Record transfer or access rights and deletion requirements. Do not expose secrets in the inventory. A clean ownership handover reduces disputes and prevents the client from becoming accidentally dependent on your personal infrastructure.

SCHEMATIC



SOURCES

- What Nobody Tells You About AI Consulting — https://www.youtube.com/watch?v=WoyfzxbtXdo Video metadata · Description + chapters retrieved; captions empty
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- Security Best Practices - Model Context Protocol — https://modelcontextprotocol.io/specification/latest/basic/security_best_practices Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

33

07 · THE UNSPOKEN CONSULTING REALITIES

Advisory, implementation and exit paths

EDITORIAL SYNTHESIS · Choose a practice shape based on demand and operating responsibility.

COMPARE SERVICE MODELS

Implementation produces a working artifact but can consume substantial integration and support capacity. Advisory may focus on decisions and enablement, but requires credibility and suitable client capability. Training creates reusable material but must remain current and contextual. An agency adds management and quality-control duties; a product adds distribution, support and product-market uncertainty.

FOLLOW REPEATED DEMAND

Look for recurring problems, common evaluation needs and stable requirements before productizing. Distinguish repeated sales of the same diagnosis from a truly standard implementation. A product should solve a observed problem for multiple buyers without depending on bespoke consulting hidden behind the interface.

PLAN TRANSITIONS EXPLICITLY

If shifting toward advisory, agree who implements and how recommendations are validated. If hiring, define access, supervision and delivery ownership. If building SaaS, assess license permissions, multi-tenancy, data isolation and service support. Do not fund speculative product work by silently diverting contracted capacity.

RETAIN A RIGHT TO STAY SMALL

A solo practice can be a legitimate end state. Optimize for the owner's capacity, economics and desired responsibility rather than a narrative of perpetual scale. Use a quarterly review of demand, margin, support load and concentration to decide whether the next step should be growth, simplification or specialization.

SCHEMATIC



SOURCES

- What Nobody Tells You About AI Consulting — https://www.youtube.com/watch?v=WoyfzxbtXdo Video metadata · Description + chapters retrieved; captions empty
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

34

08 · THE FREELANCE DATA PLAYBOOK

Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru · DataTalksClub ⬛ · 2022-06-03 · 62 min

Open on YouTube ↗

SOURCE AND SCOPE

Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru is published by DataTalksClub ⬛, dated 2022-06-03, with a runtime of 62 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00:00	Episode Introduction
00:01:40	Guest Overview: Adrian's Move to Freelancing
00:02:12	Career Journey: Economics & Marketing to Data Engineering
00:03:34	Becoming a Freelancer: Leaving Corporate Life & First Contract
00:05:33	Hiring Process Differences: Freelance vs Corporate Engagements
00:07:06	Income Variability & Occupancy Rate Explained
00:09:27	Early Challenges: Impostor Syndrome and Team Fit
00:11:36	First Projects: Legacy Cleanup, Airflow, Data Science & ICO Work
00:15:08	Shift to Product: Founding a Company and Building a Prototype
00:18:12	Pricing Models: Hourly Rates, Negotiation, and Market Ranges
00:21:17	Skill Growth: Learning on the Job and Generalist Advantage
00:23:19	Intermediaries: Recruitment Agencies vs Direct Client Work
00:27:45	Client Acquisition: Networking Strategies and Repeat Business
00:31:43	Scoping Work: Spikes, Scope Documents and Managing Expectations
00:35:01	Networking Tactics: In-Person Meetings and Relationship Building
00:39:45	Freelance Platforms: Upwork Pros, Cons, and Time Valuation
00:40:57	Work Location: Choosing Remote or On-Site Projects
00:41:32	Data Loading Tool: Handling Volatile Schemas & Automatic Unpacking
00:44:28	Transition Paths: From Freelancing to Product or Investing
00:46:17	Reusable Portfolio: Building Demonstrable, Reusable Assets
00:48:57	Personality Fit: Freelancing as an Introvert
00:49:33	Work Flexibility: Feasibility of Working Three Months a Year
00:51:27	Project Selection: Following Interest vs Strategic Skill Building
00:52:22	Assessing Fit: Traits That Predict Freelance Success
00:54:43	Local Market: Berlin Opportunities and How to Create Them
00:55:30	Client Expectations: Proactivity, Ownership, and Outcomes
00:57:23	Multiple Clients: Balancing Focus, Risk, and Side Gigs
00:59:09	Freelance Cooperative: Slack Group for Collaboration & Referrals
01:01:40	Contact & Resources: LinkedIn, GitHub, Slack Invite and Next Steps

SOURCES

- Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru — https://www.youtube.com/watch?v=9DTTrN-khCk Video metadata · Description + chapters retrieved; captions empty

35

08 · THE FREELANCE DATA PLAYBOOK

Rates, occupancy and intermediaries

EDITORIAL SYNTHESIS · Realized income depends on paid utilization and commercial friction.

MODEL OCCUPANCY HONESTLY

Separate paid hours from available hours. Sales, administration, leave, training and support all consume capacity. Forecast cash receipts with payment delays and platform or intermediary charges. Historical rates in the 2022 video are context, not current market evidence. The right planning floor depends on your requirements and realistically sellable capacity.

EVALUATE INTERMEDIARIES

Recruiters and agencies may reduce acquisition effort and provide larger engagements. They may also restrict negotiation, client access and margin. Read exclusivity, payment, non-solicitation and IP terms. A direct relationship can improve control but increases your responsibility for procurement, contracting and collection.


NEGOTIATE THE WHOLE ARRANGEMENT

Discuss scope, payment timing, access, location, capacity, notice and liability—not only the headline rate. An attractive rate can hide long payment delays or unbounded responsibilities. Agree expense treatment and required on-site work. Do not confuse a contractor's revenue with an employee's comparable take-home income.

BUILD A CONSERVATIVE FORECAST

Use booked commitments, probable opportunities and speculative leads as separate categories. Avoid counting every proposal as future revenue. Stress-test a lower-occupancy period and delayed payment. The aim is not maximum utilization at any cost; it is stable delivery capacity with room for future business.

SCHEMATIC



SOURCES

- Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru — https://www.youtube.com/watch?v=9DTTrN-khCk Video metadata · Description + chapters retrieved; captions empty
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

36

08 · THE FREELANCE DATA PLAYBOOK

Spikes, volatile data and reusable assets

EDITORIAL SYNTHESIS · Data uncertainty should be investigated before it becomes a delivery surprise.

USE A BOUNDED SPIKE

A spike is a time-limited investigation that resolves a decision: can the source be accessed, how often does its schema change, can identifiers be reconciled or is quality adequate? Specify the question, sample, duration and output. A spike is not a promise to finish the integration under a research label.

EXPECT PRODUCTION MESSINESS

Profile nulls, inconsistent types, duplicate records, timestamps, encoding and change history. Establish data contracts and quarantine invalid inputs. Automatic schema evolution can preserve ingestion while still breaking downstream meaning. Review semantic changes, not merely whether a pipeline ran successfully.


REUSE THE METHOD, NOT CLIENT DATA

Maintain generic validation libraries, diagnostic templates and synthetic examples. Keep client-specific connectors, credentials and datasets isolated unless rights expressly permit reuse. Document configuration and extension points. A reusable asset reduces repeated effort only when it remains maintained and testable.

INCLUDE DATA IN ACCEPTANCE

Define source coverage, freshness, quality checks and failure routing. Report excluded or quarantined records. An AI system trained or grounded on unreliable inputs may fail despite sound model engineering. Assign a data owner and a process for resolving exceptions; the consultant cannot silently become the permanent steward of every source.

SCHEMATIC



SOURCES

- Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru — https://www.youtube.com/watch?v=9DTTrN-khCk Video metadata · Description + chapters retrieved; captions empty
- Introduction | dlt Docs — https://dlthub.com/docs/intro Public document · HTTP 200
- 12. Common pitfalls and recommended practices — scikit-learn 1.9.1 documentation — https://scikit-learn.org/stable/common_pitfalls.html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

37

08 · THE FREELANCE DATA PLAYBOOK

Networks, fit and client concentration

EDITORIAL SYNTHESIS · Relationships create access; ownership and boundaries sustain them.

NETWORK AROUND CONTRIBUTION

Attend relevant communities, help solve concrete problems and maintain professional relationships. Referrals work best when others understand the buyer and problem you serve. Avoid transactional pressure or harvesting community contacts for unsolicited campaigns. Introversion does not preclude consulting; deliberate small-group and written interactions can still build trust.

ASSESS FIT ON BOTH SIDES

Review technical challenge, communication, access, decision speed, ethics and commercial reliability. A technically interesting project may not fit your capacity or risk tolerance. Ask how the client handles disagreement and uncertainty. A good engagement permits evidence to change the proposed solution.

BALANCE MULTIPLE CLIENTS

Track reserved capacity, support obligations and context-switching costs. Keep data and environments isolated. Disclose conflicts where required and respect confidentiality. One anchor client simplifies scheduling but increases exposure to termination; many small clients can create overwhelming coordination. Choose deliberately rather than assuming either arrangement is always better.

REVIEW CONCENTRATION AND RENEWAL

Maintain a rolling forecast, client dependency map and renewal dates. Set an internal concentration policy and stress-test loss scenarios. Ask whether reusable proof and independent relationships are growing alongside current work. A full calendar can be fragile when every opportunity depends on one relationship.

SCHEMATIC



SOURCES

- Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru — https://www.youtube.com/watch?v=9DTTrN-khCk Video metadata · Description + chapters retrieved; captions empty
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

38

09 · FIRST-CLIENT ACQUISITION

How To Land Your First AI Client As A Freelancer (100+ Beginners Did This)

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) · Jono Catliff · 2026-06-01 · 60 min

Open on YouTube ↗

SOURCE AND SCOPE

How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) is published by Jono Catliff, dated 2026-06-01, with a runtime of 60 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
0:00	First $60K With AI
0:40	Who This Is For
1:46	Stop Busy Work, Start Selling
2:43	The 2 Skills: Marketing & Sales
3:06	Fantasy vs Reality
3:54	The 4-Stage Ladder
5:13	Why Start on Upwork
9:10	Upwork Profile: Social Proof
12:14	Upwork Profile: Results
14:05	Your Bio + Intro Video
15:52	How to Price Yourself
17:09	Social Proof Ranked
19:41	Make Your Upwork Bio With AI
22:23	The "No Experience" Fix
26:57	Job Success Score
28:20	How to Apply to Jobs
30:25	Upwork Proposals With AI
37:10	How to Run Sales Calls
44:07	How to Qualify Clients
46:48	Life After Upwork
49:37	4 Ways to Get Leads
51:20	Generalist vs Specialist
55:21	How to Pick a Niche
59:47	Free Blueprints + Work With Me

SOURCES

- How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) — `https://www.youtube.com/watch?v=jzq3FUrQ-u0` `Video metadata · Description + chapters retrieved; captions empty`

39

09 · FIRST-CLIENT ACQUISITION

Upwork credibility and proposals

EDITORIAL SYNTHESIS · Use marketplace mechanics without underselling experienced judgment.

TRANSLATE EXPERTISE INTO RELEVANCE

Present a focused offer, disclosure-safe case studies and clear outcomes. If freelance reviews are absent, use legitimate work evidence and synthetic demonstrations; do not manufacture testimonials. Existing senior engineering experience is not erased by a new marketplace profile. Do not blindly adopt beginner discount strategies from a first-client tutorial.

WRITE A SPECIFIC PROPOSAL

Show that you understand the posted workflow, identify one important uncertainty and suggest a bounded next step. Avoid generic AI-generated prose and unsupported claims. AI can assist drafting, but review every fact and never invent experience, certifications or client results. Keep confidential information out of proposal tools.


EVALUATE JOBS SELECTIVELY

Consider scope clarity, client history, data readiness, budget fit and authorization. A platform posting is not proof of a safe engagement. Verify suspicious requests independently and avoid executing unknown code or installing untrusted software as part of an interview. Track the time spent applying as an acquisition cost.

RESPECT PLATFORM RULES

Payment, communication and relationship rules can change. Check the current official terms before moving a relationship outside the platform. The support page attempted during research returned 403, so this dossier does not assert specific current fees or conversion conditions. “Build independent channels” means sourcing separate clients lawfully, not circumventing existing platform obligations.

SCHEMATIC



SOURCES

- How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) — https://www.youtube.com/watch?v=jzq3FUrQ-u0 Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

40

09 · FIRST-CLIENT ACQUISITION

Sales calls and qualification

EDITORIAL SYNTHESIS · A productive call discovers whether the problem deserves an engagement.

USE A CLEAR AGENDA

Confirm the workflow, consequence, desired outcome and current process. Ask the buyer to walk through a recent example. Explore timing, sponsor, access and procurement. Explain that the conversation may conclude with no project. This reduces pressure to prescribe AI before understanding the need.

DIAGNOSE RATHER THAN PERFORM

Do not use technical jargon to substitute for discovery. Ask what a successful change would look like, how it would be measured and who would use it. Summarize your understanding and invite correction. A sophisticated solution presented too early can obscure missing business assumptions.


CHECK DELIVERY CONDITIONS

Determine who supplies data and reviews results, what systems must integrate and which constraints are non-negotiable. Identify high-consequence actions and privacy concerns. Clarify whether budget exists for evaluation and operations, not just a prototype. A lack of readiness can justify a paid diagnostic or a deliberate pause.

END WITH A DOCUMENTED NEXT STEP

Send a short recap of the problem, open questions, responsibilities and proposed decision. If there is no fit, decline respectfully. If there is fit, propose a bounded scope with evidence and acceptance. Avoid promising a price or timeline before dependencies are understood, and do not treat meeting enthusiasm as authorization.

SCHEMATIC



SOURCES

- How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) — https://www.youtube.com/watch?v=jzq3FUrQ-u0 Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

41

09 · FIRST-CLIENT ACQUISITION

Niche choice and independent channels

EDITORIAL SYNTHESIS · Specialize the entry offer while retaining broad technical options.

DEFINE A USEFUL NICHE

A niche combines buyer, workflow and consequence. “AI for businesses” is too broad; a specific operational problem is easier to understand. Validate sufficient demand, access to buyers, data availability and acceptable risk. Domain specialization can matter more than loyalty to a single framework.

USE GENERALIST DEPTH SELECTIVELY

An advanced engineer can integrate data, infrastructure, interfaces and models, but the sales message should not list every capability. Keep the initial offer narrow and explain related services only when they solve the same client problem. Expand from observed demand rather than fear of missing a trend.

DIVERSIFY SOURCING RESPONSIBLY

Develop referrals, partnerships, relevant content and direct relationships. Preserve marketplace obligations for platform-sourced clients. Track channel quality and total acquisition effort. A channel with many low-fit leads may be less useful than one with fewer well-qualified introductions.

TEST AND REVISE

Run small experiments in positioning and proof. Compare relevant conversations and paid diagnostics, not only traffic. Keep a record of objections and winning contexts. A niche is a testable commercial hypothesis, not an identity that must never change. Revise when evidence shows a better fit, while maintaining delivery credibility.

SCHEMATIC



SOURCES

- How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) — https://www.youtube.com/watch?v=jzq3FUrQ-u0 Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200

42

10 · FOUR CONSULTING FOUNDATIONS

The Four Key AI Consulting Basics (Full Framework)

VIDEO MAP · Published chapters and stated themes; no transcript-complete claim.

The Four Key AI Consulting Basics (Full Framework) · Nick Saraev · 2025-09-11 · 24 min

Open on YouTube ↗

SOURCE AND SCOPE

The Four Key AI Consulting Basics (Full Framework) is published by Nick Saraev, dated 2025-09-11, with a runtime of 24 minutes. This four-page dossier begins with the retrieved source map and then develops three applied consulting concepts.

EVIDENCE NOTE

Mapped from the published description and chapter list only. Captions returned empty, so this is not a transcript summary, and timestamps have not been checked against playback. Creator anecdotes about income, audience or contracts are not treated as typical, causal or a pricing benchmark. The three pages that follow are editorial synthesis with their own sources; a shared topic does not mean the speaker endorses a tool used elsewhere in the dossier.

TIME	PUBLISHED CHAPTER
00:00	Introduction
02:18	Driver tree
07:28	Business acumen
13:47	Communication
17:03	FAST
23:34	Outro

SOURCES

- The Four Key AI Consulting Basics (Full Framework) — https://www.youtube.com/watch?v=0zp3k4qzmHo Video metadata · Description + chapters retrieved; captions empty

43

10 · FOUR CONSULTING FOUNDATIONS

Driver trees for measurable outcomes

EDITORIAL SYNTHESIS · A driver tree makes the value hypothesis explicit and falsifiable.

START WITH A BUSINESS RESULT

Choose a result such as cost per resolved case, cycle time or throughput. Decompose it into observable drivers. For handling cost, drivers may include case volume, effort per case, loaded labor cost and rework. Identify which driver the intervention can influence and which remain outside its control.

PRESERVE DIMENSIONAL CONSISTENCY

Use units at every node. Minutes per case multiplied by cases per month produces minutes per month; convert to hours before applying an hourly cost. Avoid adding unlike quantities or counting the same improvement twice. Keep assumptions separate from measurements and identify the data source for each driver.

MODEL CAPTURE AND SIDE EFFECTS

Saved time is not automatically realized financial benefit. Include adoption, review burden, exception costs and operating expenses. Faster handling may increase throughput but also create downstream congestion. A driver tree is useful because it exposes these assumptions, not because a diagram guarantees causality.

TURN THE TREE INTO TESTS

Assign a measurement owner and review window to the driver you expect to change. Use a baseline and, where feasible, a controlled comparison. Revisit the tree when results contradict assumptions. Connect technical metrics to the affected driver while preserving the distinction between model quality and business outcome.

SCHEMATIC



SOURCES

- The Four Key AI Consulting Basics (Full Framework) — https://www.youtube.com/watch?v=0zp3k4qzmHo Video metadata · Description + chapters retrieved; captions empty
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Evaluation best practices | OpenAI API — https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200

44

10 · FOUR CONSULTING FOUNDATIONS

Business acumen and communication

EDITORIAL SYNTHESIS · Explain the decision in the language of its owner.

IDENTIFY THE STAKEHOLDER LENS

Executives may ask about value and risk; operations about workflow; security about permissions; engineers about interfaces and failure behavior. These concerns are complementary. Create a shared problem statement and a short decision memo with a technical appendix rather than forcing all stakeholders through the same architecture presentation.

USE CONSEQUENCE-FIRST LANGUAGE

Explain what changes, for whom, at what cost and with which remaining uncertainties. Replace “we use embeddings and agents” with a bounded capability such as “staff can retrieve version-specific policy passages with citations, and low-confidence cases remain manual.” Technical details matter, but they should support a decision rather than become the opening claim.


MAKE UNCERTAINTY UNDERSTANDABLE

Distinguish observed evidence, assumptions and unknowns. Show representative failure examples and the manual path. Avoid a single accuracy number without task definition, sample composition and error severity. State when you recommend delaying or choosing a non-AI solution.

KEEP COMMUNICATION OPERATIONAL

Maintain a weekly brief of completed evidence, decisions needed, blockers and next gate. Assign owners and dates. Escalate changed assumptions early. Strong communication is not constant messaging; it is ensuring that the right person can make the next decision with sufficient context.

SCHEMATIC



SOURCES

- The Four Key AI Consulting Basics (Full Framework) — https://www.youtube.com/watch?v=0zp3k4qzmHo Video metadata · Description + chapters retrieved; captions empty
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

45

10 · FOUR CONSULTING FOUNDATIONS

Structured choices without fake precision

EDITORIAL SYNTHESIS · Use a framework to expose reasoning, not to manufacture certainty.

RESPECT THE SOURCE BOUNDARY

The video description names the FAST framework and a chapter at 17:03 but does not define its expansion in the retrieved metadata. Without a transcript, this dossier does not invent the acronym or attribute a detailed method to Nick Saraev. The following decision protocol is original editorial synthesis, not a reconstruction of FAST.

FRAME THE DECISION

State the problem, owner, constraints and decision deadline. Generate plausible options including doing nothing or improving the existing process. Gather evidence relevant to each option. Identify irreversible actions and unknowns that justify a bounded experiment before commitment.

COMPARE TRANSPARENTLY

Use criteria such as business value, feasibility, lifecycle cost, risk and reversibility. Define scoring labels and disclose weights. A numerical matrix helps organize discussion but does not establish objective truth. Perform a sensitivity check: would a modest change in assumptions reverse the preferred option? If so, investigate before purchasing.

RECORD AND REVISIT

Document the choice, rationale, assumptions, dissent and review trigger. Assign an owner for collecting outcome evidence. A good decision process remains useful even if the outcome is disappointing because it reveals which assumptions failed. Avoid retrospectively rewriting the record to make the initial choice appear inevitable.

SCHEMATIC



SOURCES

- The Four Key AI Consulting Basics (Full Framework) — https://www.youtube.com/watch?v=0zp3k4qzmHo Video metadata · Description + chapters retrieved; captions empty
- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

46

PRACTICE & ENGINEERING

Positioning and offer design

One buyer, one workflow, one credible entry offer.

A SERVICE LADDER

Define diagnostic, pilot, implementation and operating services separately. A diagnostic should produce a baseline, data-readiness assessment and decision. A pilot validates a bounded workflow. Implementation hardens and integrates; operations manages a defined live service. Keep the entry offer clear enough to purchase without committing to every later stage.

CHOOSE BASED ON FIT

Score buyer access, recurring pain, data rights, feasibility and willingness to fund evaluation. This is an internal decision aid, not a market ranking. Prefer a workflow you understand well enough to discuss exceptions and consequences. Decline projects where acceptable failure cannot be defined or where the buyer lacks authority to provide required data.

SHOW EVIDENCE, NOT TOOL BREADTH

Create a case note with constraints, baseline, failure analysis and a defensible result. Use synthetic data when real results cannot be disclosed. Offer examples such as retrieval audits, extraction validation or forecast diagnostics, but test actual demand before treating these as productized packages.

YOUR FIRST ARTIFACT

Write: “For [buyer], I investigate [workflow problem] and deliver [decision/evidence] within [bounded scope], subject to [dependencies].” Add exclusions and an example acceptance criterion. If the statement needs a long list of frameworks to make sense, the commercial problem is still too vague.

OFFER VALIDATION WORKSHEET

Record five fields for each conversation: workflow frequency, consequence of failure, existing workaround, person who can approve change, and evidence needed before purchase. Compare what the buyer says with a concrete workflow example. Treat compliments as weaker evidence than willingness to provide data and fund investigation. A service hypothesis is stronger when the same consequence recurs across independent conversations, but a small interview set is not a representative market study. Keep disconfirming evidence: no urgency, costly access, unacceptable error tolerance or preference for internal implementation. Revise the offer before scaling acquisition.

SCHEMATIC



SOURCES

- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200

47

PRACTICE & ENGINEERING

Qualification and opportunity gates

A sales funnel should protect delivery quality as well as generate work.

QUALIFICATION FIELDS

Record problem, consequence, sponsor, budget path, data access, domain reviewer, procurement route, timeline and operating owner. Unknown is a legitimate status. Distinguish a curious contact from an authorized buyer. Do not infer budget from company size or enthusiasm.

DECISION GATES

Move an opportunity forward only when the next purchase is understandable and feasible. A diagnostic may resolve data uncertainty; it cannot fix a lack of lawful access or an unacceptable use case. Reject requests for unauthorized data, stolen credentials or guaranteed correctness in a high-consequence workflow.

PIPELINE MEASUREMENT

Track stage conversion, elapsed time and acquisition effort. Segment by channel and offer. Avoid optimizing message volume while ignoring fit. A lost proposal should generate a reason code and learning, not an excuse to increase automated outreach.


EXIT WITH INTEGRITY

A respectful decline can preserve a relationship. Explain constraints and, where appropriate, suggest a safer alternative or qualified specialist. Avoid promising a referral you cannot substantiate. Maintain suppression and privacy controls for contact records.

QUALIFICATION EVIDENCE PACKET

Before a proposal, request a redacted representative input, the current process steps, a named domain reviewer and a description of procurement. Record access as approved, pending or prohibited—not simply available. Identify who can decide when stakeholders disagree. If no one can accept the output, the project has no practical acceptance path. A diagnostic can resolve feasibility, but cannot substitute for an authorized sponsor. Maintain a reasoned decline log; repeated access or ownership problems may indicate the niche is poorly suited to a solo operator.

SCHEMATIC



SOURCES

- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Who makes an application to process Special Personal Information? - — https://inforegulator.org.za/popia/ Public document · HTTP 200

48

PRACTICE & ENGINEERING

Pricing-floor laboratory

All values below are hypothetical planning inputs, not recommended market prices.

BUILD THE FLOOR

Suppose an owner needs $96,000 annual compensation before personal tax, $18,000 overhead and $12,000 reserve contribution. Required annual revenue is $126,000 before variable fees. With 46 working weeks, 35 available hours per week and 60% billable utilization, planned billable capacity is 966 hours. The simple hourly floor is approximately $130.43. This is a planning calculation, not evidence that buyers will pay it.

ACCOUNT FOR VARIABLE CHARGES

If a hypothetical channel charge consumes 10% of gross revenue, divide the revenue requirement by 0.90. The adjusted hourly floor is approximately $144.93. Actual taxes, platform fees, currency costs, VAT or sales taxes require current local advice and official terms. Do not assume the example's percentage corresponds to any platform's current policy.

STRESS-TEST UTILIZATION

At 40% utilization, capacity becomes 644 hours and the unadjusted floor approximately $195.65. If the market does not support that economics, reducing the price without changing the model only hides the problem. Options include lower overhead, a different niche, more qualified demand, less support burden or a narrower offer.

USE THE RESULT RESPONSIBLY

A cost floor informs whether an engagement is sustainable; it does not determine value or final price. For fixed work, model low, central and adverse total effort including evaluation and rework. Revisit the model using realized paid utilization and cash collection. The interactive calculator permits editing these assumptions without sending data to a server.

FIXED-PRICE STRESS TEST

Hypothetical project fee: $15,000. At 80 total hours, effective gross revenue is $187.50 per hour; at 120 hours it is $125.00; at 160 hours it is $93.75. These figures exclude variable charges, overhead allocation and tax. Compare every scenario with the planning floor and identify which uncertain work creates the downside. Reduce scope or sell a spike if data preparation could double effort. Do not silently exclude evaluation, meetings, documentation and support from the hour estimate. A project that appears profitable only when every assumption goes right is fragile.

PRICING-FLOOR CALCULATOR

Hypothetical planning inputs only, preset to the worked example above. Everything is calculated in your browser; nothing is sent anywhere.

CURRENCY SYMBOL	ANNUAL COMPENSATION (PRE-TAX)	ANNUAL OVERHEAD
$	96000	18000

ANNUAL RESERVE	WORKING WEEKS / YEAR	AVAILABLE HOURS / WEEK
12000	46	35

BILLABLE UTILIZATION %	VARIABLE CHARGES % OF GROSS	FIXED PROJECT FEE
60%	10	15000

REQUIRED REVENUE	BILLABLE CAPACITY	UNADJUSTED FLOOR	FLOOR AFTER VARIABLE CHARGES
$126,000	966 h	$130.43	$144.93

FIXED-FEE SCENARIO	TOTAL HOURS	EFFECTIVE / HOUR	VS ADJUSTED FLOOR
Low effort	80	$187.50	Above floor
Central	120	$125.00	Below floor
Adverse	160	$93.75	Below floor

This is a cost floor, not a market price or financial advice. Taxes, platform fees, currency costs and VAT need current local advice.

SCHEMATIC



INPUT	ILLUSTRATIVE VALUE
Compensation + overhead + reserve	$126,000 / year
Billable capacity	46 × 35 × 0.60 = 966 hours
Unadjusted floor	$130.43 / hour
At hypothetical 10% variable charge	$144.93 / hour

SOURCES

- stark-pricing — https://jonathanstark.com/notes-on-pricing-with-confidence Public document · HTTP 200

49

PRACTICE & ENGINEERING

Value model and benefit attribution

Separate technical improvement, operational benefit and realized financial value.

WORK THE MECHANISM

Hypothetical support workflow: 6,000 cases per month and two gross minutes saved per case gives 200 hours. If review and exceptions consume 50 hours, net release is 150 hours. At a hypothetical loaded cost of $30 per hour, the capacity value is $4,500 per month. If only 60% is usefully captured, the modeled benefit is $2,700 before system costs. This does not prove cash savings.

SUBTRACT LIFECYCLE COSTS

Include inference, storage, engineering maintenance, human review, security and training. Suppose recurring costs are $900 per month; modeled net benefit becomes $1,800. An initial implementation expense changes payback. Use ranges for adoption and error burden rather than a single optimistic point estimate.

AVOID DOUBLE COUNTING

Do not count the same released hours as both reduced labor expense and extra revenue without a justified mechanism. A faster workflow may create a downstream bottleneck. External changes such as staffing and seasonality can affect results. Agree a baseline and attribution method with the client before using outcomes for pricing or case studies.

CHOOSE A CREDIBLE TEST

Measure comparable tasks before and after, or use a controlled rollout where feasible. Track case mix and error severity. A short pilot may not establish long-term benefit. Show assumptions, data source, confidence and the decision the evidence supports. The correct recommendation can be not to build.

SENSITIVITY AND DECISION THRESHOLD

In the illustration, 150 net hours multiplied by $30 produces $4,500 potential capacity value. With $900 recurring cost, the capture factor must exceed 20% merely to cover that recurring cost: $900 ÷ $4,500. This ignores implementation expenditure, financing, taxes and uncertainty. At 30% capture, modeled monthly net is $450; at 80% capture it is $2,700. The large range shows why adoption and review burden deserve measurement before an implementation quote. These are arithmetic scenarios, not predictions or audited business results.

SCHEMATIC



QUANTITY	ILLUSTRATIVE MONTHLY VALUE
Gross time released	200 hours
Net after review	150 hours
Captured benefit	$2,700
Recurring cost	$900
Modeled net benefit	$1,800

SOURCES

- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Evaluation best practices | OpenAI API — https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200

50

PRACTICE & ENGINEERING

Scope, contracts and change control

Commercial documents should make technical uncertainty manageable.

SCOPE BASELINE

Document objective, supported workflows, inputs, integrations, environments, deliverables, acceptance and exclusions. Include required client access and review obligations. Distinguish effort assumptions from delivery deadlines. A dependency delay needs a contractual treatment, not an informal hope.

RIGHTS AND RESPONSIBILITY

Ask qualified counsel about IP categories, confidentiality, data processing, subprocessors, warranties, liability, indemnities, termination and disputes. Specify who owns accounts and recurring charges. An NDA alone does not authorize processing or establish rights to train on client data. Avoid treating model-provider marketing as a legal guarantee.

CHANGE RECORD

For each proposed change, record request, reason, scope impact, effort, timeline, risk and options. Have an authorized person approve before implementation. Correct your own defects fairly; do not relabel every mistake as client scope change. Maintain an assumption log so changed premises are visible.

ACCEPTANCE AND CLOSURE

Define the evidence packet, review window, defect process and approver. Transfer documentation and access, settle support boundaries and clean up unnecessary credentials. Do not claim legal sufficiency for templates in this dossier. They are operational prompts to prepare for professional review.

OPERATIONAL STATEMENT-OF-WORK FIELDS

For each deliverable, record description, format, evidence, approver, review window and dependency. Example: “Retrieval pilot for the approved policy corpus, excluding scanned handwritten documents; evaluated on a jointly labelled question set; acceptance includes authorization tests and citation review.” Do not insert an arbitrary accuracy threshold without defining the task and failure severity. Document whether client review delays pause the timeline. Separate defect remediation from newly requested integrations. Counsel should adapt the legal agreement to the commercial facts rather than treating the dossier as legal boilerplate.

SCHEMATIC



SOURCES

- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Who makes an application to process Special Personal Information? - — https://inforegulator.org.za/popia/ Public document · HTTP 200

51

PRACTICE & ENGINEERING

Architecture selection: rules, ML, RAG or agents

Complexity earns its place through measured need.

START WITH THE TASK

Use rules for stable deterministic logic. Use conventional ML for prediction or classification when representative labelled data and an evaluation design exist. Use retrieval when a language model needs current, source-grounded context. Use bounded workflows when steps are known. Consider agents when flexible tool selection materially improves the task and the risk can be controlled.

COMPARE WITH A BASELINE

A keyword search or rule-based extraction can outperform a more expensive model for narrow inputs. Measure accuracy, task completion, latency, cost and reviewer burden on the same representative cases. Avoid switching frameworks because a demo looked impressive. Architecture decisions should be tied to observed failure classes.

BOUND AUTONOMY

Define allowed tools, data scope, maximum steps, spending limits, timeouts and actions requiring approval. Separate planning from executing irreversible changes. A system with dynamic reasoning can still have deterministic authorization. If an autonomous approach cannot be safely recovered, reduce its role to recommending or drafting.

RECORD THE DECISION

Create an architecture decision record with context, options, evidence, chosen design, constraints and revisit triggers. A multi-agent system adds coordination, observability and failure surfaces. The simplest adequate design is not unsophisticated; it preserves capacity for evaluation and operational quality.

ARCHITECTURE COMPARISON WORKSHEET

Use identical representative cases to compare options. Record task success, critical-error count, review effort, p50/p95 latency, estimated cost per completed task and integration burden. Cost per model call is not equivalent to cost per successful task when retries and human review are substantial. Define evaluation limits and failure handling for every candidate. If a more complex architecture improves only easy cases while worsening rare material failures, an aggregate average can mislead. Document the specific failure that each added component is intended to address.

SCHEMATIC



SOURCES

- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- Demystifying evals for AI agents \ Anthropic — https://www.anthropic.com/engineering/demystifying-evals-for-ai-agents Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

52

PRACTICE & ENGINEERING

Data access, quality and lineage

The data contract is upstream of the model contract.

INVENTORY DATA

Record sources, owners, access rights, update frequency, retention, personal information and known limitations. Capture source identifiers and ingestion timestamps. Do not assume public visibility grants unrestricted reuse. Establish approval before using confidential data with model services or analytics tools.

VALIDATE EARLY

Check types, missingness, duplicates, schema drift, semantic changes and timestamp consistency. Quarantine invalid records rather than silently coercing every anomaly. Automatic schema evolution is useful for ingestion but does not ensure downstream meaning remains correct. Use explicit contracts for critical fields.

MAINTAIN LINEAGE

Connect outputs to source versions, transformation versions and model configurations. For RAG, track document version, chunk identifiers and retrieval filters. For ML, track dataset split, feature transformation and training configuration. Reproducibility requires more than a model name.


GIVE FAILURES AN OWNER

Define who resolves source-quality exceptions and how downstream services respond to stale or missing data. Monitor freshness and coverage as well as pipeline execution. A successful job can deliver semantically incorrect data. Include lineage and quality evidence in acceptance and incident review.

DATA CONTRACT EXAMPLE

For a support-policy corpus, require stable document_id, version, effective_date, source_owner, access_scope and ingestion_timestamp. Validate date parsing and reject records lacking permission labels. Decide whether superseded versions remain searchable for historical questions. Quarantine ambiguous authority rather than allowing a model to choose which policy is valid. Assign an owner to correct records and a maximum permitted freshness window. Keep the transformation version and source reference on each chunk. These fields are an original example; adapt them to the client's governance and actual source system.

SCHEMATIC



SOURCES

- Introduction | dlt Docs — https://dlthub.com/docs/intro Public document · HTTP 200
- 12. Common pitfalls and recommended practices — scikit-learn 1.9.1 documentation — https://scikit-learn.org/stable/common_pitfalls.html Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

53

PRACTICE & ENGINEERING

RAG schematic and retrieval diagnosis

A grounded answer depends on retrieval, authority and output validation.

INGESTION PATH

Parse documents, retain source metadata, split with structure awareness, attach access labels and index. Evaluate chunk boundaries against actual question types. Version the corpus and transformations. A vector store is not a source-of-truth permission system; enforce authorization at retrieval and response time.

QUERY PATH

Authenticate the user, resolve access scope, retrieve candidates, combine lexical and semantic signals where useful, rerank and build bounded context. Handle empty or contradictory evidence explicitly. Do not allow instructions inside retrieved documents to override system policy or authorize tools.

MEASURE SEPARATE FAILURES

Track whether relevant evidence was retrieved, whether the answer used it correctly and whether citations support claims. Retrieval metrics alone do not establish answer quality. Evaluate by document type, query category, source freshness and permission boundary. Include questions the system should decline or escalate.

IMPROVE FROM OBSERVED ERRORS

A stale answer may require version filters; a missing answer may require parsing repair or different chunking; an unsupported statement may require stronger response constraints and grading. Do not assume embeddings are always the bottleneck. Keep a manual path and disclose the limitations of the corpus.

FAILURE-TO-INTERVENTION MATRIX

Missing source text suggests parsing or ingestion repair. Correct document but wrong passage suggests chunking, query formulation or ranking investigation. Superseded policy suggests version filters and authority rules. Relevant evidence with unsupported output suggests response constraints, citation validation and generation grading. Unauthorized content suggests a permissions defect and requires containment, not merely a prompt change. Contradictory authoritative sources require an explicit escalation rule. Test one intervention at a time on held-out representative cases where feasible; avoid redesigning the entire pipeline before identifying which stage failed.

SCHEMATIC



SOURCES

- Hybrid Queries - Qdrant — https://qdrant.tech/documentation/concepts/hybrid-queries/ Public document · HTTP 200
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog — https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Evaluation best practices | OpenAI API — https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200

54

PRACTICE & ENGINEERING

Evaluation contract and error-analysis loop

Evaluate the business task, not a vague impression of intelligence.

DEFINE SUCCESS

Write task-specific criteria with domain experts: what makes an answer useful, correct and acceptable? Distinguish critical failures from cosmetic issues. Use binary gates where decisions require clarity, with qualitative critiques to preserve nuance. A single average score can hide dangerous slices.

BUILD A REPRESENTATIVE SET

Include real cases when permitted, realistic synthetic cases, known failures and boundary cases. Record provenance and label quality. Synthetic examples can bootstrap testing but are not proof of production representativeness. Hold back cases used for final comparison and watch for leakage through prompt tuning.

INSPECT TRACES

Review failures manually, group root causes and choose the next experiment based on severity and frequency. A useful viewer exposes inputs, sources, tools, output and reviewer critique with privacy controls. Count experiments and evidence, not just shipped features. Keep rubric changes versioned.

MAKE EVALUATION CONTINUOUS

Run regression tests when prompts, models, tools, retrieval or policies change. Add newly observed failures to a controlled dataset. Calibrate automated judges against expert labels and monitor criteria drift. Report uncertainty and slice results rather than turning a small sample into a universal reliability claim.

DATASET AND SAMPLING PROTOCOL

Define the unit of evaluation: a query, case, document or complete workflow. Record task slice, expected behavior, severity, provenance and reviewer. Include ordinary inputs and known edge classes without pretending their proportions match production unless measured. Deduplicate related examples and prevent the same underlying document or entity from leaking across tuning and evaluation when that matters. Report sample composition alongside results. A small set can detect regressions and guide experiments, but cannot establish a rare-event failure rate with high confidence.

SCHEMATIC



SOURCES

- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- AI Evals: Everything You Need to Know – Hamel's Blog – https://hamel.dev/blog/posts/evals-faq/ Public document · HTTP 200
- Evaluation best practices | OpenAI API – https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200

55

PRACTICE & ENGINEERING

LLM judges: calibration and failure modes

A judge model is an instrument that needs validation.

SPECIFY A RUBRIC

Describe the exact criterion and provide examples of pass, fail and edge cases. Avoid vague quality scores that different reviewers interpret differently. Require a critique explaining the decision. When possible, compare the output against authoritative evidence rather than asking whether it "sounds right."

MEASURE AGREEMENT

Use independent expert labels to assess the judge. Track disagreements and false pass versus false fail rates by task slice. Agreement can be high on easy examples and poor on important exceptions. The judge and generator may share blind spots; a model's confidence is not a substitute for validation.

PROTECT THE GRADING BOUNDARY

Treat content being evaluated as untrusted. It may contain instructions attempting to influence the judge. Keep grading instructions separate, constrain outputs and validate the result. Judge failures, malformed responses and unavailable services need explicit handling rather than being counted automatically as passes.

MAINTAIN TRUST

Version rubrics, example sets and judge configuration. Recalibrate after model or policy changes and audit a sample of production grades. Use human review for high-consequence decisions. Automated grading can scale a well-defined process; it cannot repair an unclear success criterion.

WORKED JUDGE CONFUSION MATRIX

Illustrative 100-case expert set: 70 expert passes and 30 expert failures. Suppose the judge agrees on 65 passes and 22 failures, falsely passes eight failures and falsely fails five passes. Agreement is 87%, but the critical quantity may be the eight false passes among 30 unacceptable cases: 26.7%. A headline agreement score hides that risk. Define which error direction matters operationally and examine disagreements by severity. These numbers are synthetic. They demonstrate interpretation, not the performance of any named model or evaluation library.

SCHEMATIC



SOURCES

- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- Evaluation best practices | OpenAI API – https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200
- Demystifying evals for AI agents \ Anthropic – https://www.anthropic.com/engineering/demystifying-evals-for-ai-agents Public document · HTTP 200

56

PRACTICE & ENGINEERING

Agent workflows and safe action gates

The model may propose actions; authorization belongs to deterministic controls.

CHOOSE A PATTERN DELIBERATELY

Prompt chaining fits sequential tasks with intermediate checks. Routing fits distinct task categories. Parallelization fits independent subtasks or multiple assessments. Orchestrator-worker designs fit decomposition that cannot be fully specified in advance. Evaluator-optimizer loops fit tasks with clear feedback. Each adds operational cost and must be justified by task evidence.

CONTROL EXECUTION

Validate tool arguments against typed schemas, enforce permissions outside the model and limit network and filesystem access. Use idempotency keys for external writes, explicit approval for consequential actions and maximum step budgets. Separate tool-result text from instructions. Never let a retrieved page grant additional authority.

RECOVER STATE SAFELY

Checkpoint meaningful state, record tool calls and distinguish planned from executed actions. A retry can duplicate an external side effect if idempotency is absent. Define cancellation, rollback or compensation and the manual escalation path. Timeouts and errors should be visible, not hidden in a long agent loop.

EVALUATE THE TRAJECTORY

Check task outcome, authorized behavior, side effects, cost and recovery—not only the final answer. Replay in a stable test environment using mocks for risky tools. Include interruption and malformed-output tests. An agent that completes a task through unauthorized access is a failure, not a success.

SIDE-EFFECT STATE MACHINE

Use proposed, validated, awaiting_approval, approved, executing, executed and failed states with authorized transitions. Bind approval to immutable action arguments and an expiry, not merely a conversation message. Record an external operation identifier and idempotency key before retrying. After a timeout, check whether the target completed the action rather than issuing a duplicate write automatically. Define compensation where rollback is unavailable. A model may generate a plan, but it must not directly grant itself approval or increase its own tool permissions.

SCHEMATIC



SOURCES

- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- Writing effective tools for AI agents—using AI agents \ Anthropic — https://www.anthropic.com/engineering/writing-tools-for-agents Public document · HTTP 200
- Demystifying evals for AI agents \ Anthropic — https://www.anthropic.com/engineering/demystifying-evals-for-ai-agents Public document · HTTP 200
- Security Best Practices - Model Context Protocol — https://modelcontextprotocol.io/specification/latest/basic/security_best_practices Public document · HTTP 200

57

PRACTICE & ENGINEERING

MCP and tool-boundary security

Interoperability does not automatically create trust.

DEFINE THE TRUST BOUNDARY

An MCP server can expose tools and resources, but connection alone does not establish safety. Review server provenance, transport, authentication, permission scope and data handling. Local stdio servers execute code on the host, so installation and dependency trust matter. Treat remote content as untrusted input.

AVOID DELEGATED-AUTHORITY MISTAKES

The official security guidance discusses confused-deputy problems, token passthrough and authorization issues. Validate audience and intended scope; do not forward arbitrary tokens merely because a tool asks for them. Apply least privilege and explicit user authorization for sensitive operations. Keep secrets out of prompts and traces.

RESTRICT NETWORK TARGETS

Defend against server-side request forgery with validated destinations, restricted egress and careful redirect handling. A tool accepting a URL must not automatically access internal services or metadata endpoints. Schema validation alone does not make a destination safe. Run security review against the actual deployment topology.

TEST MISUSE AND CLEANUP

Include unauthorized tool attempts, malformed arguments, unexpected redirects and expired credentials in tests. Log enough for investigation without storing secrets. Revoke access on termination and review installed servers periodically. The guidance here is defensive; no exploit tooling or unauthorized scanning is embedded.

DEFENSIVE TOOL-REVIEW CHECKLIST

For every server and tool, record publisher, version, transport, authentication, credential audience, permitted resources, egress restrictions and side effects. Test unauthorized resource requests in an isolated environment you control. Verify redirect validation, token scope and secret redaction. Review whether a local server can read or execute beyond the intended directory. Keep security testing explicitly authorized; do not scan third-party systems or use discovered credentials. Treat tool installation as software supply-chain adoption, not as a harmless chat configuration.

SCHEMATIC



SOURCES

- Security Best Practices - Model Context Protocol — https://modelcontextprotocol.io/specification/latest/basic/security_best_practices Public document · HTTP 200
- Writing effective tools for AI agents—using AI agents \ Anthropic — https://www.anthropic.com/engineering/writing-tools-for-agents Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

58

PRACTICE & ENGINEERING

Observability, incident response and human control

A production system needs enough evidence to explain and recover failures.

TRACE THE RIGHT EVENTS

Record request identifiers, model and prompt versions, retrieval references, tool decisions, latency, cost and outcome. Redact personal data and secrets, and restrict access to traces. Logging every prompt forever can create a new privacy risk. Align retention with client policy and investigation needs.

MEASURE SERVICE HEALTH

Separate system availability, task quality and business adoption. A service can be online while producing unusable outputs. Track errors, fallback rates, cost spikes, stale data and relevant performance slices. Define alerts around actionable conditions with an owner, not dashboards nobody reviews.

PREPARE AN INCIDENT WORKFLOW

Detect, contain, preserve evidence, communicate, restore and review. Include a kill switch or degraded manual path for unsafe model behavior. Distinguish security incidents from quality regressions but ensure both have escalation criteria. Rehearse rollback and access revocation before a consequential deployment.

CLOSE THE LEARNING LOOP

After an incident, identify contributing system conditions and update tests, controls and documentation. Avoid reducing every failure to a better prompt. Confirm what changed and how recurrence will be detected. A solo consultant should not promise an unsupported 24/7 service; operating arrangements must match actual capacity.

RUNBOOK ENTRY EXAMPLE

Trigger: a material increase in unauthorized retrieval or unsupported answers. Owner: named operator and client escalation contact. Immediate action: disable affected workflow or switch to a manual path; preserve redacted request identifiers and versions. Investigation: determine scope, data exposure and contributing changes. Recovery: roll back configuration or repair access filters, rerun authorization and quality tests, obtain approval to restore. Post-incident: add regression cases, document impact and update ownership. Exact notification duties depend on the contract, jurisdiction and incident classification.

SCHEMATIC



SOURCES

- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- Demystifying evals for AI agents \ Anthropic — https://www.anthropic.com/engineering/demystifying-evals-for-ai-agents Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

59

PRACTICE & ENGINEERING

Conventional ML: validation and leakage

Sound predictive modeling remains central to advanced engineering.

SPLIT ACCORDING TO THE REAL TASK

Use temporal splits for forecasting and grouped splits when related entities would otherwise appear in both train and test. Random splits can overstate performance when records share people, organizations or future information. Choose the validation design before tuning and keep a final evaluation set independent.

FIT TRANSFORMATIONS CORRECTLY

Learn preprocessing only from training data within each fold. Pipelines help prevent leaking scaling, imputation or feature-selection information from evaluation data. Check whether features are available at prediction time. A feature created after the outcome can produce excellent offline metrics and a useless deployment.

USE DECISION-RELEVANT METRICS

Assess the cost of false positives and false negatives, calibration, class imbalance and performance by relevant groups or time slices. Compare with simple baselines. Avoid treating a single aggregate metric as sufficient evidence for a costly operational decision. Report sample size and uncertainty where feasible.


CONNECT DEPLOYMENT TO MONITORING

Version data, features, configuration and artifacts. Monitor input changes, prediction distributions and outcome performance when labels arrive. Drift is a signal to investigate, not automatic proof that retraining will help. Plan retraining, rollback and ownership around the actual workflow.

TEMPORAL FEATURE-AVAILABILITY TEST

For every feature, ask whether its value existed when the prediction would have been made. A payment status updated after default, a support resolution written after escalation or a revised forecast published after the target date can leak the answer. For time-dependent tasks, build features from an as-of snapshot and evaluate on later periods. For entity-dependent tasks, keep related entities separated where the use case requires generalization. Document whether the model predicts new entities, future periods or repeated observations; these are different validation questions.

SCHEMATIC



SOURCES

- 3.1. Cross-validation: evaluating estimator performance — scikit-learn 1.9.1 documentation – https://scikit-learn.org/stable/modules/cross_validation.html Public document · HTTP 200
- 12. Common pitfalls and recommended practices — scikit-learn 1.9.1 documentation – https://scikit-learn.org/stable/common_pitfalls.html Public document · HTTP 200
- MLflow AI Engineering Platform | MLflow AI Platform – https://mlflow.org/docs/latest/ml/ Public document · HTTP 200

60

PRACTICE & ENGINEERING

Fine-tuning versus retrieval and prompting

Choose the intervention that matches the failure class.

DIAGNOSE THE GAP

Retrieval can supply current or private evidence; prompting can clarify task behavior and examples; fine-tuning can target learned behavior or task adaptation when appropriate data exists. These are not interchangeable. Fine-tuning is not a reliable substitute for access-controlled retrieval of frequently changing facts.

TEST CHEAPER CHANGES FIRST

Run a baseline with clear instructions and representative examples. Inspect failures for missing knowledge, formatting, reasoning, ambiguity or policy constraints. Improve data quality and retrieval where relevant. Add training only when its expected benefit justifies dataset preparation, evaluation and maintenance costs.

ASSESS DATASET RIGHTS AND QUALITY

Confirm permission to use examples for training, retention and provider processing. Remove inappropriate personal information and preserve task representativeness. Keep training, validation and test boundaries. Synthetic data can be useful but may reproduce model errors and narrow diversity; review it against real requirements.

EVALUATE LIFECYCLE COST

Compare task quality, latency, inference cost and operating complexity. Version the training data and model artifacts. Plan how factual updates and behavior regressions will be handled. A customized model still requires output validation, permissions and monitoring. Do not equate a fine-tuned model with AGI or guaranteed correctness.

EXPERIMENT REGISTER FOR ADAPTATION

Record failure class, candidate intervention, dataset rights, baseline, evaluation split, target measure, budget and stop rule. Compare prompting, retrieval repair and training on the same task definition where practical. Track data-preparation and maintenance effort as well as inference cost. If factual freshness is the issue, assess how updates will be supplied after training. If behavior is the issue, verify improvement on independent examples and critical failure slices. Do not choose training because it sounds more advanced; choose it when evidence supports the lifecycle tradeoff.

SCHEMATIC



SOURCES

- AI Evals: Everything You Need to Know – Hamel's Blog – https://hamel.dev/blog/posts/evals-faq/ Public document · HTTP 200
- 12. Common pitfalls and recommended practices — scikit-learn 1.9.1 documentation – https://scikit-learn.org/stable/common_pitfalls.html Public document · HTTP 200
- Evaluation best practices | OpenAI API – https://developers.openai.com/api/docs/guides/evaluation-best-practices Public document · HTTP 200

61

PRACTICE & ENGINEERING

Deployment gates and handover rehearsal

Release is a controlled sequence of evidence and ownership transfers.

PRE-PRODUCTION GATE

Verify evaluation evidence, data rights, security controls, dependency versions, configuration and support ownership. Use separate environments and secrets management. Confirm backups, rollback and access control. Document remaining risks and exclusions in a decision record signed by the appropriate client owner.

STAGED EXPOSURE

Begin with offline testing and shadow evaluation where feasible. Move to supervised use with limited users and narrow permissions. Increase exposure only after predefined evidence gates. A successful small pilot does not establish reliability at larger volume or on a new task mix.

HANDOVER TEST

Ask a client engineer to deploy or restore using the documentation. Ask an operator to triage a simulated failure. Ask a domain reviewer to label a new case using the rubric. Failures in these rehearsals reveal missing transfer artifacts. Record remediation and repeat critical steps.

CLOSE ACCESS AND RESPONSIBILITIES

Transfer approved accounts, repositories and documentation; revoke unnecessary consultant or subcontractor access. Confirm recurring costs, retention and deletion. Define post-handover support and enhancement processes. A clean exit preserves trust and prevents accidental personal-account dependence.

HANDOVER REHEARSAL SCORECARD

Have a person other than the builder perform deployment, credential rotation, backup restore, rollback and incident triage from the documentation. Mark each action completed, blocked or dependent on undocumented knowledge. Record the owner of every account and recurring charge. Verify that access revocation does not break production because it relied on a personal token. Rehearse at least one degraded-mode workflow with an operator. A successful builder demonstration is weaker transfer evidence than an independent client rehearsal.

SCHEMATIC



SOURCES

- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

62

PRACTICE & ENGINEERING

Repository adoption and embedding policy

Readable source is not the same as unrestricted commercial reuse.

INSPECT A SNAPSHOT

Record repository URL, commit, branch, license files, inspected paths and retrieval date. A README provides declared capabilities, not proof of operational performance. Inspect examples, configuration and tests relevant to your use. Check release notes and supported versions before adoption; main-branch code may not be a stable release.

EVALUATE RIGHTS

MIT and Apache-2.0 have notice and other obligations; inspect the actual license and dependencies. Source-available licenses can restrict hosted offerings or embedding. This corpus includes such cases: Phoenix declares Elastic License 2.0, n8n uses Sustainable Use and Enterprise licenses, and LiteLLM includes commercial licensing boundaries. Do not rely only on GitHub's automated license label.

EMBED RESPONSIBLY

The dossier embeds original educational schemas and configurations, plus links to inspected source files. It does not copy whole third-party applications or ship them as its own. Preserve required notices for any actual reused code, track modifications and review whether the proposed client use is allowed. Obtain legal advice when restrictions matter.

ADOPT THROUGH A SANDBOX GATE

Review dependency provenance, install in an isolated environment, pin versions, run relevant tests and examine telemetry and secret handling. This dossier's repository files were read, not executed or benchmarked. A tool card is a candidate for evaluation, not a security certification or endorsement of every component.

EMBEDDING DUE-DILIGENCE WORKSHEET

Record the exact component, version, source URL, license, intended use, modifications, distribution mode and dependency notices. Distinguish internal client use, redistribution, hosted service and embedding inside a paid product; licenses may treat these differently. Check whether enterprise directories or plugins use additional terms. Keep a copy of the relevant license notices with the adopted release. The inspected repository snapshot is evidence for review, not legal clearance. When a file retrieval failed, locate the actual file rather than inferring its terms from a package name.

SCHEMATIC



SOURCES

- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

63

PRACTICE & ENGINEERING

Jurisdiction, privacy and research boundaries

Governance must follow the actual client, data and deployment.

USE LAW AS A DESIGN INPUT

Review jurisdiction, controller or processor roles, lawful processing, cross-border transfers, retention and incident duties with qualified specialists. POPIA is relevant when South African processing is in scope; EU AI rules depend on role and use case. This dossier does not classify a deployment legally or assert that one checklist satisfies all jurisdictions.

BUILD MEANINGFUL HUMAN CONTROL

Approval must be informed and timely, not a decorative button. Show evidence, proposed action and consequences. Allow refusal, correction and escalation. High-consequence use cases need domain-specific governance and may not be suitable for a solo consultancy's initial offer.

HANDLE PUBLIC SCRAPING RESPONSIBLY

Use public pages and repositories within applicable access rules and rights. Do not bypass authentication, paywalls, anti-bot controls or explicit restrictions. Avoid collecting unnecessary personal data. Preserve provenance and disclose when retrieval fails. Repository visibility does not authorize using secrets accidentally committed by others.


DEEP-WEB AND AGI BOUNDARY

The deep web includes ordinary non-indexed or authenticated resources; the dark web is not a privileged source of engineering truth. This edition uses legitimate public resources, including Tor's support site as privacy context. It includes no stolen datasets, credentials, exploit marketplaces or hidden-tool claims. AGI is a research horizon: contracts should promise bounded, tested capabilities—not unverified general intelligence.

PUBLIC-RESOURCE RESEARCH PROTOCOL

Define a research question before collecting material. Prefer official documentation, public standards and repositories with clear provenance. Record URL, access date, HTTP status and the content actually read. Minimize personal information and respect access restrictions. Non-indexed resources may be legitimate, but authentication does not grant a right to redistribute their content. Tor can support privacy; it does not certify source quality or legality. No hidden resources were accessed for this edition, and no undocumented capabilities are claimed.

SCHEMATIC



SOURCES

- Who makes an application to process Special Personal Information? - – https://inforegulator.org.za/popia/ Public document · HTTP 200
- AI Act | Shaping Europe's digital future – https://digital-strategy.ec.europa.eu/en/policies/regulatory-framework-ai Public document · HTTP 200
- AI Risk Management Framework | NIST – https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- Support — Tor – https://support.torproject.org/ Public document · HTTP 200

64

PRACTICE & ENGINEERING

The ninety-day launch playbook

A sequence of artifacts and decision gates, not an income promise.

DAYS 1–20: VALIDATE THE ENTRY OFFER

Inventory disclosure-safe experience, choose one buyer/workflow hypothesis and prepare one proof asset. Hold a small number of appropriate buyer conversations. Produce an offer sheet, qualification rubric and financial floor. Gate: a plausible business consequence, accessible data and a buyer who can fund investigation. If absent, revise the hypothesis rather than building more tooling.

DAYS 21–45: SELL AND RUN A DIAGNOSTIC

Use targeted, lawful outreach and existing relationships. Propose a bounded paid diagnostic when there is fit. Produce a workflow map, baseline, data-readiness memo, options and scope recommendation. Gate: evidence of feasible value and a client owner willing to support evaluation. The schedule is illustrative; procurement may take longer.

DAYS 46–70: EXECUTE A MEASURED PILOT

Create representative tests, a deterministic baseline and the minimum adequate system. Review failures with domain experts. Report slice performance, operating cost, review burden and remaining risk. Gate: agreed acceptance evidence, clear integration path and appropriate governance. A no-go result is an acceptable outcome.


DAYS 71–90: OPERATIONALIZE AND LEARN

Complete staged deployment, training, recovery rehearsal and handover where justified. Agree support separately. Obtain permission for a case study and ask for relevant referrals after recognized value. Review realized economics, pipeline and concentration. Choose whether to repeat, narrow, partner or pause based on evidence—not an arbitrary growth target.

WEEKLY OPERATING REVIEW

Review pipeline stages, booked capacity, invoice status, delivery blockers, evaluation evidence, support obligations and unresolved decisions. Pick one commercial experiment and one delivery improvement for the next week. Compare actual paid utilization with the financial model. Track whether client work creates permissioned proof and repeatable methods. If the pipeline is weak, diagnose targeting and offer fit before buying outreach automation. If delivery is overloaded, reduce commitments before accepting another contract. This review is a proposed practice, not an automated schedule or future promise.

SCHEMATIC



SOURCES

- ai-playbook – https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200
- A Field Guide to Rapidly Improving AI Products – Hamel's Blog – https://hamel.dev/blog/posts/field-guide/ Public document · HTTP 200
- AI Risk Management Framework | NIST – https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

65

PRACTICE & ENGINEERING

Reusable asset kit and decision log

Create artifacts that reduce repeated ambiguity.

COMMERCIAL ARTIFACTS

Maintain an offer sheet, discovery agenda, qualification form, proposal structure, scope baseline, assumption log and change record. Keep legal templates professionally reviewed and versioned. Reuse structure, not client-confidential content. Record who approved each commercial decision.

TECHNICAL ARTIFACTS

Maintain a data inventory, lineage map, evaluation rubric, test dataset schema, failure taxonomy, architecture decision record, threat model, deployment checklist and incident runbook. Include source versions and evidence links. A template is useful only when completed with the actual client's context.

OWNERSHIP ARTIFACTS

Track accounts, repository rights, licenses, dependencies, model providers, data retention and support responsibilities. Identify who can revoke access and restore service. Do not put secrets in spreadsheets or exported dossiers. Use a secret manager approved for the engagement.

DECISION LOG FORMAT

Each record contains date, owner, question, options, evidence, assumptions, chosen action and review trigger. Preserve disagreement and confidence. When the result differs from expectation, compare against the original assumptions rather than rewriting history. This creates a reusable learning system across engagements without leaking client data.

DECISION RECORD EXAMPLE

Question: should the support pilot move from draft-only to ticket updates? Evidence: task-quality evaluation, authorization tests, idempotency tests and operator rehearsal. Options: remain draft-only, permit supervised updates or defer. Assumptions: approved reviewer available and target API supports safe duplicate prevention. Owner: client workflow sponsor. Review trigger: new input class, material failure or changed tool permission. Record the chosen action and rationale. Do not approve greater autonomy based solely on a few successful demonstrations; the authority boundary changes the risk profile.

SCHEMATIC



SOURCES

- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- ai-playbook — https://www.gov.uk/government/publications/ai-playbook-for-the-uk-government/artificial-intelligence-playbook-for-the-uk-government-html Public document · HTTP 200

66

REPOSITORY FIELDNOTES

instructor-ai/instructor

Typed extraction and output validation

REPOSITORY	LICENSE (API LABEL)	COMMIT
instructor-ai/instructor	MIT	`035c77b7b04d`
RETRIEVED 2026-10-14		

INSPECTED FILES

- LICENSE `HTTP 200`
- instructor/core/client.py `HTTP 200`

WHERE IT FITS

Use structured response models to constrain extraction and validate fields before downstream actions. The inspected core client file exposes implementation details rather than proving task accuracy. Schema conformance cannot establish that a value is factually correct or that an extraction is complete.

A CONTROLLED ADOPTION EXPERIMENT

Prototype a narrow invoice or document-extraction task with synthetic inputs. Test missing fields, malformed responses, ambiguous values and refusal behavior. Limit retries and measure both schema-valid rate and domain-correct rate. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.

PRODUCTION AND LICENSING CAUTIONS

Do not convert model output directly into a payment or external write. Validate authority, totals, source support and business rules separately. Keep raw documents and retry traces within approved retention. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is MIT; automated labels are only a starting point, especially where the value is NOASSERTION.


SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: 035c77b7b04dbbf70ae4457eb102038907b5a2a4. File links use the recorded commit; the README came from the default branch in the same run.

WHAT THESE CARDS ARE (APPLIES TO ALL TWELVE)

The card exposes source links, status and a proposed integration boundary. It does not load or execute repository code in your browser. The examples elsewhere are original illustrative artifacts, not copied third-party applications. Failed file paths are explicitly retained as failures. Pin a supported release and obtain the necessary rights before actual commercial integration.

SCHEMATIC



SOURCES

- instructor-ai/instructor — https://github.com/instructor-ai/instructor Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

67

REPOSITORY FIELDNOTES

langchain-ai/langgraph

Stateful, interruptible agent workflows

REPOSITORY	LICENSE (API LABEL)	COMMIT
langchain-ai/langgraph	MIT	`d4149cc1f538`
RETRIEVED 2026-10-14		

INSPECTED FILES

- LICENSE `HTTP 200`
- libs/langgraph/langgraph/types.py `HTTP 200`

WHERE IT FITS

The inspected types file is relevant to state and control primitives. Durable execution and interruption can help organize long workflows, but external side effects still need idempotency and careful recovery. A framework does not decide what an agent is authorized to do.

A CONTROLLED ADOPTION EXPERIMENT

Build a draft-and-approve workflow with a mocked external tool. Interrupt before execution, persist state, resume and verify that a retry does not duplicate the action. Test cancellation and inconsistent tool results. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.

PRODUCTION AND LICENSING CAUTIONS

Do not assume checkpointing rolls back external systems. Track planned and completed side effects, use scoped credentials and define compensating actions. Examine storage and tenancy boundaries before deployment. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is MIT; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: d4149cc1f5384364d1a21092b4c2f582a6e7af8f. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- langchain-ai/langgraph — `https://github.com/langchain-ai/langgraph` `Repository snapshot · README + selected files; see card for path failures`
- Licensing a repository - GitHub Docs — `https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository` `Public document · HTTP 200`

68

REPOSITORY FIELDNOTES

promptfoo/promptfoo

Configuration-driven evaluation and regression

REPOSITORY	LICENSE (API LABEL)	COMMIT
promptfoo/promptfoo	MIT	775e9914266d
RETRIEVED		
2026-10-14		

INSPECTED FILES

- LICENSE HTTP 200
- examples/getting-started/promptfooconfig.yaml HTTP 200

WHERE IT FITS

The inspected getting-started YAML shows a concrete evaluation configuration surface. An evaluation runner helps repeat comparisons but cannot make an unrepresentative dataset meaningful. Assertions need task-specific criteria and expert review.

A CONTROLLED ADOPTION EXPERIMENT

Create a small test matrix of ordinary, edge and adversarial inputs. Compare prompt versions on the same cases and inspect failures manually. Use synthetic data for the initial configuration and keep provider credentials outside files. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

Do not treat red-team test coverage as exhaustive security assurance. Review configuration, telemetry, provider data handling and output retention. Passing tests means passing those cases under that configuration, not universal safety. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is MIT; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: 775e9914266d912cce4cd032e8641ee1a4e3f75e. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- promptfoo/promptfoo — https://github.com/promptfoo/promptfoo Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

69

REPOSITORY FIELDNOTES

Arize-ai/phoenix

Trace inspection and evaluation visibility

REPOSITORY	LICENSE (API LABEL)	COMMIT
Arize-ai/phoenix	NOASSERTION	`0932cfc0472f`
RETRIEVED 2026-10-14		

INSPECTED FILES

- LICENSE HTTP 200
- IP_NOTICE HTTP 200

WHERE IT FITS

The README describes observability and evaluation capabilities. The inspected LICENSE declares Elastic License 2.0 and an IP_NOTICE is present. This is an important example of source-visible software that should not be casually labelled unrestricted open source.

A CONTROLLED ADOPTION EXPERIMENT

Use a permitted deployment to inspect a synthetic retrieval trace and annotate a failure. Assess whether reviewers can locate inputs, evidence, tool calls and output without exposing unnecessary personal information. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.

PRODUCTION AND LICENSING CAUTIONS

Review ELv2 restrictions, notices and intended hosting model with counsel. Sensitive prompts can become a second data store in observability systems. Define access, redaction, retention and export before using client traces. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is NOASSERTION; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: 0932cfc0472f3fc8d66aecf71fd21e51b047d945. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- Arize-ai/phoenix — https://github.com/Arize-ai/phoenix Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

70

REPOSITORY FIELDNOTES

mlflow/mlflow

Experiment and model lifecycle tracking

REPOSITORY	LICENSE (API LABEL)	COMMIT
mlflow/mlflow	Apache-2.0	c4736e82d0cd
RETRIEVED		
2026-10-14		

INSPECTED FILES

- LICENSE **HTTP 404**
- examples/sklearn_elasticnet_wine/train.py HTTP 200

WHERE IT FITS

The inspected wine-regression training example provides a concrete traditional ML workflow. The GitHub API identifies Apache-2.0, but the attempted root LICENSE path returned 404; inspect the correct current license path before reuse. Tracking does not by itself prevent data leakage.

A CONTROLLED ADOPTION EXPERIMENT

Reproduce a simple model comparison in an isolated environment, recording data identity, parameters, metrics and artifacts. Add a task-appropriate split and preprocessing pipeline rather than copying example assumptions into a different problem. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

Protect artifact stores and tracking endpoints. Record sensitive data only when permitted. Verify serving, access and registry semantics for the chosen version. A registered model is not automatically approved for production. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is Apache-2.0; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: master. Retrieved: 2026-10-14. Commit: c4736e82d0cd29bcfc0c8d9b4fbcfee65b3b9dd4. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- mlflow/mlflow — https://github.com/mlflow/mlflow Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

71

REPOSITORY FIELDNOTES

qdrant/qdrant

Vector retrieval and hybrid query infrastructure

REPOSITORY	LICENSE (API LABEL)	COMMIT
qdrant/qdrant	Apache-2.0	016542aa5deb

RETRIEVED
2026-10-14

INSPECTED FILES

- LICENSE HTTP 200
- config/config.yaml HTTP 200

WHERE IT FITS

The inspected configuration file and official hybrid-query documentation provide implementation surfaces for search. Retrieval infrastructure should be evaluated with representative questions, metadata constraints and permissions—not only nearest-neighbor speed.

A CONTROLLED ADOPTION EXPERIMENT

Index synthetic documents with version and access labels. Compare lexical/semantic retrieval options using a labelled question set. Test missing evidence, stale versions and unauthorized documents, then examine both retrieval and answer quality. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

Do not use a vector collection as your only authorization control. Review authentication, network exposure, backups, tenancy and index lifecycle. Query similarity is not a proof that a document supports the generated claim. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is Apache-2.0; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: master. Retrieved: 2026-10-14. Commit: 016542aa5deb6c66380bb137badf73d54f742bde. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- qdrant/qdrant — https://github.com/qdrant/qdrant Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

72

REPOSITORY FIELDNOTES

dlt-hub/dlt

Data ingestion, schema evolution and contracts

REPOSITORY	LICENSE (API LABEL)	COMMIT
dlt-hub/dlt	Apache-2.0	`3cdf2809df70`
RETRIEVED		
2026-10-14		

INSPECTED FILES

- LICENSE **HTTP 404**
- docs/examples/chess/chess.py **HTTP 404**

WHERE IT FITS

The README and official introduction describe loading and transformation capabilities. Two attempted source/license paths returned 404. Those missing files are not embedded or treated as inspected implementation evidence; use the repository links to locate current paths before adoption.

A CONTROLLED ADOPTION EXPERIMENT

Use a synthetic source whose schema changes deliberately. Observe how new fields and type changes are handled, then add explicit contracts and a quarantine process for semantically invalid records. Track source and load versions. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

Schema evolution is not a guarantee that business meaning survives. Review connector credentials, incremental state, destination permissions and data retention. The GitHub API reports Apache-2.0, but confirm actual license files and dependencies. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is Apache-2.0; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: devel. Retrieved: 2026-10-14. Commit: 3cdf2809df705b3a4fb1831fd4982688caa473bb. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- dlt-hub/dlt — https://github.com/dlt-hub/dlt Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

73

REPOSITORY FIELDNOTES

BerriAI/litellm

Model gateway, budgets and provider abstraction

REPOSITORY	LICENSE (API LABEL)	COMMIT
BerriAI/litellm	NOASSERTION	`83980c9d63fe`
RETRIEVED 2026-10-14		

INSPECTED FILES

- LICENSE HTTP 200
- litellm/proxy/example_config_yaml.yaml **HTTP 404**

WHERE IT FITS

The README describes a gateway/SDK and enterprise feature boundaries. The inspected LICENSE must be reviewed alongside commercial directories and dependencies. The attempted example YAML path returned 404, so this card does not claim to analyze that configuration.

A CONTROLLED ADOPTION EXPERIMENT

Design a synthetic provider-routing test with explicit timeout, retry and budget policy. Verify that fallbacks preserve privacy and task constraints. Track usage and cost attribution by tenant without leaking prompt content. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

A compatible API does not make providers equivalent in data retention, capability or legal terms. Do not route confidential content to an unapproved fallback. Review commercial feature licenses, access control, logging and spending limits. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is NOASSERTION; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: 83980c9d63fe7a205c66ba45639ac2ea6bca7ebf. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- BerriAI/litellm — https://github.com/BerriAI/litellm Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

74

REPOSITORY FIELDNOTES

explodinggradients/ragas

Retrieval and generation evaluation candidates

REPOSITORY	LICENSE (API LABEL)	COMMIT
explodinggradients/ragas	Apache-2.0	298b68274234
RETRIEVED 2026-10-14		

INSPECTED FILES

- LICENSE HTTP 200
- src/ragas/metrics/__init__.py HTTP 200

WHERE IT FITS

The README and inspected metrics module expose an evaluation library surface. Automated metrics can help inspect retrieval-grounded systems, but their validity depends on task, references, judge behavior and representative examples.

A CONTROLLED ADOPTION EXPERIMENT

Compare selected metrics against expert labels on a narrow synthetic RAG task. Inspect disagreements and separate missing evidence from unsupported answers. Record dataset, metric and judge versions so results can be reproduced. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

Do not turn an automated score into a universal quality certificate. Evaluation can incur model cost and transmit data to providers. Check supported interfaces at a pinned release and calibrate grading against the client rubric. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is Apache-2.0; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: 298b68274234c060deacab3cf5fb52aa3a20e885. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- explodinggradients/ragas — https://github.com/explodinggradients/ragas Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

75

REPOSITORY FIELDNOTES

n8n-io/n8n

Visual integration workflows with source-available licensing

REPOSITORY	LICENSE (API LABEL)	COMMIT
n8n-io/n8n	NOASSERTION	`50c4ced22414`

RETRIEVED
2026-10-14

INSPECTED FILES

- LICENSE.md `HTTP 200`
- LICENSE_EE.md `HTTP 200`

WHERE IT FITS

The README and both license files were inspected. They identify Sustainable Use and Enterprise licensing. “Self-hostable” does not imply unrestricted resale or embedding; the proposed service model must be checked against the actual terms.

A CONTROLLED ADOPTION EXPERIMENT

Prototype a synthetic approval workflow using test credentials and mocked writes. Confirm failure branches, retry behavior, credential separation and execution-log retention. Keep workflow exports free of secrets and client data. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.


PRODUCTION AND LICENSING CAUTIONS

Review licensing before offering hosted automation or embedding n8n in a paid product. Restrict public webhook access and node installation, validate inputs and avoid duplicate external actions. Workflow visibility does not replace testing. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is NOASSERTION; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: master. Retrieved: 2026-10-14. Commit: 50c4ced2241430e13fa7042e976ed33f07bf5009. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- n8n-io/n8n — `https://github.com/n8n-io/n8n` Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — `https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository` Public document · HTTP 200

76

REPOSITORY FIELDNOTES

microsoft/Presidio

PII detection and anonymization as a supporting control

REPOSITORY	LICENSE (API LABEL)	COMMIT
microsoft/Presidio	MIT	2523c7b74a46
RETRIEVED 2026-10-14		

INSPECTED FILES

- LICENSE HTTP 200
- presidio_analyzer/analyzer_engine.py **HTTP 404**

WHERE IT FITS

The README and MIT license were inspected; the attempted analyzer source path returned 404. This card therefore describes declared purpose and an evaluation approach rather than claiming a code-level audit of that file.

A CONTROLLED ADOPTION EXPERIMENT

Create labelled synthetic examples across expected languages, formats and entity types. Measure false negatives and false positives, including identifiers embedded in unusual text. Inspect how redaction affects downstream task quality. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.

PRODUCTION AND LICENSING CAUTIONS

Detection is imperfect and cannot establish that all personal data is removed. Maintain least-privilege access, lawful processing, retention controls and manual review where needed. Do not assume anonymization is legally sufficient without specialist assessment. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is MIT; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: 2523c7b74a469270c5c78bb253f140eafca21e31. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- microsoft/Presidio — https://github.com/microsoft/Presidio Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

77

REPOSITORY FIELDNOTES

anthropics/anthropic-cookbook

Educational examples for controlled experimentation

REPOSITORY	LICENSE (API LABEL)	COMMIT
anthropics/anthropic-cookbook	MIT	b2b0aa1ff7d8

RETRIEVED
2026-10-14

INSPECTED FILES

- LICENSE HTTP 200
- README.md HTTP 200

WHERE IT FITS

The README and MIT license were inspected. Cookbook examples are starting points for learning, not a ready-made production control system. Individual notebooks may have different dependencies and assumptions; inspect them separately before execution or reuse.

A CONTROLLED ADOPTION EXPERIMENT

Select one narrowly relevant example and reproduce it with synthetic inputs in an isolated environment. Record model, dependencies, configuration and expected result. Add failure tests and permission boundaries before adapting to client data. This experiment is a recommendation, not a benchmark performed during dossier production. The repository was retrieved and selected files were read; its software was not installed or executed for this report.

PRODUCTION AND LICENSING CAUTIONS

Examples may become outdated as APIs change. Review license notices, provider terms and secret handling. Do not paste real client documents into notebooks merely because the example is public. This dossier links source evidence and provides original schemas instead of wholesale notebook copies. Review direct and transitive dependencies, security advisories, release stability and operating ownership. The repository API license label is MIT; automated labels are only a starting point, especially where the value is NOASSERTION.

SNAPSHOT AND SOURCE INSPECTION

Default branch: main. Retrieved: 2026-10-14. Commit: b2b0aa1ff7d8980b005b225d3802969c87bedad5. File links use the recorded commit; the README came from the default branch in the same run.

SCHEMATIC



SOURCES

- anthropics/anthropic-cookbook — https://github.com/anthropics/anthropic-cookbook Repository snapshot · README + selected files; see card for path failures
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

78

APPENDICES

Original schemas and executable boundaries

Illustrative artifacts to adapt and test—not production-ready integrations.

EVALUATION-CASE SCHEMA

Every test should name its workflow, input, expected behavior, severity, provenance and review owner. Include cases requiring abstention. Do not store confidential payloads in the public dossier. The illustrative schema below is original and framework-neutral; it is not copied from a repository.

TOOL POLICY SCHEMA

A tool needs an argument contract, permission scope, timeout, maximum attempts and side-effect classification. A policy engine must enforce these outside the model. An approval field is not sufficient unless execution verifies the approval and binds it to the exact proposed action. Replay protection and idempotency require implementation against the target service.

STATE-MACHINE INTERPRETATION

Transitions from draft to approved to executed must be explicit. A failure after execution but before recording creates ambiguity; use a durable transaction record or the target system's idempotency mechanism. A model should not be able to update the approval state by writing persuasive text. These are design requirements to test, not claims that a snippet solves distributed consistency.

VERSION AND RIGHTS

Attach dataset, rubric, model and code versions to results. Keep third-party notices when actual code is reused. No network service, model endpoint or repository dependency is executed by these examples. Use an isolated test environment and qualified review before adapting them to consequential client workflows.

SCHEMATIC




```yaml
# Original illustrative YAML — no secrets or live execution
evaluation_case:
  id: policy-017
  workflow: support-policy-retrieval
  input: "Which policy applies to version 2?"
  expected: cite-authorized-version-or-abstain
  severity: material
  provenance: synthetic
  reviewer: domain-owner
tool_policy:
  name: update_ticket
  side_effect: external-write
  approval_required: true
  max_attempts: 1
  timeout_seconds: 10
  idempotency_key_required: true
  credential_scope: client-approved-minimum
```

SOURCES

- Writing effective tools for AI agents—using AI agents \ Anthropic — https://www.anthropic.com/engineering/writing-tools-for-agents Public document · HTTP 200
- Security Best Practices - Model Context Protocol — https://modelcontextprotocol.io/specification/latest/basic/security_best_practices Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200

79

APPENDICES

Glossary and distinctions

Words that need operational definitions before they appear in a proposal.

AI, ML AND AGI

AI is an umbrella term for systems performing tasks associated with intelligence. ML learns patterns from data. Generative AI produces content conditioned on inputs. AGI has no operational definition adopted by this dossier and is not sold as a deliverable. Specify the actual task, environment and evidence instead of relying on broad labels.

RAG, WORKFLOW AND AGENT

RAG retrieves information to inform generation; it does not guarantee factual correctness. A workflow follows predefined control paths. An agent dynamically selects steps or tools within a designed environment. All still need authorization, validation, evaluation and recovery. “Agentic” is not a safety or quality certification.

EVALUATION, BENCHMARK AND ACCEPTANCE

Evaluation measures behavior for a defined task and dataset. A benchmark is a particular comparison setup, not proof of fit for all clients. Acceptance is the commercial decision that agreed deliverables satisfy agreed criteria. Business outcomes can lag acceptance and depend on adoption or conditions outside contractor control.

ACCURACY, RELIABILITY AND SAFETY

Accuracy must identify the prediction or task, dataset and metric. Reliability concerns consistent service behavior over relevant conditions. Safety concerns unacceptable harm and its controls. A high average score can coexist with unsafe failures. Describe important slices and severity, not merely an aggregate percentage.


OPEN SOURCE AND SOURCE AVAILABLE

Public code visibility does not establish unrestricted rights. Review license terms, notices, dependencies and the intended hosting or distribution model. A permissive license is not a warranty of correctness or security. Source-available terms can allow some uses while restricting others.

DIAGNOSTIC, PILOT, PRODUCTION AND SUPPORT

A diagnostic produces evidence for a decision. A pilot tests a bounded intervention. Production integrates operating controls and ownership. Support provides defined ongoing obligations. A prototype demonstration should never silently become an unlimited production promise.

SCHEMATIC



SOURCES

- Building Effective AI Agents \ Anthropic — https://www.anthropic.com/engineering/building-effective-agents Public document · HTTP 200
- Licensing a repository - GitHub Docs — https://docs.github.com/en/repositories/managing-your-repositorys-settings-and-features/customizing-your-repository/licensing-a-repository Public document · HTTP 200
- AI Risk Management Framework | NIST — https://www.nist.gov/itl/ai-risk-management-framework Public document · HTTP 200

Source register / 01

Traceable public evidence · Retrieved 14 October 2026

SOURCE REGISTER AND AUDIT TRAIL

This register keeps successful and failed retrievals. HTTP 200 means content was fetched, not that every claim in it was verified. Repositories were inspected selectively, not security-audited. Failed sources are not used as substantive evidence.

SOURCE	KIND	RETRIEVED	STATUS
How to Launch (and Not Screw Up) Your AI Consulting Business `video-drbwfZkl9ig`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
The Art of Freelance AI Consulting and Products: Data, Dollars, and Deliverables `video-9CFs06UDbGI`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
If I Started AI/ML Freelancing in 2026, I'd Do This `video-CRYea6gFWgk`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
Why Engineers Should Consider AI Consulting (And How to Start) `video-nyNQtkiW-ME`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
The Data Consultant Playbook From Code to Business Impact - Tony Zeljkovic `video-usQiNUVoCzE`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
How to Find, Build, and Deliver GenAI Projects `video-zp-rLollQrM`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
What Nobody Tells You About AI Consulting `video-WoyfzxbtXdo`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
Freelance Data Engineering Playbook: Pricing, Client Acquisition & Tools | Adrian Brudaru `video-9DTTrN-khCk`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
How To Land Your First AI Client As A Freelancer (100+ Beginners Did This) `video-jzq3FUrQ-u0`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
The Four Key AI Consulting Basics (Full Framework) `video-Ozp3k4qzmHo`	Video metadata	2026-10-14	Description + chapters retrieved; captions empty
A Field Guide to Rapidly Improving AI Products – Hamel's Blog `hamel-field-guide`	Public document	2026-10-14	200
AI Evals: Everything You Need to Know – Hamel's Blog `hamel-evals`	Public document	2026-10-14	200
Building Effective AI Agents \ Anthropic `anthropic-agents`	Public document	2026-10-14	200
Writing effective tools for AI agents—using AI agents \ Anthropic `anthropic-tools`	Public document	2026-10-14	200
Demystifying evals for AI agents \ Anthropic `anthropic-evals`	Public document	2026-10-14	200
Evaluation best practices | OpenAI API `openai-evals`	Public document	2026-10-14	200
AI Risk Management Framework | NIST `nist-rmf`	Public document	2026-10-14	200
LLMRisks Archive - OWASP Gen AI Security Project `owasp-llm`	Public document	2026-10-14	200
OWASP Top 10 for Agentic Applications for 2026 - OWASP Gen AI Security Project `owasp-agentic`	Public document	2026-10-14	200

SOURCE	KIND	RETRIEVED	STATUS
Security Best Practices - Model Context Protocol `mcp-security`	Public document	2026-10-14	200
MLflow AI Engineering Platform | MLflow AI Platform `mlflow-docs`	Public document	2026-10-14	200
Licensing a repository - GitHub Docs `github-license`	Public document	2026-10-14	200
AI Act | Shaping Europe's digital future `eu-ai-act`	Public document	2026-10-14	200
Who makes an application to process Special Personal Information? - `popia`	Public document	2026-10-14	200
Support — Tor `tor-safety`	Public document	2026-10-14	200
n8n Docs `n8n-license`	Public document	2026-10-14	404
3.1. Cross-validation: evaluating estimator performance — scikit-learn 1.9.1 documentation `sklearn-validation`	Public document	2026-10-14	200
12. Common pitfalls and recommended practices — scikit-learn 1.9.1 documentation `sklearn-pitfalls`	Public document	2026-10-14	200
Introduction | dlt Docs `dlt-docs`	Public document	2026-10-14	200
Hybrid Queries - Qdrant `qdrant-search`	Public document	2026-10-14	200
dtc-adrian `dtc-adrian`	Public document	2026-10-14	404
vg-38 `vg-38`	Public document	2026-10-14	404
stark-pricing `stark-pricing`	Public document	2026-10-14	200
upwork-circumvention `upwork-circumvention`	Public document	2026-10-14	403
n8n-license-current `n8n-license-current`	Public document	2026-10-14	404
ai-playbook `ai-playbook`	Public document	2026-10-14	200

Source register / 02

Traceable public evidence · Retrieved 14 October 2026

REPOSITORY SNAPSHOTS

Twelve repositories were retrieved on 14 October 2026 with their default branch, full commit and license metadata. Selected files were read; no code was installed or executed.

SOURCE	KIND	RETRIEVED	STATUS
instructor-ai/instructor repo-instructor-ai/instructor	Repository snapshot	2026-10-14	README + selected files; see card for path failures
langchain-ai/langgraph repo-langchain-ai/langgraph	Repository snapshot	2026-10-14	README + selected files; see card for path failures
promptfoo/promptfoo repo-promptfoo/promptfoo	Repository snapshot	2026-10-14	README + selected files; see card for path failures
Arize-ai/phoenix repo-Arize-ai/phoenix	Repository snapshot	2026-10-14	README + selected files; see card for path failures
mlflow/mlflow repo-mlflow/mlflow	Repository snapshot	2026-10-14	README + selected files; see card for path failures
qdrant/qdrant repo-qdrant/qdrant	Repository snapshot	2026-10-14	README + selected files; see card for path failures
dlt-hub/dlt repo-dlt-hub/dlt	Repository snapshot	2026-10-14	README + selected files; see card for path failures
BerriAI/litellm repo-BerriAI/litellm	Repository snapshot	2026-10-14	README + selected files; see card for path failures
explodinggradients/ragas repo-explodinggradients/ragas	Repository snapshot	2026-10-14	README + selected files; see card for path failures
n8n-io/n8n repo-n8n-io/n8n	Repository snapshot	2026-10-14	README + selected files; see card for path failures
microsoft/Presidio repo-microsoft/Presidio	Repository snapshot	2026-10-14	README + selected files; see card for path failures
anthropics/anthropic-cookbook repo-anthropics/anthropic-cookbook	Repository snapshot	2026-10-14	README + selected files; see card for path failures

82

WORK WITH ME

How I apply this for clients

AI agents and LLM automation for small businesses, built on .NET/C# and full-stack engineering, and delivered in three stages.

WHO THIS IS FOR

Small and growing businesses with a recurring, expensive workflow: an overloaded inbox, documents re-typed by hand, knowledge buried in policies and PDFs, or leads and tickets that need triage. You don't need an AI strategy to start. You need one workflow whose cost you can name and someone who can say what a good result looks like.

STAGE 1 · PAID DIAGNOSTIC

A short, fixed-scope engagement. I map the workflow, measure today's baseline, check data access and quality, and write up the options with their risks. You get a workflow map, a data-readiness memo, a draft evaluation rubric and a clear go/no-go recommendation. A "no-go" is a valid and useful outcome. It costs far less than building the wrong system.

STAGE 2 · MEASURED PILOT

A bounded build against agreed acceptance criteria. I assemble a representative test set, build a deterministic baseline, and then build the minimum adequate system. Depending on the task, that might be rules, a retrieval (RAG) assistant with citations, typed document extraction, or a tool-using agent behind approval gates. I report results by slice, cost per completed task and reviewer workload, not a single headline score. Consequential actions stay in draft until a person approves them.

STAGE 3 · PRODUCTION AND HANDOVER

Staged release from shadow mode to supervised use, and to narrowly authorized actions only where the evidence supports it. Production work includes logging and traces, health checks, retries with backoff, idempotent external writes, rollback paths, a runbook and a handover rehearsal. Ongoing support is agreed separately, with defined obligations.

WHAT I BUILD WITH

- **.NET/C#:** ASP.NET Core APIs and LLM gateways with provider abstraction, rate limits, backoff and server-side key handling.
- **Full-stack:** React/TypeScript front ends, Python (FastAPI) and Node.js services, deployed on Linux with Docker, nginx and Cloudflare.
- **LLM and agent tooling:** OpenAI-compatible APIs, Gemini and local models via Ollama; structured outputs, retrieval, evaluation harnesses and trace review.

The same pattern runs through my own systems. JobNet drafts every outbound message for human approval before anything is sent. Mercatus Assist is an ASP.NET Core 8 gateway that routes Gemini through an OpenAI-compatible interface, with backoff and keys kept server-side. Both are described on my portfolio.

WHAT I WON'T DO

Promise guaranteed accuracy or "AGI"; automate irreversible actions without an approval step; scrape behind logins, paywalls or anti-bot controls; or use data you are not authorized to share. Legal and privacy questions, including POPIA where South African personal data is involved, are reviewed with your qualified advisers.

NEXT STEP

Bring one workflow and an example of where it goes wrong. We'll decide together whether a diagnostic is worth doing.

SCHEMATIC



STAGE	YOU RECEIVE	DECISION AT THE END
Diagnostic	Workflow map, baseline, data-readiness memo, rubric	Go / no-go / narrow
Pilot	Tested system, slice results, cost and review burden	Accept, iterate or stop
Production	Staged release, monitoring, runbook, handover	Support scope and autonomy level

WORK WITH ME

Have a workflow that should be cheaper, faster or safer? Start with a diagnostic.

MENSMERCATUS.ONLINE (HTTPS://MENSMERCATUS.ONLINE/)

LINKEDIN (HTTPS://WWW.LINKEDIN.COM/IN/KATLEGO-MOKOTO1759/)

Enhancement Catas · Mens Mercatus research edition. Corpus retrieved 14 October 2026; web edition revised 17 October 2026. Video pages map published chapters only; applied pages are editorial synthesis. Not legal, tax or financial advice.

mensmercatus.online · LinkedIn · PDF