

MATHEMATICS EXTENSION 2

4 UNIT MATHEMATICS

TOPIC 1: GRAPHS

1.8 Problem solving using graphs and inequality

OPERATING ON GRAPHS OF BASIC FUNCTIONS

If you want to graph the function $y = x\log_e(x)$ how do you start?

Step 1. Plot the graph of $y_1 = x$ and then $y_2 = \log_e(x)$ and consider the properties of each graph.

Step 2. Plot the graph of $y = x\log_e(x) = y_1\,y_2$ by considering that at each point x_1 that $y(x_1) = x_1\log_e(x_1)$

$$x_1 = 2$$
$$y_1 = x_1 = 2$$
$$y_2 = \log_e(x_1) = \log_e(2) = 0.6931$$
$$y = y_1\, y_2 = (2)(0.6931) = 1.3862$$

Note: line $y = x$ is not at 45° because the X-axis and Y-axis have different scales



Graphing a function: The **domain** is the set of all first elements of ordered pairs (X-coordinates) and the **range** is the set of all second elements of ordered pairs (Y-coordinates).

Graph the function $y = 2\sin(3x) + x$ in the domain $-\pi \le x \le \pi$

How to approach the problem:

Find the zeros, max and min for $\sin(\theta)$ and for $\sin(3x)$ $\quad -\pi \le x \le \pi \quad -2 \le y \le +2$

Graph $y_1 = 2\sin(3x) \quad y_2 = x \quad \Rightarrow \quad y = y_1 + y_2$

Answer:

$$\sin(\theta)=\sin(3x)=0 \quad\Rightarrow\quad \theta=3x=0,\pm\pi,\pm2\pi,\pm3\pi \quad\Rightarrow\quad x=0,\pm\pi/3,\pm2\pi/3,\pm\pi$$

$$\sin(\theta)=\sin(3x)=1 \quad\Rightarrow\quad \theta=3x=\pi/2,\pi/2\pm2\pi \quad\Rightarrow\quad x=\pi/6,5\pi/6,-\pi/2$$

$$\sin(\theta)=\sin(3x)=-1 \quad\Rightarrow\quad \theta=3x=-\pi/2,-\pi/2\pm2\pi \quad\Rightarrow\quad x=-\pi/6,-5\pi/6,\pi/2$$



Graph the function $y = 2\sin(3x-3)+x$ in the domain $-\pi \le x \le \pi$

How to approach the problem:

Find the zeros, max and min for $\sin(\theta)$ and for $\sin(3x-3)$ $\quad -\pi \le x \le \pi \quad -2 \le y \le +2$

Graph $y_1 = 2\sin(3x-3) \quad y_2 = x \quad \Rightarrow \quad y = y_1 + y_2$

Answer:

$$\sin(\theta) = \sin(3x-3) = 0 \quad \Rightarrow \quad \theta = 3x-3 = 0, \pi, 2\pi, 3\pi$$
$$\Rightarrow \quad x = 1, 1+\pi/3, 1+2\pi/3 \quad \Rightarrow \quad x = 1, 2.0472, 3.0944$$

$$\sin(\theta) = \sin(3x-3) = 0 \quad \Rightarrow \quad \theta = 3x-3 = -\pi, -2\pi, -3\pi$$
$$\Rightarrow \quad x = 1-\pi/3,\ 1-2\pi/3, 1-\pi \quad \Rightarrow \quad x = -0.1472, -1.0944, -2.1416$$

$$\sin(\theta) = \sin(3x-3) = 1 \quad \Rightarrow \quad \theta = 3x-3 = \pi/2 \quad \Rightarrow \quad x = 1+\pi/6 = 1.5236$$
$$\sin(\theta) = \sin(3x-3) = 1 \quad \Rightarrow \quad \theta = 3x-3 = -3\pi/2, -7\pi/2$$
$$\Rightarrow \quad x = 1-3\pi/6, 1-7\pi/6 \quad \Rightarrow \quad x = -0.5708, -2.6652$$

$$\sin(\theta) = \sin(3x-3) = -1 \quad \Rightarrow \quad \theta = 3x-3 = -\pi/2, 3\pi/2$$
$$\Rightarrow \quad x = 1-\pi/6, 1+\pi/2 \quad \Rightarrow \quad x = 0.4764, 2.5708$$
$$\sin(\theta) = \sin(3x-3) = -1 \quad \Rightarrow \quad \theta = 3x-3 = -5\pi/2$$
$$\Rightarrow \quad x = 1-5\pi/6 = -1.6180$$



Now graph $y = \left|2\sin(3x-3)+x\right| \quad \Rightarrow y \geq 0$



Graph the function $y = x\,e^{-x}$ in the domain $-\pi \le x \le \pi$

How to approach the problem:

$y = ?\quad x = 0\quad x \to +\infty\quad x \to -\infty$

Find the critical points (turning points) $dy/dx = 0$

Use your calculator to find y for a few values of x.

Answer:

$$\text{critical point } dy/dx = 0 \quad (x=0 \quad y=0) \quad (x \to +\infty \quad y \to 0) \quad (x \to -\infty \quad y \to -\infty)$$

$$y = x\,e^{-x} \quad dy/dx = 3e^{3-x}(1-x) \quad d^2y/dx^2 = (3x-6)e^{3-x}$$

$$dy/dx = 0 \quad \Rightarrow \quad x = 1 \quad \Rightarrow \quad y = 22.1672$$

$$d^2y/dx^2|_{x=1} = (-3)e^2 < 0 \quad \Rightarrow \quad \text{critical point is a maximum at } x = 1 \quad y = 22.1672$$

$$\text{Using calculator for } (x,y) \Rightarrow (\text{-}1,164)\,(0,0)\,(1,22.2)\,(2,16.30)\,(3,9.0)\,(4,4.4)\,(5,2.0)$$



Graph the function $y = \dfrac{x^2 + 10x}{x-2}$ How to approach the problem:

$y = ? \quad x = 0 \quad x \to +\infty \quad x \to -\infty$

Find the critical points (turning points) $dy/dx = 0$

Use your calculator to find y for a few values of x.

Answer:

numerator – parabola $u = x^2 + 10x$

denominator- straight lines $v = x - 2$

$x = 0 \quad \Rightarrow \quad y = 0$

$y = \dfrac{x^2 + 10x}{x-2} \quad \Rightarrow \quad y = \dfrac{x + 10/x}{1 - 2/x}$ if x is very large $y \approx x$

$x \to +\infty \quad \Rightarrow \quad y \to +\infty \qquad x \to -\infty \quad \Rightarrow \quad y \to -\infty$

$x = 2 \quad \Rightarrow \quad y \to \pm\infty$ **vertical asymptote**

$\Rightarrow$ the y is not a continuous function, there is a discontinuity at $x = 2$

$x = 1.90 \; y = -226 \quad x = 1.99 \; y = -2386 \quad \Rightarrow \quad x^- \to 2 \;\; y \to -\infty$

$x = 2.10 \; y = 254 \quad x = 2.01 \; y = 2414 \quad \Rightarrow \quad x^+ \to 2 \;\; y \to +\infty$

Need to find any **critical points**

$$dy/dx = 0 \quad d^2y/dx^2 < 0 \Rightarrow \max \quad d^2y/dx^2 > 0 \Rightarrow \min$$

$$y = u\,v \quad dy/dx = u\,dv/dx + v\,du/dx$$

$$u = x^2 + 10\,x \quad du/dx = 2\,x + 10$$

$$v = (x-2)^{-1} \quad dv/dx = -1/(x-2)^2$$

$$dy/dx = \frac{x^2 - 4x - 20}{(x-2)^2}$$

$$dy/dx = 0 \;\Rightarrow\; x^2 - 4x - 20 = 0 \;\Rightarrow\; x_1 = 6.89898 \quad x_2 = -2.89898$$

$$dy/dx = \frac{x^2 - 4x - 20}{(x-2)^2}$$

$$u = x^2 - 4x - 20 \quad du/dx = 2x - 4$$

$$v = (x-2)^2 \quad dv/dx = -2/(x-2)^2$$

$$d^2y/dx^2 = u\,dv/dx + v\,du/dx$$

$$d^2y/dx^2 = \frac{48}{(x-2)^2}$$

$$x_1 = 6.89898 \quad d^2y/dx^2 = 0.4082 > 0 \quad\Rightarrow\quad \min \quad y_1 = 23.8$$

$$x_2 = -2.89898 \quad d^2y/dx^2 = -0.4082 < 0 \quad\Rightarrow\quad \max \quad y_2 = 4.2$$


50
0
-50
y
-20
-15
-10
-5
0
5
10
15
20
x
x^2 + 10 x
x - 2
(x^2 + 10 x) / (x - 2)

INEQUALITIES

In the manipulation of inequalities, one has to take care and a little thought.

- $a > b \quad \Rightarrow \quad b < a$
- $a - b > c \quad \Rightarrow \quad a > b + c$
- $a > b \quad \Rightarrow \quad -a < -b$
- $a > 0 \quad \Rightarrow \quad 1/a > 0 \qquad a < 0 \quad \Rightarrow \quad 1/a < 0$
- $a > b > 0 \quad \Rightarrow \quad 1/b > 1/a > 0$
- $a > b \quad c \geq d \quad \Rightarrow \quad a + c > b + d$
- $a > 0 \quad b > 0 \quad \Rightarrow \quad ab > 0$
- $a > 0 \quad b < 0 \quad \Rightarrow \quad ab < 0$
- $a < 0 \quad b < 0 \quad \Rightarrow \quad ab > 0$

Example

Show three different XY graphs, the lines or regions for the relationships:

$$|x-3|+|x-5|=10 \qquad |x-3|+|x-5|\le 10 \qquad |x-3|+|x-5|>10$$

Answers

We can find the answers by graphical methods. Plot the functions

$$y_1 = |x-3| \qquad y_2 = |x-5| \qquad y_{12} = |x-3| + y = |x-5| \qquad y_3 = 10$$

The x values for $|x-3|+|x-5|=10$ are given by the points of intersection of the functions y_{12} and y_3 $\quad \Rightarrow x=-1 \quad x=9$



$$|x-3|+|x-5|\le 10 \quad \Rightarrow \quad |x-3|+|x-5|\le y\le 10$$



$$|x-3|+|x-5|\geq 10 \quad \Rightarrow \quad |x-3|+|x-5|\geq y \geq 10$$