HTML

Tutorials ▼

CSS HTML Reference

References ▼

JAVASCRIPT

HTML by Alphabet HTML by Category HTML Browser Support **HTML** Attributes HTML Global Attributes HTML Events HTML Colors **HTML Canvas** HTML Audio/Video HTML Character Sets HTML Doctypes

HTML URL Encode

HTML Language Codes

HTML Country Codes

HTTP Messages

HTTP Methods

HTML Tags

<!DOCTYPE>

<!-->

<a>>

<abbr>

<acronym>

<address>

<applet>

<area>

<article>

<aside>

<audio>

PX to EM Converter

Keyboard Shortcuts

< Previous HTML Attribute Reference

Exercises **T**

PYTHON

SQL

accept-charset

<u>accesskey</u>

<u>action</u>

align

<u>alt</u>

<u>async</u>

autocomplete

<u>autofocus</u>

<u>autoplay</u>

bgcolor

border

<u>charset</u>

checked

<u>cite</u>

<u>class</u>

color

<u>cols</u>

<u>colspan</u>

<u>content</u>

<u>controls</u>

<u>coords</u>

<u>data</u>

<u>data-*</u>

<u>datetime</u>

<u>default</u>

<u>defer</u>

<u>dir</u>

<u>dirname</u>

<u>disabled</u>

<u>download</u>

<u>draggable</u>

<u>enctype</u>

<u>for</u>

<u>form</u>

<u>formaction</u>

<u>headers</u>

<u>height</u>

<u>hidden</u>

<u>high</u>

<u>href</u>

<u>id</u>

<u>ismap</u>

<u>kind</u>

<u>label</u>

<u>lang</u>

<u>list</u>

<u>loop</u>

<u>low</u>

<u>max</u>

<u>media</u>

<u>method</u>

<u>multiple</u>

<u>muted</u>

<u>name</u>

<u>novalidate</u>

<u>onabort</u>

<u>onblur</u>

<u>oncanplay</u>

<u>onchange</u>

<u>onclick</u>

<u>oncopy</u>

<u>oncut</u>

<u>ondblclick</u>

<u>ondragend</u>

<u>ondragenter</u>

<u>ondragleave</u>

<u>ondragover</u>

<u>ondragstart</u>

onemptied

<u>onended</u>

<u>onerror</u>

<u>onfocus</u>

<u>oninput</u>

<u>oninvalid</u>

<u>onkeydown</u>

<u>onkeypress</u>

<u>onloadeddata</u>

<u>onloadstart</u>

<u>onmousedown</u>

<u>onmousemove</u>

<u>onmouseout</u>

<u>onmouseover</u>

<u>onmouseup</u>

onmousewheel

<u>onoffline</u>

<u>ononline</u>

onpagehide

<u>onpageshow</u>

<u>onpaste</u>

<u>onpause</u>

<u>onplay</u>

<u>onplaying</u>

onpopstate

<u>onprogress</u>

<u>onratechange</u>

<u>onreset</u>

<u>onresize</u>

<u>onscroll</u>

<u>onsearch</u>

<u>onseeked</u>

<u>onseeking</u>

<u>onselect</u>

<u>onstalled</u>

onstorage

<u>onsubmit</u>

<u>onsuspend</u>

<u>ontimeupdate</u>

<u>ontoggle</u>

<u>onunload</u>

<u>onwaiting</u>

<u>onwheel</u>

<u>open</u>

<u>optimum</u>

pattern

<u>poster</u>

<u>preload</u>

<u>readonly</u>

<u>required</u>

<u>reversed</u>

<u>rowspan</u>

<u>sandbox</u>

<u>scope</u>

<u>selected</u>

<u>shape</u>

<u>size</u>

<u>sizes</u>

<u>span</u>

<u>src</u>

<u>srcdoc</u>

<u>srclang</u>

<u>srcset</u>

<u>start</u>

<u>step</u>

<u>style</u>

<u>tabindex</u>

<u>target</u>

<u>title</u>

<u>type</u>

<u>usemap</u>

<u>value</u>

<u>width</u>

<u>wrap</u>

< Previous

Report Error

Top Tutorials

HTML Tutorial

CSS Tutorial

JavaScript Tutorial

How To Tutorial

SQL Tutorial

Python Tutorial

W3.CSS Tutorial

Bootstrap Tutorial

PHP Tutorial

Java Tutorial

C++ Tutorial

jQuery Tutorial

<u>translate</u>

<u>spellcheck</u>

<u>rows</u>

<u>rel</u>

<u>placeholder</u>

<u>onvolumechange</u>

<u>onloadedmetadata</u>

<u>onkeyup</u>

<u>onload</u>

<u>onhashchange</u>

<u>ondurationchange</u>

<u>ondrop</u>

<u>ondrag</u>

<u>onafterprint</u>

<u>onbeforeprint</u>

<u>onbeforeunload</u>

<u>oncanplaythrough</u>

<u>oncontextmenu</u>

<u>oncuechange</u>

<u>min</u>

<u>maxlength</u>

<u>hreflang</u>

<u>http-equiv</u>

contenteditable

Videos (NEW)

HTML Attribute Reference

BOOTSTRAP

The table below lists all HTML attributes and what elements they can be used within: **Belongs to Attribute** <input> <u>accept</u>

<form>

<form>

Global Attributes

HOW TO

JAVA

JQUERY

W3.CSS

C#

C++

Kotlin

Website (NEW)

Next >

NEW

We just launched

W3Schools videos


Explore now

COLOR PICKER

Paid Courses

Log in

Maschool **Get started**



Not supported in HTML 5.

submitted Use CSS instead display

Description

type="file")

form submission

React

Specifies a shortcut key to activate/focus an element Specifies where to send the form-data when a form is

Specifies the types of files that the server accepts (only for Specifies the character encodings that are to be used for the

LIKE US f o in **Get certified** by completing a course today!

CODE GAME

Specifies the alignment according to surrounding elements. Specifies an alternate text when the original element fails to Specifies that the script is executed asynchronously (only for external scripts) Specifies whether the <form> or the <input> element should have autocomplete enabled Specifies that the element should automatically get focus when the page loads Specifies that the audio/video will start playing as soon as it is ready Specifies the background color of an element. Use CSS instead Specifies the width of the border of an element. Use CSS Specifies the character encoding Specifies that an <input> element should be pre-selected
<blockquote>, <al>, <ins>, <q> text class in a style sheet) Specifies the text color of an element. Use CSS instead Specifies the visible width of a text area

when the page loads (for type="checkbox" or type="radio") Specifies a URL which explains the quote/deleted/inserted Specifies one or more classnames for an element (refers to a Specifies the number of columns a table cell should span Gives the value associated with the http-equiv or name attribute Specifies whether the content of an element is editable or not Specifies that audio/video controls should be displayed (such as a play/pause button etc) Specifies the coordinates of the area Specifies the URL of the resource to be used by the object Used to store custom data private to the page or application Specifies the date and time Specifies that the track is to be enabled if the user's preferences do not indicate that another track would be more appropriate Specifies that the script is executed when the page has finished parsing (only for external scripts) Specifies the text direction for the content in an element Specifies that the text direction will be submitted Specifies that the specified element/group of elements should be disabled Specifies that the target will be downloaded when a user clicks on the hyperlink Specifies whether an element is draggable or not Specifies how the form-data should be encoded when submitting it to the server (only for method="post") Specifies which form element(s) a label/calculation is bound to Specifies the name of the form the element belongs to Specifies where to send the form-data when a form is submitted. Only for type="submit" Specifies one or more headers cells a cell is related to Specifies the height of the element Specifies that an element is not yet, or is no longer, relevant Specifies the range that is considered to be a high value Specifies the URL of the page the link goes to Specifies the language of the linked document Provides an HTTP header for the information/value of the content attribute Specifies a unique id for an element Specifies an image as a server-side image map Specifies the kind of text track Specifies the title of the text track Specifies the language of the element's content Refers to a <datalist> element that contains pre-defined options for an <input> element Specifies that the audio/video will start over again, every time it is finished Specifies the range that is considered to be a low value Specifies the maximum value Specifies the maximum number of characters allowed in an element Specifies what media/device the linked document is optimized for Specifies the HTTP method to use when sending form-data Specifies a minimum value Specifies that a user can enter more than one value Specifies that the audio output of the video should be muted Specifies the name of the element Specifies that the form should not be validated when submitted Script to be run on abort Script to be run after the document is printed Script to be run before the document is printed Script to be run when the document is about to be unloaded Script to be run when the element loses focus Script to be run when a file is ready to start playing (when it has buffered enough to begin) Script to be run when a file can be played all the way to the end without pausing for buffering Script to be run when the value of the element is changed Script to be run when the element is being clicked Script to be run when a context menu is triggered Script to be run when the content of the element is being copied Script to be run when the cue changes in a <track> element Script to be run when the content of the element is being cut Script to be run when the element is being double-clicked Script to be run when the element is being dragged Script to be run at the end of a drag operation Script to be run when an element has been dragged to a valid drop target Script to be run when an element leaves a valid drop target Script to be run when an element is being dragged over a valid drop target Script to be run at the start of a drag operation Script to be run when dragged element is being dropped Script to be run when the length of the media changes Script to be run when something bad happens and the file is suddenly unavailable (like unexpectedly disconnects) Script to be run when the media has reach the end (a useful event for messages like "thanks for listening") Script to be run when an error occurs Script to be run when the element gets focus Script to be run when there has been changes to the anchor part of the a URL Script to be run when the element gets user input Script to be run when the element is invalid Script to be run when a user is pressing a key Script to be run when a user presses a key Script to be run when a user releases a key Script to be run when the element is finished loading Script to be run when media data is loaded Script to be run when meta data (like dimensions and duration) are loaded Script to be run just as the file begins to load before anything is actually loaded Script to be run when a mouse button is pressed down on an element Script to be run as long as the mouse pointer is moving over an element Script to be run when a mouse pointer moves out of an element Script to be run when a mouse pointer moves over an element Script to be run when a mouse button is released over an element

Script to be run when a mouse wheel is being scrolled over Script to be run when the browser starts to work offline Script to be run when the browser starts to work online

Specifies an image to be shown while the video is downloading, or until the user hits the play button Specifies if and how the author thinks the audio/video should

Specifies the relationship between the current document and Specifies that the element must be filled out before Specifies that the list order should be descending (9,8,7...) Specifies the visible number of lines in a text area Specifies the number of rows a table cell should span Enables an extra set of restrictions for the content in an Specifies whether a header cell is a header for a column, Specifies that an option should be pre-selected when the Specifies the width, in characters (for <input>) or specifies Specifies whether the element is to have its spelling and Specifies the HTML content of the page to show in the Specifies the language of the track text data (required if Specifies the URL of the image to use in different situations Specifies the legal number intervals for an input field Specifies the target for where to open the linked document Specifies whether the content of an element should be

Script to be run when a user navigates away from a page Script to be run when a user navigates to a page Script to be run when the user pastes some content in an Script to be run when the media is paused either by the user Script to be run when the media has started playing Script to be run when the media has started playing Script to be run when the window's history changes. Script to be run when the browser is in the process of Script to be run each time the playback rate changes (like when a user switches to a slow motion or fast forward Script to be run when a reset button in a form is clicked. Script to be run when the browser window is being resized. Script to be run when an element's scrollbar is being scrolled Script to be run when the user writes something in a search Script to be run when the seeking attribute is set to false Script to be run when the seeking attribute is set to true Script to be run when the element gets selected Script to be run when the browser is unable to fetch the Script to be run when a Web Storage area is updated Script to be run when fetching the media data is stopped before it is completely loaded for whatever reason Script to be run when the playing position has changed (like when the user fast forwards to a different point in the Script to be run when the user opens or closes the <details> Script to be run when a page has unloaded (or the browser Script to be run each time the volume of a video/audio has Script to be run when the media has paused but is expected to resume (like when the media pauses to buffer more data) Script to be run when the mouse wheel rolls up or down over Specifies that the details should be visible (open) to the user Specifies what value is the optimal value for the gauge Specifies a regular expression that an <input> element's Specifies a short hint that describes the expected value of

<u><form>, <input></u>

<area>, , <input> <script> <button>, <input>, <select>, <textarea> <audio>, <video>

Not supported in HTML 5.

Not supported in HTML 5.

<meta>, <script>

Global Attributes

<textarea>

<u>, </u>

Global Attributes

<audio>, <video>

<u><meta></u>

<area>

<object>

<track>

<script>

Global Attributes

<u><a>, <area></u>

<form>

Global Attributes

<label>, <output>

<object>, <video>

<u><a>, <area>, <link></u>

Global Attributes

Global Attributes

<audio>, <video>

<input>, <textarea>

<input>, <meter>

<input>, <select>

<video>, <audio>

<select>, <textarea>

<u><a></u>, <u><area></u>, <u><base></u>, <u><link></u>

<track>, <option>, <optgroup>

<input>, <meter>, progress>

<a>, <area>, <link>, <source>, <style>

<but><button>, <fieldset>, <form>, <iframe>, <input>,</br>

<map>, <meta>, <object>, <output>, <param>,

<audio>, <embed>, , <object>, <video>

<audio>, <embed>, <object>, <video>

Global Attributes

<meter>

<meta>

<u></u>

<track>

<u><input></u>

<meter>

<form>

<form>

<body>

<body>

<body>

All visible elements.

<audio>, <video>

All visible elements.

<audio>, <video>

<audio>, <video>

<audio>, <video>

All visible elements.

<audio>, <video>

<audio>, <video>

<audio>, <video>

All visible elements.

<audio>, <video>

<audio>, <video>

<audio>, <video>

<audio>, <video>

<audio>, <video>

All visible elements.

<audio>, <video>

<audio>, <video>

All visible elements.

<audio>, <video>

<audio>, <video>

<audio>, <video>

<audio>, <video>

<audio>, <video>

All visible elements.

<input>, <textarea>

<audio>, <video>

<input>, <textarea>

<a>, <area>, <form>, <link>

<input>, <select>, <textarea>

<details>

<meter>

<input>

<video>

<u><0|></u>

<textarea>

<u>, </u>

<iframe>

<option>

<area>

<input>, <select>

<col>, <colgroup>

Global Attributes

<iframe>

<track>

<u><0|></u>

<input>

, <source>

Global Attributes

Global Attributes

Global Attributes

Global Attributes

, <object>

cprogress>, <param>

<object>, <video>

<textarea>

<a>, <area>, <base>, <form>

<a>, <button>, <embed>, <input>, <link>, <menu>,

<object>, <script>, <source>, <style>

<button>, <input>, , <option>, <meter>,

<canvas>, <embed>, <iframe>, , <input>,

Forum

Top References

HTML Reference

CSS Reference

JavaScript Reference

SQL Reference

Python Reference

W3.CSS Reference

Bootstrap Reference

PHP Reference

HTML Colors

Java Reference

Angular Reference

jQuery Reference

, <link>, <source>

<audio>, <embed>, <iframe>, , <input>,

<script>, <source>, <track>, <video>

<u>></u>

<body>

<form>

<details>

<body>

<body>

<form>

<body>

<input>

<body>

<body>

<u><body></u>

<body>

<u><style></u>

<body>

<script>, <style>, <video>

<audio>, <body>, <embed>, , <object>,

<body>, <iframe>, , <input>, <link>, <script>,

an element

element

mode).

media)

element

been changed

an element

the element

window has been closed)

value is checked against

be loaded when the page loads

row, or group of columns or rows

Specifies the shape of the area

grammar checked or not

the number of visible options (for <select>)

Specifies the size of the linked resource

Specifies the number of columns to span

Specifies the start value of an ordered list

Specifies an inline CSS style for an element

Specifies extra information about an element

Specifies an image as a client-side image map

Specifies how the text in a text area is to be wrapped when

About

Top Examples

HTML Examples

CSS Examples

JavaScript Examples

How To Examples

SQL Examples

Python Examples

W3.CSS Examples

Next >

Shop

Web Courses

HTML Course

CSS Course

JavaScript Course

Front End Course

SQL Course

Python Course

PHP Course

jQuery Course

Java Course

C++ Course

C# Course

XML Course

Get Certified »

Specifies the tabbing order of an element

or where to submit the form

Specifies the type of element

Specifies the value of the element

Specifies the width of the element

translated or not

submitted in a form

Specifies the URL of the media file

the linked document

submitting the form

<iframe>

page loads

<iframe>

kind="subtitles")

Specifies that the element is read-only

or programmatically

getting the media data

field (for <input="search">)

indicating that seeking has ended

indicating that seeking is active

media data for whatever reason

Script to be run when a form is submitted

<track>

,

<input>, <textarea>

<button>, <fieldset>, <input>, <optgroup>,

<button>, <fieldset>, <input>, <label>, <meter>,

<canvas>, <embed>, <iframe>, , <input>,

<object>, <output>, <select>, <textarea>

<option>, <select>, <textarea>

Global Attributes

<u>, <ins>, <time></u>

Not supported in HTML 5.

<u><input></u>

Bootstrap Examples PHP Examples Java Examples XML Examples jQuery Examples W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2021 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.