

# Computer Programming 143 – Lecture 13

## Functions IV

Electrical and Electronic Engineering Department  
University of Stellenbosch

Prof Johan du Preez  
Mr Callen Fisher  
Dr Willem Jordaan  
Dr Hannes Pretorius  
Mr Willem Smit



## **Copyright**

Copyright © 2020 Stellenbosch University  
All rights reserved


## **Disclaimer**

This content is provided without warranty or representation of any kind. The use of the content is entirely at your own risk and Stellenbosch University (SU) will have no liability directly or indirectly as a result of this content.

The content must not be assumed to provide complete coverage of the particular study material. Content may be removed or changed without notice.

The video is of a recording with very limited post-recording editing. The video is intended for use only by SU students enrolled in the particular module.

# Module Overview



# Lecture Overview

- 1 Recursion (5.14)
- 2 Example: Fibonacci Series (5.15)
- 3 Recursion vs. Iteration (5.16)

## 5.14 Recursion I

### Function calls so far

- Functions call one another in a disciplined and hierarchical manner
- Functions only call other functions – not themselves

### Definition of recursion

A **recursive function** is a function that calls itself, either directly or indirectly through another function

## 5.14 Recursion II

### Recursive problem solving

- Function can only solve simplest case(s) directly (**base case(s)**):
  - Function called with base case: returns result of base case
- Function called with more complex case:
  - Breaks problem into two pieces: one it “knows how to do” and one it “does not know how to do”
  - The second part must be a simpler or smaller version of the original problem
  - To solve the second part, the function calls itself (**recursion step**)
  - Function stays “open” while recursion step executes

## 5.14 Recursion III

### Recursion analogy




## 5.14 Recursion IV

### Factorial 5!

$$\begin{aligned}5! &= 5 \times 4 \times 3 \times 2 \times 1 \\&= 5 \times (4 \times 3 \times 2 \times 1) \\&= 5 \times (4!)\end{aligned}$$

Similarly,

$$\begin{aligned}4! &= 4 \times (3!) \\3! &= 3 \times (2!) \\2! &= 2 \times (1!) \\1! &= 1\end{aligned}$$





## 5.14 Recursion V

### Factorial $n!$

$$n! = \begin{cases} 1, & n = 1 \\ n \times (n-1)!, & n > 1 \end{cases}$$

### Problem

- Write a function to calculate the factorial of a number recursively.

## 5.14 Recursion VI

### Pseudocode

*function: factorial of integer  $n$*

*if  $n$  is less than or equal to 1*

*set the variable to return to 1*

*else calculate the factorial of  $(n-1)$ , i.e. call factorial  $(n-1)$*

*set the variable to return to  $n$  multiplied by the factorial of  $(n-1)$*

## 5.14 Recursion VII

### Factorial: recursive implementation

```
long factorial( long n )
{
    long x;
    // base case
    if ( n <= 1 ) {
        x = 1;
    }
    else {    // recursive step
        x = n * factorial( n - 1 );
    }
    return x;
} // end function factorial
```

## 5.14 Recursion VIII

Refer to Fig. 5.18 in Deitel & Deitel for full program listing

## 5.15 Example: Fibonacci Series I

### Fibonacci series


The Fibonacci series, 0, 1, 1, 2, 3, 5, 8, 13, 21, ..., begins with 0 and 1 and has the property that each subsequent Fibonacci number is the sum of the previous two Fibonacci numbers

Any Fibonacci number can therefore be calculated as

$$\text{Fibonacci}(n) = \begin{cases} 0, & n = 0 \\ 1, & n = 1 \\ \text{Fibonacci}(n - 1) + \text{Fibonacci}(n - 2), & n > 1 \end{cases}$$

## 5.15 Example: Fibonacci Series II

### Fibonacci series (cont'd...)



## 5.15 Example: Fibonacci Series III

### Problem

- Write a function to calculate the Fibonacci series recursively.

### Pseudocode

*function: fibonacci of integer  $n$*

*if  $n$  is 0 or 1*

*set return variable to  $n$*

*else*

*calculate the fibonacci of  $(n-1)$ , i.e. call fibonacci  $(n-1)$*

*calculate the fibonacci of  $(n-2)$ , i.e. call fibonacci  $(n-2)$*

*set return variable to the sum of fibonacci $(n-1)$  and fibonacci $(n-2)$*

## 5.15 Example: Fibonacci Series IV

### Fibonacci series: recursive implementation

```
long fibonacci( long n )
{
    long x;
    // base case
    if ( n == 0 || n == 1 ) {
        x = n;
    } // end if
    else { // recursive step
        x = fibonacci( n - 1 ) + fibonacci( n - 2 );
    } // end else
    return x;
} // end function fibonacci
```



## 5.15 Example: Fibonacci Series V

Refer to Fig. 5.19 in Deitel & Deitel for full program listing

## 5.16 Recursion vs. Iteration I

### Recursion vs. Iteration

- All problems that can be solved with recursion can also be solved with iteration
- Recursion is more processor and memory intensive
- Sometimes the recursion solutions are more elegant

## Today

### Functions IV

- Definition of recursion
- Example: Fibonacci series
- Recursion vs. iteration

## Next lecture

### Arrays I

- Introduction to, definition of and use of arrays

# Homework

- 1 Study Sections 5.14-5.16 in Deitel & Deitel
- 2 Do Self Review Exercises 5.1(k)-(q) in Deitel & Deitel
- 3 Do Exercises 5.34, 5.36 in Deitel & Deitel