Steps to Host Static Website Using AWS S3

Step 1: Create an S3 Bucket

- Open the AWS Management Console.
- Navigate to the Amazon S3 service.
- Click on Create Bucket.
- Enter a unique bucket name.
- Select your preferred AWS Region.
- Configure Object Ownership settings as required.



Step 2: Configure Public Access Settings

- Uncheck Block all public access if you want the website to be publicly accessible.
- Keep Bucket Versioning disabled.
- Leave Tags optional.
- Keep default encryption disabled if not required.
- Click on Create Bucket.



Step 3: Upload Website Files

- Open the created bucket.
- Click on Upload.
- Select Add files or Add folder.
- Upload your website files such as HTML, CSS, JavaScript, and images.
- Click on Close after the upload is completed.



Step 4: Configure Bucket Permissions

Block Public Access

- Go to the Permissions tab.
- Click on Edit under Block Public Access.
- Uncheck Block all public access.
- Save changes and type confirm.



Object Ownership

- Click on Edit under Object Ownership.
- Select ACLs Enabled.
- Check the acknowledgment option.
- Click on Save Changes.



Step 5: Make Website Files Public

- Open the Objects section of the bucket.
- Select all uploaded files.
- Click on Actions.
- Choose Make Public Using ACL.
- Click on Make Public and then close the window.



Step 6: Copy the Object URL

- Open your main HTML file (for example, index.html).

- Copy the Object URL displayed on the page.



Step 7: Access the Website

- Paste the copied Object URL into a web browser.
- Your static website will now be publicly accessible through Amazon S3.