


Steps for AWS WAF :

Step 1: Create web ACL

Firstly [signing up for an AWS account](#) if you haven't already. Next, go to the AWS Console and search for "Web Application Firewall." This will take you to the AWS WAF home page, where you can select the option to create a new Web ACL




Create Web ACL


Before Going to next step, refer to the article - [Identity and Access Management \(IAM\) in AWS](#)

Step 2: Give a Name

Enter a name to identify your Web ACL. You can also add an optional description if desired. Once done, click "Next" to proceed




Give a Name




Click on "Next"

Step 3: Add an AWS Managed Rule Group

In this step, you'll need to add rules and rule groups. Select "Add managed rule groups", which will take you to a page where you can manage the rule groups, as shown in the reference snapshot



Add an AWS Managed Rule Group




Click on AWS Managed Rule Group


AWS Managed Rules offers a selection of predefined rule groups, most of which are free for AWS WAF users. Once you've added a managed rule group, save the configuration.

In this setup, we'll create two specific rules to define the traffic patterns we want to allow or block:

- **Regular Rule:** This rule protects the application against SQL injection attacks by checking if the URI path contains any SQL injection patterns.
- **Rate-Based Rule:** This rule blocks requests from the same IP address once they exceed a specified request limit within a given time frame.




Toggle "Add to Web ACL"




Click on "Add Rule"

After that, check the added rules and hit Next



Click on Next



Step 4: Configure Cloudwatch Metrics

The screenshot shows the 'Configure metrics' step of the AWS WAF console. On the left, a sidebar lists five steps: Step 1 (Describe web ACL and associate it to AWS resources), Step 2 (Add rules and rule groups), Step 3 (Set rule priority), Step 4 (Configure metrics), and Step 5 (Review and create web ACL). The main content area is titled 'Configure metrics' and includes an 'info' icon. It features a section for 'Amazon CloudWatch metrics' with a description: 'CloudWatch metrics allow you to monitor web requests, web ACLs, and rules.' Below this, there are two columns: 'Rules' and 'CloudWatch metric name'. The 'Rules' column has two checked items: 'AWS-AWSManagedRulesAnonymousIpList' and 'AWS-AWSManagedRulesCommonRuleSet'. The 'CloudWatch metric name' column has two corresponding text boxes with the same names. Below this is a section for 'Request sampling options' with a description: 'If you disable request sampling, you can't view requests that match your web ACL rules.' It has three radio button options: 'Enable sampled requests' (selected), 'Disable sampled requests', and 'Enable sampled requests with exclusions'. At the bottom right, there are three buttons: 'Cancel', 'Previous', and 'Next' (highlighted with a red box).

Configure metrics [info](#)

Amazon CloudWatch metrics
CloudWatch metrics allow you to monitor web requests, web ACLs, and rules.

Rules	CloudWatch metric name
☒ AWS-AWSManagedRulesAnonymousIpList	AWS-AWSManagedRulesAnonymousIpList
☒ AWS-AWSManagedRulesCommonRuleSet	AWS-AWSManagedRulesCommonRuleSet

Request sampling options
If you disable request sampling, you can't view requests that match your web ACL rules.

Options

- ☒ Enable sampled requests
- ☐ Disable sampled requests
- ☐ Enable sampled requests with exclusions

Cancel Previous **Next**

Step 5: Review Web ACL Configuration

In the final step, review all selected rules and managed rule groups to ensure they meet your requirements. Once confirmed, click "Create Web ACL" to complete the setup

The screenshot shows the 'Review and create web ACL' step of the AWS WAF console. On the left, a sidebar lists five steps: Step 1 (Describe web ACL and associate it to AWS resources), Step 2 (Add rules and rule groups), Step 3 (Set rule priority), Step 4 (Configure metrics), and Step 5 (Review and create web ACL). The main content area is titled 'Review and create web ACL' and includes an 'info' icon. It features a section for 'Step 1: Describe web ACL and associate it to AWS resources' with an 'Edit step 1' button. Below this is a 'Web ACL details' section with a table showing: Name (GFG020), Scope (REGIONAL), Description, Region (us-east-1), and CloudWatch metric name (GFG020). Below this is a section for 'Steps 2 and 3: Add rules and set rule priority' with an 'Edit steps 2 and 3' button. It features a 'Rules (2)' section with a description: 'If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear.' Below this is a table with three columns: Name, Capacity, and Action. The table has two rows: 'AWS-AWSManagedRulesAnonymousIpList' with Capacity 50 and Action 'Use rule actions', and 'AWS-AWSManagedRulesCommonRuleSet' with Capacity 700 and Action 'Use rule actions'. Below this is a section for 'Web ACL capacity units (WCUs) used by your web ACL' with a description: 'The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.' It shows a total of 750/5000 WCUs. Below this is a section for 'Default web ACL action for requests that don't match any rules' with a table showing: Action (Allow) and Custom request headers (-). Below this is a section for 'Token domain list (0)' with a description: 'No items' and 'No items to display'. At the bottom right, there are two buttons: 'Edit step 4' and 'Create Web ACL'.

Review and create web ACL [info](#)

Step 1: Describe web ACL and associate it to AWS resources [Edit step 1](#)

Web ACL details

Name	Scope
GFG020	REGIONAL
Description	Region
	us-east-1
CloudWatch metric name	
GFG020	

Steps 2 and 3: Add rules and set rule priority [Edit steps 2 and 3](#)

Rules (2)
If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear:

Name	Capacity	Action
AWS-AWSManagedRulesAnonymousIpList	50	Use rule actions
AWS-AWSManagedRulesCommonRuleSet	700	Use rule actions

Web ACL capacity units (WCUs) used by your web ACL
The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.

The total WCUs for a web ACL can't exceed 5000. Using over 1500 WCUs affects your costs. [AWS WAF Pricing](#)

750/5000 WCUs

Default web ACL action for requests that don't match any rules

Action	Custom request headers
Allow	-


Token domain list (0)

Name

No items
No items to display


Step 4: Configure metrics [Edit step 4](#)

Create Web ACL



Click on "Create with ACL"

A confirmation message will appear saying, "You have successfully created Web ACL: [ACL-name]".



Preview You have successfully created Web ACL: [ACL-name]