



Launching a Sample Application

Step 1: Log in to your AWS account, search for Elastic Beanstalk in the main search bar, and select it to open the service dashboard.



Step 2: Create a New Application

- Click Create application from the dashboard.
- In the configuration wizard, select Web server environment as the environment tier.
- Under Application information, enter a name such as my-first-gfg-app.



Step 3: Configure the Environment

- Leave the Environment name as auto-generated, or customize it.
- Leave the Domain field blank for an auto-generated subdomain, or enter a preferred value.
- Under Platform, select your technology stack from the dropdown (e.g., Python). Elastic Beanstalk will pre-install the appropriate runtime and web server.

Elastic Beanstalk

Environments

Applications

Application name

demoGFG

Up to 100 Unicode characters, not including forward slash (/).

► Application tags (optional)

Environment information

Choose the name, subdomain, and description for your environment. These cannot be changed later.

Environment name

Demogfg-env

Domain

Leave blank for autogenerated value

.us-east-1.elasticbeanstalk.

Check availability

Description

First elastic beanstalk application

Platforms published and maintained by AWS Elastic Beanstalk. [Learn more](#)

Platforms created and owned by you.

Platform

PHP

Platform branch

PHP 7.4 running on 64bit Amazon Linux 2

Platform version

3.1.1 (Recommended)

Application code

☒ Sample application

Get started right away with sample code.

☐ Existing version

Application versions that you have uploaded for demoGFG.

— Choose a version —

☐ Upload your code

Upload a source bundle from your computer or copy one from Amazon S3.

Cancel

Configure more options

Create environment

Step 4: Select Sample application to deploy a pre-built application provided by AWS. This is the recommended option for first-time setup, as it is guaranteed to work and confirms that your environment is configured correctly.

Application code

☐ Sample application
Get started right away with sample code.

☐ Existing version
Application versions that you have uploaded for demoGFG.

-- Choose a version --

☒ Upload your code
Upload a source bundle from your computer or copy one from Amazon S3.

Version label
Unique name for this version of your application code.

demogfg-source

Source code origin
Maximum size 512 MB

☒ Local file

☐ Public S3 URL

Choose file

☐ No file uploaded

▶ Application code tags

Cancel
 Configure more options
 Create environment

Step 5: Review and Launch

- Click Next to skip optional advanced configuration pages.
- On the final review page, acknowledge the service role creation required for Elastic Beanstalk to manage resources on your behalf.
- Click Submit.

Elastic Beanstalk
 Environments
 Applications
 demo
 Application versions
 Saved configurations
 Demo-env

Creating Demo-env
 This will take a few minutes...

9:07pm Environment health has transitioned to Pending. Initialization in progress (running for 52 seconds). There are no instances.

9:07pm Created Auto Scaling launch configuration named: awseb-e-dh2xq14a9-stack-AWSEBAutoScalingLaunchConfiguration-1XWTM61OHNEBY

9:07pm Created security group named: awseb-e-dh2xq14a9-stack-AWSEBSecurityGroup-12F157QXSKIBZ

9:07pm Created security group named: sg-0000e46769d123069

9:07pm Created target group named: arn:aws:elasticloadbalancing:us-east-1:740814831726:targetgroup/awseb-AWSEB-YOW2YGBYCLM/S9feaa12968a9408

9:06pm Using elasticbeanstalk-us-east-1-740814831726 as Amazon S3 storage bucket for environment data.

9:06pm createEnvironment is starting.

Step 6: You will be taken to the environment launch dashboard. Elastic Beanstalk provisions a complete infrastructure stack in the background. The event log will display each resource as it is created:

- **S3 Bucket:** Stores your application versions.

- **Security Group:** Acts as a firewall controlling instance traffic.
- **EC2 Instance:** The virtual server running your application.
- **Auto Scaling Group:** Manages instance count based on load.
- **Elastic Load Balancer:** Distributes incoming traffic across instances.
- **CloudWatch Alarms:** Monitors health and performance metrics.

Note: This process typically takes 5–10 minutes to complete.

Demogfg-env
☐ Refresh

Actions ▾

[Demogfg-env.eba-mmypbjvc.us-east-1.elasticbeanstalk.com](#) (e-dz7gkw3rqc)

Application name: [demoGFG](#)

Health

Degraded

Causes

Running version

Sample Application

Upload and deploy

Platform

PHP 7.4 running on 64bit
 Amazon Linux 2/3.1.1

Change

Recent events

Show all

< 1 >

Time	Type	Details
2020-09-28 00:41:50 UTC+0530	WARN	Environment health has transitioned from Info to Degraded. Command failed on all instances. Incorrect application version found on all instances. Expected version "Sample Application" (deployment 1). Application update is aborting. 1 out of 1 instance completed (running for 52 seconds).

Step 7: Access Your Live Application

- Once launch completes, the health status turns green with an "Ok" status.
- Click the Domain URL displayed at the top of the dashboard (e.g., my-first-gfg-app-env.eba-xyz.us-east-1.elasticbeanstalk.com).
- Your live sample application will open in a new browser tab.