


AWS Ubuntu Server Backup

Using EC2 Snapshots — Step-by-Step Screenshot Guide

13 steps, arranged in workflow order

Step 1: Create Key Pair

Creating a new RSA key pair named "server1" for secure SSH access to the EC2 instance.



Step 2: Configure Instance Launch

Configuring the new Ubuntu 24.04 EC2 instance (t3.micro) before launch.

The screenshot shows the AWS Management Console interface for launching an EC2 instance. The browser address bar displays the URL: `https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:`. The console header includes the AWS logo, a search bar, and navigation links for EC2, Instances, and Launch an instance. A blue notification banner at the top states: "It seems like you may be new to launching Instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices." Below this, the "Launch an instance" section provides introductory text and a search bar for Amazon Machine Images (AMIs). The "Application and OS Images (Amazon Machine Image)" section is expanded, showing a search bar and a list of recent AMIs. The "Summary" panel on the right displays the configuration: 1 instance, Canonical Ubuntu 24.04 AMI, t3.micro instance type, New security group, and 1 volume (8 GiB). The "Launch instance" button is highlighted in orange.

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name: [Add additional tags](#)

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Summary

Number of instances Info: 1

Software Image (AMI): Canonical, Ubuntu, 24.04, amd64... [read more](#)
ami-0f8a61b66d1accae

Virtual server type (instance type): t3.micro

Firewall (security group): New security group


Storage (volumes): 1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#)

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)


Step 3: Instance Launched Successfully

The EC2 instance launches successfully with instance ID i-0589a3edd2b2eec6e.




Step 4: EC2 Dashboard

Viewing the EC2 dashboard, the central hub for managing virtual servers on AWS.



Step 5: Connect & Create Test Data

Connecting to the Ubuntu instance via EC2 Instance Connect and creating a test file (project.txt) inside a BackupDemo folder.



The screenshot shows a web browser window with the AWS EC2 Instance Connect console. The terminal session is for an Ubuntu instance with ID i-086ff8edb3371e055. The user 'siddhant-ubuntu' is connected. The terminal output shows the following commands and results:

```
Swap usage: 0% IPv4 address for ens5: 172.31.85.239
Expanded Security Maintenance for Applications is not enabled.
0 updates can be applied immediately.
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-85-239:~$ mkdir BackupDemo
ubuntu@ip-172-31-85-239:~$ cd BackupDemo
ubuntu@ip-172-31-85-239:~/BackupDemo$ echo "This is my AWS Snapshot Project" > project.txt
ubuntu@ip-172-31-85-239:~/BackupDemo$ cat project.txt
This is my AWS Snapshot Project
ubuntu@ip-172-31-85-239:~/BackupDemo$
```

The terminal window title is "i-086ff8edb3371e055 (siddhant-ubuntu)". The bottom status bar shows "PublicIPs: 3.87.208.25 PrivateIPs: 172.31.85.239".

Step 6: View Root Volume

Viewing the EBS volume (vol-0ffc789768b23c572) attached to the running instance, which holds the server's data.

The screenshot shows the AWS Management Console interface for the 'Volumes' page. The left sidebar contains navigation links for various AWS services, including Images, Elastic Block Store, Network & Security, and Load Balancing. The main content area displays a table of volumes. The table has columns for Name, Volume ID, Type, Size, IOPS, Throughput, Snapshot ID, Source volume ID, and Creation Date. One volume is listed: vol-0ffc789768b23c572, which is a gp3 type, 8 GiB size, 3000 IOPS, and 125 Throughput. The volume is attached to an instance. Below the table, there is a 'Fault tolerance for all volumes in this Region' section. A 'Snapshot summary' section is also visible, showing that snapshots can be manually created or through automation. The 'Data Lifecycle Manager default policy for EBS Snapshots status' is 'No default policy set up'.

Name	Volume ID	Type	Size	IOPS	Throughput	Snapshot ID	Source volume ID	Creation Date
	vol-0ffc789768b23c572	gp3	8 GiB	3000	125	snap-0cc002ff...	-	2026,

Snapshot summary

Snapshots to back up volumes can be manually created, or created through automation such as [Amazon Data Lifecycle Manager](#), [AWS Backup](#), custom scripts, or third-party tools.

Volumes backed up in the last 24 hours / Total # volumes

0 / 1

Data Lifecycle Manager default policy for EBS Snapshots status

No default policy set up | [Create policy](#)

Step 7: Create Snapshot

Initiating a snapshot of the volume, labeled "Ubuntu Server Backup Snapshot", to back up the data to Amazon S3.

The screenshot shows the AWS Management Console interface for creating a snapshot. The browser address bar indicates the URL: `https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#CreateSnapshotFromVolume:volumeId=vol-0ffc789768b23c572`. The console header shows the AWS logo, a search bar, and navigation icons. The breadcrumb trail is: `EC2 > Volumes > vol-0ffc789768b23c572 > Create snapshot`. The main content area is titled "Create snapshot" with an "Info" link. Below the title, it states: "Create a point-in-time snapshot to back up the data on an Amazon EBS volume to Amazon S3." The "Source volume" section displays the "Volume ID" as `vol-0ffc789768b23c572` and the "Availability Zone" as `use1-az2 (us-east-1b)`. The "Snapshot details" section includes a "Description" field with the text "Ubuntu Server Backup Snapshot" and a note "255 characters maximum." Below this, the "Encryption" status is shown as "Not encrypted" with an "Info" link. The "Tags" section states "No tags associated with the resource." The footer of the console includes links for "CloudShell", "Feedback", and "Console Mobile App", along with copyright information: "© 2026, Amazon Web Services, Inc. or its affiliates." and links for "Privacy", "Terms", and "Cookie preferences".

Step 8: Snapshot Created

Confirmation that the snapshot (snap-06f68e62b507db747) was created successfully from the volume.

Successfully created snapshot snap-06f68e62b507db747 from volume vol-0ffc789768b23c572.
If you need your snapshot to be immediately available consider using Fast Snapshot Restore.

Manage fast snapshot restore

Volumes (1) Info

Last updated less than a minute ago

Recycle Bin Actions Create volume

Saved filter sets Choose filter set Search

	Name	Volume ID	Type	Size	IOPS	Throughput	Snapshot ID	Source volume ID	Created
☐		vol-0ffc789768b23c572	gp3	8 GiB	3000	125	snap-0cc002ff...	-	2026,

Fault tolerance for all volumes in this Region

Snapshot summary

Last updated on Mon, Jul 13, 2026, 11:40:23 AM (GMT+05:30)

Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.

Volumes backed up in the last 24 hours / Total # volumes
0 / 1

Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 9: Review Snapshot Details

Reviewing the completed snapshot's details — size, progress, and status — in the Snapshots panel.

The screenshot shows the AWS Management Console interface. The left sidebar contains navigation links for various services, including Images, Elastic Block Store, Network & Security, and Load Balancing. The main content area is titled "Snapshots (1/2) Info". It displays a table of snapshots with columns for Name, Snapshot ID, Full snapshot size, Volume size, Description, Storage tier, and Snapshot status. Two snapshots are listed: "snap-06f68e62b507db747" (8 GiB, 8 GiB, Ubuntu Server Backup Sna..., Standard, Completed) and "snap-0a4d6c72620cd9c58" (0 B, 100 GiB, anything, Standard, Completed). Below the table, the details for the selected snapshot "snap-06f68e62b507db747" are shown. The details panel includes tabs for Details, Snapshot settings, Storage tier, and Tags. The Details tab is active, showing the Snapshot ID, Owner, Description, Full snapshot size, Started time, Progress (100%), Product codes, and Snapshot status (Completed).

Name	Snapshot ID	Full snapshot size	Volume size	Description	Storage tier	Snapshot status
☒	snap-06f68e62b507db747	8 GiB	8 GiB	Ubuntu Server Backup Sna...	Standard	Completed
☐	snap-0a4d6c72620cd9c58	0 B	100 GiB	anything	Standard	Completed

Snapshot ID: snap-06f68e62b507db747			
Details	Snapshot settings	Storage tier	Tags
Snapshot ID snap-06f68e62b507db747	Full snapshot size 8 GiB	Progress 100%	Snapshot status Completed
Owner 884290636293	Started Mon Jul 13 2026 11:44:01 GMT+0530 (India Standard Time)	Product codes -	Fast snapshot restore -
Description			

Step 10: Restore: Create Volume from Snapshot

Creating a new EBS volume (vol-06f76b8d841e805a2) from the backup snapshot, restoring the saved data.

Successfully created volume [vol-06f76b8d841e805a2](#).

Snapshots (1/2) Info

Last updated less than a minute ago [Recycle Bin](#) [Actions](#) [Create snapshot](#)

Snapshot scope: Owned by me

☒	Name	Snapshot ID	Full snapshot size	Volume size	Description	Storage tier	Snapshot status
☒		snap-06f68e62b507db747	8 GiB	8 GiB	Ubuntu Server Backup Sna...	Standard	Completed
☐		snap-0a4d6c72620cd9c58	0 B	100 GiB	anything	Standard	Completed

Snapshot ID: [snap-06f68e62b507db747](#)

Details

Snapshot settings

Storage tier


Tags

Snapshot ID snap-06f68e62b507db747	Full snapshot size 8 GiB	Progress 100%	Snapshot status Completed
Owner 884290636293	Started Mon Jul 13 2026 11:44:01 GMT+0530 (India Standard Time)	Product codes -	Fast snapshot restore -
Description			

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Step 11: Snapshot List Updated

The Snapshots list now shows two snapshots, confirming the backup remains available after the restore.



Step 12: Attach Restored Volume

Attaching the newly restored volume back to an EC2 instance so the recovered data becomes accessible.

The screenshot shows the AWS Management Console interface for the 'Attach volume' page. The browser address bar displays the URL: `https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#AttachVolume:volumeId=vol-06f76b8d841e805a2`. The console header includes the AWS logo, a search bar, and navigation icons. The breadcrumb trail shows: `EC2 > Volumes > vol-06f76b8d841e805a2 > Attach volume`. The main heading is 'Attach volume' with an 'Info' link. Below this, a sub-heading states: 'Attach a volume to an instance to use it as you would a regular physical hard disk drive.'

The 'Basic details' section contains the following information:

- Volume ID:** `vol-06f76b8d841e805a2`
- Availability Zone:** `use1-az1 (us-east-1a)`
- Instance:** A dropdown menu with the placeholder text 'Search instance ID or name tag'. A note below states: 'Only instances in the same Availability Zone as the selected volume are displayed.'
- Device name:** A dropdown menu with the placeholder text 'Select a device name'.

At the bottom right of the 'Basic details' section are two buttons: 'Cancel' and 'Attach volume'.

The footer of the console shows 'CloudShell', 'Feedback', and 'Console Mobile App' links. The bottom status bar displays the date and time as '12:03 13-07-2026' and the temperature as '36°C Sunny'.

Step 13: Console Home

Returning to the AWS Console Home, completing the backup-and-restore workflow.

