


Create an S3 Bucket

Follow these steps to configure and create an S3 bucket in the AWS Management Console:

Step 1: Sign In to AWS


Step 2: Search for Amazon S3

- Go to the search bar at the top of the AWS Console
- Type S3
- Select Amazon S3 from the search results



Step 3: Creation of Bucket

- Click on Create bucket
- Select Bucket type "General purpose"
- Select Bucket namespace "Global namespace"
- Enter a unique bucket name



Step 4: Configure Bucket Settings

- Under the Configure Object Ownership Keep the default setting "ACLs disabled"
- Under the Block Public Access Settings keep "Block all public access" enabled
- Leave Bucket Versioning disabled

Object Ownership info
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☒ **ACLs disabled (recommended)**
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ **ACLs enabled**
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership
Bucket owner enforced

Block Public Access settings for this bucket
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☒ **Block all public access**
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

- ☒ **Block public access to buckets and objects granted through new access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
- ☒ **Block public access to buckets and objects granted through any access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- ☒ **Block public access to buckets and objects granted through new public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
- ☒ **Block public and cross-account access to buckets and objects through any public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket Versioning
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ **Disable**

☐ **Enable**

Tags - optional
You can use bucket tags to analyze, manage and specify permissions for a bucket. [Learn more](#)

☐ You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. [Learn more](#)

No tags associated with this bucket.

[Add new tag](#)

You can add up to 50 tags.

Default encryption info
Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type info
Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page](#).

- ☒ **Server-side encryption with Amazon S3 managed keys (SSE-S3)**
- ☐ **Server-side encryption with AWS Key Management Service keys (SSE-KMS)**
- ☐ **Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)**

Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ **Disable**

☒ **Enable**

Advanced settings

☐ After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#) [Create bucket](#)

- Review Additional Settings
- Click Create bucket

Tags - optional
You can use bucket tags to analyze, manage and specify permissions for a bucket. [Learn more](#)

☐ You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. [Learn more](#)

No tags associated with this bucket.

[Add new tag](#)

You can add up to 50 tags.

Default encryption info
Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type info
Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page](#).

- ☒ **Server-side encryption with Amazon S3 managed keys (SSE-S3)**
- ☐ **Server-side encryption with AWS Key Management Service keys (SSE-KMS)**
- ☐ **Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)**

Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ **Disable**

☒ **Enable**

Advanced settings

☐ After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#) [Create bucket](#)

Step 5: Verify the Created Bucket

- Return to the Amazon S3 dashboard
- Under the Buckets section, locate your newly created bucket

