

## **What is CodePipeline..??**


AWS CodePipeline is a continuous delivery service provided by Amazon Web Services (AWS) that helps you automate the software release process for your applications.

With AWS CodePipeline, you can model, visualize, and automate the different stages of your software delivery process, from building and testing to deploying and monitoring.


It enables you to rapidly and reliably deliver features and updates to your customers, while reducing the risk of errors and downtime.

## - Create a CodePipeline that gets the code from CodeCommit, Builds the code using CodeBuild and deploys it to a Deployment Group.

- This is the last part-04 of CI/CD pipeline. Please refer part 1, 2, 3 of CI/CD for better understanding.
- I have explain the initial stages CodeCommit, CodeBuild, CodeDeploy of pipeline in previous parts.
- Let's start today's task navigate to the CodePipeline section in the AWS management console.



- Provide the Pipeline naming details and let the service role to be default.



- Provide the Code repository details. In our case, we have our code in webapp folder in CodeCommit repository. Choose AWS CodePipeline to automatically execute the pipeline in case of any changes in the code automatically.



Developer Tools

CodePipeline

Source • CodeCommit

Artifacts • CodeArtifact

Build • CodeBuild

Deploy • CodeDeploy

Pipeline • CodePipeline

Getting started

Pipelines

Settings

Go to resource

Feedback

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1  
Choose pipeline settings

Step 2  
**Add source stage**

Step 3  
Add build stage

Step 4  
Add deploy stage

Step 5  
Review

### Add source stage

**Source**

Source provider  
This is where you stored your input artifacts for your pipeline. Choose the provider and then provide the connection details.

**AWS CodeCommit**

Repository name  
Choose a repository that you have already created where you have pushed your source code.

**Q Demo-Repository**

Branch name  
Choose a branch of the repository.

**Q main**

Change detection options  
Choose a detection mode to automatically start your pipeline when a change occurs in the source code.

☐ Amazon CloudWatch Events (recommended)  
Use Amazon CloudWatch Events to automatically start my pipeline when a change occurs.

☒ **AWS CodePipeline**  
Use AWS CodePipeline to check periodically for changes.

Output artifact format  
Choose the output artifact format.

☒ **CodePipeline default**  
AWS CodePipeline uses the default zip format for artifacts in the pipeline. Does not include git metadata about the repository.

☐ Full clone  
AWS CodePipeline passes metadata about the repository that allows subsequent actions to do a full git clone. Not supported for AWS CodeBuild actions.

Cancel Previous **Next**

- Now add the Build stage details. Select the build provider and give the project name.

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1: Choose pipeline settings

Step 2: Add source stage

Step 3: **Add build stage**

Step 4: Add deploy stage

Step 5: Review

### Add build stage Info

**Build - optional**

**Build provider**  
This is the tool of your build project. Provide build artifact details like operating system, build spec file, and output file names.

**Region**

**Project name**  
Choose a build project that you have already created in the AWS CodeBuild console. Or create a build project in the AWS CodeBuild console and then return to this task.

**Environment variables - optional**  
Choose the key, value, and type for your CodeBuild environment variables. In the value field, you can reference variables generated by CodePipeline. [Learn more](#)

**Build type**

**Next**

- Now add the deploy stage. Select the provider and name of the already created application and deployment group.

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1: Choose pipeline settings

Step 2: Add source stage

Step 3: Add build stage

Step 4: **Add deploy stage**

Step 5: Review

### Add deploy stage Info

**Deploy - optional**

**Deploy provider**  
Choose how you deploy to instances. Choose the provider, and then provide the configuration details for that provider.

**Region**

**Application name**  
Choose an application that you have already created in the AWS CodeDeploy console. Or create an application in the AWS CodeDeploy console and then return to this task.

**Deployment group**  
Choose a deployment group that you have already created in the AWS CodeDeploy console. Or create a deployment group in the AWS CodeDeploy console and then return to this task.

**Next**

- Now verify the details and create the code pipeline.

Developer Tools

CodePipeline

Source • CodeCommit

Artifacts • CodeArtifact

Build • CodeBuild

Deploy • CodeDeploy

Pipeline • CodePipeline

Getting started

Pipelines

Settings

Go to resource

Feedback

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1  
Choose pipeline settings

Step 2  
Add source stage

Step 3  
Add build stage

Step 4  
Add deploy stage

Step 5  
Review

Review

info

Step 1: Choose pipeline settings

Pipeline settings

Pipeline name

Demo-pipeline

Artifact location

A new Amazon S3 bucket will be created as the default artifact store for your pipeline.

Service role name

AWSCodePipelineServiceRole-ap-south-1-Demo-pipeline

Step 2: Add source stage

Source action provider

Source action provider

AWS CodeCommit

RepositoryName

Demo-Repository

BranchName

main

PollForSourceChanges

true

OutputArtifactFormat

CODE\_ZIP

Step 3: Add build stage

Build action provider

Build action provider

AWS CodeBuild

ProjectName

Demo-app

Step 4: Add deploy stage

Deploy action provider

Deploy action provider

AWS CodeDeploy

ApplicationName

Demo-app

DeploymentGroupName

Demo-app-group

Cancel

Previous

Create pipeline




- The pipeline will now fetch the code from the CodeCommit repository.
- Then, it will build the code and deploy in the server as we can see in the below screenshot.

The screenshot displays the AWS CodePipeline console interface. At the top, a green banner indicates 'Success: Congratulations! The pipeline Demo-pipeline has been created.' Below this, the 'Demo-pipeline' is shown with three stages: 'Source', 'Build', and 'Deploy'. Each stage is marked as 'Succeeded' with a green checkmark. Red arrows point to the 'Source', 'Build', and 'Deploy' stage names. The 'Source' stage uses 'AWS CodeCommit' and is 'Succeeded - 11 minutes ago'. The 'Build' stage uses 'AWS CodeBuild' and is 'Succeeded - 9 minutes ago'. The 'Deploy' stage uses 'AWS CodeDeploy' and is 'Succeeded - 7 minutes ago'. The left sidebar shows the 'CodePipeline' service selected, with 'Pipeline' highlighted under the 'Pipeline' section. The bottom of the console shows the footer with 'CloudShell', 'Feedback', 'Language', and copyright information for Amazon Web Services India Private Limited.

- Now, navigate to the public URL of the instance and check the Webpage.





# Welcome to my website

This is a simple website hosted on AWS CodeCommit.

- We have successfully built the pipeline. Let's witness the magic. Let's modify our code and view the pipeline.
- I have changed my index.html file and committed it in the CodeCommit repository.



```
File Edit Selection View Go Run Terminal Help
index.html - Untitled (Workspace) - Visual Studio Code

EXPLORER
  UNFILED (WORKSPACE)
  Demo-Repository
    assets
    scripts
    appspec.yml
    buildspec.yml
    index.html

index.html
1 <!DOCTYPE html>
2 <!--[if IE 10]><html class="ie ie10" lang="en"><![endif]-->
3 <!--[if IE 7]><html class="ie ie7" lang="en"><![endif]-->
4 <!--[if IE 8]><html class="ie ie8" lang="en"><![endif]-->
5 <!--[if (gte IE 9)|(IE 11)]><html class="ie ie11" lang="en"><![endif]-->
6 <html lang="en">
7 <!--<![endif]-->
8 <head>
9   <meta charset="utf-8">
10  <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
11  <meta name="description" content="">
12  <meta name="author" content="">

TERMINAL
create mode 100644 assets/img/prettyPhoto/light_square/sprite.png
create mode 100644 assets/img/team/team1.png
create mode 100644 assets/img/team/team2.jpg
create mode 100644 assets/js/bootstrap.min.js
create mode 100644 assets/js/jquery.js
create mode 100644 assets/js/jquery.prettyPhoto.js
create mode 100644 assets/js/scrollReveal.js
create mode 100644 assets/scripts/custom.js
PS C:\Users\saura\Desktop\Dec-proj\Demo-Repository>
PS C:\Users\saura\Desktop\Dec-proj\Demo-Repository> git push origin main
Enumerating objects: 74, done.
Counting objects: 100% (74/74), done.
Delta compression using up to 4 threads
Compressing objects: 100% (71/71), done.
Writing objects: 100% (72/72), 512.90 KiB | 4.58 MiB/s, done.
Total 72 (delta 6), reused 0 (delta 0), pack-reused 0
remote: Validating objects: 100%
To https://git-codecommit.ap-south-1.amazonaws.com/v1/repos/Demo-Repository
   ae70301..1c2b0fa  main -> main
PS C:\Users\saura\Desktop\Dec-proj\Demo-Repository>
```

- The pipeline has automatically picked up the code from the repository, built and deployed it in the server.

The screenshot displays the AWS CodePipeline console for a pipeline named 'Demo-pipeline'. The pipeline is in a 'Succeeded' state, as indicated by the green checkmark and the 'Succeeded' status in the top bar. The pipeline execution ID is '607304c4-6720-4115-b056-06a298a53335'. The pipeline consists of three stages: Source, Build, and Deploy, all of which are marked as 'Succeeded'. Red arrows point to the 'Succeeded' status and the 'Source: new web page' message in each stage. The interface includes a left-hand navigation menu with options like Source, Artifacts, Build, Deploy, and Pipeline. The top bar shows the AWS logo and the user's name. The bottom bar contains the CloudShell logo, feedback link, language selector, and copyright information.

- Now check the public URL. Yes, I can see my new application with an eye-catching webpage.

# Grap Now or Never

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien.

Download Now

## Meet Team

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



Romiz Nopvok

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat.



Jhon Deo

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat.



Mark Kimza

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat.



Nopen Riox

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat.

## Services

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



Responsive Design



24x7 Support



Awesome Display



## Services

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



### Responsive Design

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



### 24x7 Support

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



### Awesome Display

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



### Tested Template

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



### Say Yes To Customize

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.



### Well Documented

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.

## Portfolio

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus augue augue.





## Our Pricing Options

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla nec enim sapien. Aliquam  
 erat volutpat. Quisque eu ante at tortor imperdiet gravida nec sed turpis. Phasellus  
 augue augue.

### Starter

\$ 100

### SGS Storage

1GB Space

200 Bandwidth

100 Email Address

24x7 Support

Live Chat

[Signup](#)

## Medium

\$ 200

5GB Storage

1GB Space

200 Bandwidth

100 Email Address

24x7 Support

Live Chat

[Signup](#)

## Advance

\$ 300

### SGS Storage

1GB 5page

200 Bandwidth

100 Email Address

24x7 Support

Live Chat

[Signup](#)

 [Contact us Now](#)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam erat volutpat.

 Send Us Your Query

Name

Email address

Message

Submit Query

 Reach Us Here

123, New York Lane.  
Call: +23-00-89-009  
Email: info@yourdomain.com

 Social Presence

