



## Launching a Sample Application

**Step 1:** Log in to your AWS account, search for Elastic Beanstalk in the main search bar, and select it to open the service dashboard.



## Step 2: Create a New Application

- Click Create application from the dashboard.
- In the configuration wizard, select Web server environment as the environment tier.
- Under Application information, enter a name such as my-first-gfg-app.



## Step 3: Configure the Environment

- Leave the Environment name as auto-generated, or customize it.
- Leave the Domain field blank for an auto-generated subdomain, or enter a preferred value.
- Under Platform, select your technology stack from the dropdown (e.g., Python). Elastic Beanstalk will pre-install the appropriate runtime and web server.

Elastic Beanstalk

Environments

Applications

Application name

demoGFG

Up to 100 Unicode characters, not including forward slash (/).

► Application tags (optional)

Environment information

Choose the name, subdomain, and description for your environment. These cannot be changed later.

Environment name

Demogfg-env

Domain

Leave blank for autogenerated value

.us-east-1.elasticbeanstalk.

Check availability

Description

First elastic beanstalk application

Platforms published and maintained by AWS Elastic Beanstalk. [Learn more](#)

Platforms created and owned by you.

Platform

PHP

Platform branch

PHP 7.4 running on 64bit Amazon Linux 2

Platform version

3.1.1 (Recommended)

Application code

☒ Sample application

Get started right away with sample code.

☐ Existing version

Application versions that you have uploaded for demoGFG.

— Choose a version —

☐ Upload your code

Upload a source bundle from your computer or copy one from Amazon S3.

Cancel

Configure more options

Create environment

**Step 4:** Select Sample application to deploy a pre-built application provided by AWS. This is the recommended option for first-time setup, as it is guaranteed to work and confirms that your environment is configured correctly.

## Application code

☐ Sample application  
Get started right away with sample code.

☐ Existing version  
Application versions that you have uploaded for demoGFG.

☒ Upload your code  
Upload a source bundle from your computer or copy one from Amazon S3.

Version label

Unique name for this version of your application code.

Source code origin

Maximum size 512 MB

☒ Local file

☐ Public S3 URL

☐ No file uploaded

Cancel

Configure more options

Create environment

## Step 5: Review and Launch

- Click Next to skip optional advanced configuration pages.
- On the final review page, acknowledge the service role creation required for Elastic Beanstalk to manage resources on your behalf.
- Click Submit.

Elastic Beanstalk

Environments

Applications

▼ demo

Application versions

Saved configurations

► Demo-env

Elastic Beanstalk > Environments > Demo-env

Creating Demo-env

This will take a few minutes...

9:07pm Environment health has transitioned to Pending. Initialization in progress (running for 52 seconds). There are no instances.

9:07pm Created Auto Scaling launch configuration named: awseb-e-dh2xq14a9-stack-AWSEBAutoScalingLaunchConfiguration-1XWTM61OHNEBY

9:07pm Created security group named: awseb-e-dh2xq14a9-stack-AWSEBSecurityGroup-12F157QXSKIBZ

9:07pm Created security group named: sg-0000e46769d123069

9:07pm Created target group named: arn:aws:elasticloadbalancing:us-east-1:740814831726:targetgroup/awseb-AWSEB-YOW2YG8YCLM/S9feaa12968a9408

9:06pm Using elasticbeanstalk-us-east-1-740814831726 as Amazon S3 storage bucket for environment data.

9:06pm createEnvironment is starting.

**Step 6:** You will be taken to the environment launch dashboard. Elastic Beanstalk provisions a complete infrastructure stack in the background. The event log will display each resource as it is created:

- **S3 Bucket:** Stores your application versions.

- **Security Group:** Acts as a firewall controlling instance traffic.
- **EC2 Instance:** The virtual server running your application.
- **Auto Scaling Group:** Manages instance count based on load.
- **Elastic Load Balancer:** Distributes incoming traffic across instances.
- **CloudWatch Alarms:** Monitors health and performance metrics.

**Note:** This process typically takes 5–10 minutes to complete.

**Demogfg-env**
☐ Refresh
 

Actions ▾

[Demogfg-env.eba-mmypbjvc.us-east-1.elasticbeanstalk.com](#) (e-dz7gkw3rqc)
   
 Application name: [demoGFG](#)

**Health**

Degraded

Causes

**Running version**

Sample Application

Upload and deploy

**Platform**

PHP 7.4 running on 64bit  
Amazon Linux 2/3.1.1

Change

**Recent events**

Show all

< 1 >

| Time                               | Type | Details                                                                                                                                                                                                                                                                                         |
|------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2020-09-28<br>00:41:50<br>UTC+0530 | WARN | Environment health has transitioned from Info to Degraded. Command failed on all instances. Incorrect application version found on all instances. Expected version "Sample Application" (deployment 1). Application update is aborting. 1 out of 1 instance completed (running for 52 seconds). |

## Step 7: Access Your Live Application

- Once launch completes, the health status turns green with an "Ok" status.
- Click the Domain URL displayed at the top of the dashboard (e.g., my-first-gfg-app-env.eba-xyz.us-east-1.elasticbeanstalk.com).
- Your live sample application will open in a new browser tab.