



S3 BUCKET




You can click on the star icon to add this service to your favorites upon login. Look at the top left for reference.

Next, on the left side select 'Buckets.' then on the far right, select 'Create Bucket.'



We will enter a name for this bucket. This is the cloud and the names for the objects you create must be unique.



This can happen if you don't pick a unique name. Click on the link provided for more details on bucket naming

Also select a region. For this example, we will use **US East 1**. For this example, we will NOT enforce the ACL feature. This will keep the ownership of the bucket and its contents to our currently logged in user ONLY.

Create bucket [Info](#)

Buckets are containers for data stored in S3. [Learn more](#) 

General configuration

Bucket name

myawsbucket030922

Bucket name must be unique and must not contain spaces or uppercase letters. [See rules for bucket naming](#) 

AWS Region

US East (N. Virginia) us-east-1 ▼

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

Choose bucket

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

☒ **ACLs disabled (recommended)**

All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ **ACLs enabled**

Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership

Bucket owner enforced

Next, we are going to block public access for this bucket. It is best practice to disable public access to prevent any malicious activity. You may have other reasons to have this open, but be mindful of the security implications if you do.

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#) 

☒ Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

- ☒ **Block public access to buckets and objects granted through *new* access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
- ☒ **Block public access to buckets and objects granted through *any* access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- ☒ **Block public access to buckets and objects granted through *new* public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
- ☒ **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

We will disregard bucket versioning at this time. It is a great feature to have especially if this bucket is used to track changes to the data inside it. You can add tags if you want as well to track cost or other details of your bucket:

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

- ☒ Disable
☐ Enable

Tags (0) - optional

Track storage cost or other criteria by tagging your bucket. [Learn more](#)

No tags associated with this bucket.

Add tag

Default encryption

Automatically encrypt new objects stored in this bucket. [Learn more](#)

Server-side encryption

- ☒ Disable
☐ Enable

For this example, we are NOT encrypting the bucket. FYI: if you encrypt the bucket at a later time, anything that you added to it before the encryption enablement date is UNENCRYPTED!

Disregard the Advanced Settings, and click 'Create Bucket.' This will take a few moments. The status indicator will reflect that its ready with a green check next to your new bucket!

► Advanced settings

 After creating the bucket you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel

Create bucket

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

Access analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

Successfully created bucket "myawsbucket030922"
To upload files and folders, or to configure additional bucket settings choose [View details](#).

Amazon S3

Account snapshot

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

Buckets (3) [Info](#)

Buckets are containers for data stored in S3. [Learn more](#)

Find buckets by name

	Name	AWS Region	Access
☐		US East (N. Virginia) us-east-1	Bucket and objects not public
☒	myawsbucket030922	US East (N. Virginia) us-east-1	Bucket and objects not public
☐		US East (N. Virginia) us-east-1	Bucket and objects not public