



EBS :


1.1. Open the Amazon EC2 console at <https://console.aws.amazon.com/ec2/>.



1.2. In the navigation pane, choose **Volumes**.




1.3. Click on **Create volume**.



1.4. For **Volume Type**, choose the type of storage you need. General Purpose SSD (gp2) is a good choice for a balance of price and performance.



1.5. Enter the desired **Size** of the volume in GiB.

1.6. Choose the **Availability Zone** where you want the volume to be created.



1.7. (Optional) Add a **Tag** to the volume for easy identification. A tag is a key-value pair that you can assign to AWS resources.

1.8. Click **Create volume**.




2. Attach the volume to an instance

2.1. In the navigation pane, choose **Instances**.

2.2. Select the instance that you want to attach the volume to.

2.3. Click on **Actions**, then select **Attach volume**.

You can attach a volume during creation or after creation





2.4. Under **Resources**, select the volume you created in step 1.

2.5. Under **Instance**, select the instance you want to attach the volume to.

2.6. In the **Device** field, select an available device name. You can choose from the recommended options or specify a custom device name.

2.7. Click **Attach**.






3. Configure the instance to use the virtual disk

3.1. Connect to your instance using SSH.



3.2. Once connected, you will need to use commands to format the volume and mount it to the file system. The specific commands will vary depending on your operating system. Here are some resources that you can refer to for formatting and mounting an EBS volume on Linux <https://docs.aws.amazon.com/ebs/latest/userguide/ebs-using-volumes.html>



You can take a snapshot of an attached volume that is in use. However, snapshots only capture data that has been written to your Amazon EBS volume at the time the snapshot command is issued. This might exclude any data that has been cached by any applications or the operating system. If you can pause any file writes to the volume long enough to take a snapshot, your snapshot should be complete. However, if you can't pause all file writes to the volume, you should unmount the volume from within the instance, issue the snapshot command, and then remount the volume to ensure a consistent and complete snapshot. You can remount and use your volume while the snapshot status is `pending`.

- 4.1. Go back to the EC2 console and select **Volumes** in the navigation pane.
- 4.2. Select the volume that you want to create a snapshot of.
- 4.3. Click on **Actions**, then select **Create snapshot**.
- 4.4. Enter a **Description** for the snapshot.
- 4.5. Click **Create snapshot**.

```
[ec2-user@ip-172-31-0-18 data]$ less test_data.txt
[ec2-user@ip-172-31-0-18 data]$ cd
[ec2-user@ip-172-31-0-18 ~]$ sudo umount /data
[ec2-user@ip-172-31-0-18 ~]$
```



Volume ID
The volume from which to create the snapshot.

vol-051efa0355caded87

Description
Add a description for your snapshot.

255 characters maximum

Encryption [Info](#)
Not encrypted

Tags [Info](#)
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

No tags associated with the resource.

[Add tag](#)
You can add 50 more tags.

[Cancel](#) [Create snapshot](#)

Successfully created snapshot **snap-08df86fa3b3098fd0**.

Snapshots (1/8) [Info](#)

Owned by me

	Name	Snapshot ID	Volume size	Description	Storage tier	Snapshot status	Size
☐	xysfdgdshgs	snap-0fc59a18ba8cfaf10	10 GiB	jbsdnhsdghsfghsvfsgdajs...	Standard	Completed	20
☐	ath_snap	snap-03d1fa181caab75d3	10 GiB	Created TestData	Standard	Completed	20
☐	-	snap-0c91d916e520592f0	100 GiB	its aws snapshotttttt	Standard	Completed	20
☐	mg-ss	snap-0ed43da3f37b87fc2	21 GiB	mg volume snapshot	Standard	Completed	20
☐	-	snap-0dae70d0ee3dd09a3	10 GiB	-	Standard	Completed	20
☒	vks_snap	snap-08df86fa3b3098fd0	10 GiB	-	Standard	Pending	20
☐	tisha_snapshot	snap-0540d106a446f3ca2	10 GiB	tbfnrgdkjvkdjvdkvkn	Standard	Completed	20
☐	lol	snap-08c3664177feb5fcd	69 GiB	hehehehe-snapshot	Standard	Completed	20

Snapshot ID: snap-08df86fa3b3098fd0 (vks_snap)

wait till completed

Details	Snapshot settings	Storage tier	Tags
Snapshot ID snap-08df86fa3b3098fd0	Volume size 10 GiB	Progress Unavailable	Snapshot status Pending

5. Restore the snapshot (Optional)

- 5.1. In the navigation pane, choose **Snapshots**.
- 5.2. Select the snapshot that you want to restore.
- 5.3. Click on **Actions**, then select **Create volume**.
- 5.4. Follow the steps in section 1.4 to create a new volume from the snapshot.

aws

Services

Search

[Alt+S]

N. Virginia

vks_user @ vishwas-admin-aws

Images

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Target Groups

Trust Stores

Auto Scaling

Snapshots (1/8)

Owned by me

Search

Recycle Bin

Create snapshot

Create volume from snapshot

Create image from snapshot

Copy snapshot

Delete snapshot

Manage tags

Snapshot settings

Archiving

	Name	Snapshot ID	Volume size	Description	Storage
☐	-	snap-0dae70d0ee3dd09a3	10 GiB	-	Standard
☒	backup_snap	snap-044b28c9779711bb9	10 GiB	vk_backup	Standard
☐	tisha_snapshot	snap-0540d106a446f3ca2	10 GiB	tbfnkdjvkjdjvdkvdkvn	Standard
☐	lol	snap-08c3664177feb5fcd	69 GiB	hehehehe-snapshot	Standard

Snapshot ID: snap-044b28c9779711bb9 (backup_snap)

DetailsSnapshot settingsStorage tierTags

Snapshot ID

vol-051efa035Scaded87

Volume size

10 GiB

Progress

Available (100%)

Snapshot status

Completed

Owner

788617285693

Volume ID

vol-051efa035Scaded87

Started

Sat Jun 08 2024 14:26:41 GMT+0530 (India Standard Time)

Product codes

-

Encryption

KMS key ID

KMS key alias

KMS key ARN

CloudShellFeedback

© 2024, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

aws

Services

Search

[Alt+S]

N. Virginia

vks_user @ vishwas-admin-aws

EC2 > Snapshots > snap-044b28c9779711bb9 > Create volume

Create volume

Create an Amazon EBS volume to attach to any EC2 instance in the same Availability Zone.

Volume settings

Snapshot ID

snap-044b28c9779711bb9 (backup_snap)

Volume type

General Purpose SSD (gp2)

Size (GiB)

10

Min: 1 GiB, Max: 16384 GiB. The value must be an integer.

IOPS


100 / 3000

Baseline of 3 IOPS per GiB with a minimum of 100 IOPS, burstable to 3000 IOPS.



Throughput (MiB/s)

Not applicable

Attach the volume using the steps above (excluding formatting) and check



To find your volume – sort according to time and rename it



The screenshot shows an AWS console terminal window for an EC2 instance. The terminal output includes the following commands and results:

```
[ec2-user@ip-172-31-0-18 ~]$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
xvda        202:0    0   8G  0 disk 
├─xvda1     202:1    0   8G  0 part /
├─xvda127   259:0    0   1M  0 part 
├─xvda128   259:1    0  10M  0 part /boot/efi
├─xvdb      202:16   0  10G  0 disk 
└─xvdc      202:32   0  10G  0 disk 

[ec2-user@ip-172-31-0-18 ~]$ sudo mkdir /data1
[ec2-user@ip-172-31-0-18 ~]$ sudo mount -t xfs /dev/xvdc /data1
[ec2-user@ip-172-31-0-18 ~]$ cd /data1
[ec2-user@ip-172-31-0-18 data1]$ ls
test_data.txt
[ec2-user@ip-172-31-0-18 data1]$ cat test_data.txt
this is test data
[ec2-user@ip-172-31-0-18 data1]$
```

A red box highlights the terminal output from the `lsblk` command. A red arrow points from a text box labeled "Data in the back up volume" to the `xvdc` disk entry in the `lsblk` output.

Conclusion:

You have successfully created the backup and mounted the data in a new volume