

X

Protected resources

© 2024, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)



Step 1
Describe web ACL and
associate it to AWS resources

Step 2
Add rules and rule groups

Step 3
Set rule priority

Step 4
Configure metrics

Step 5
Review and create web ACL

Describe web ACL and associate it to AWS resources [Info](#)

Web ACL details

Resource type

Choose the type of resource to associate with this web ACL. Changing this setting will reset the page.

- ☐ Amazon CloudFront distributions
- ☒ Regional resources (Application Load Balancers, Amazon API Gateway REST APIs, Amazon App Runner services, AWS AppSync GraphQL APIs, Amazon Cognito user pools and AWS Verified Access Instances)

Region

Choose the AWS Region to create this web ACL in. Changing this setting will reset the page.

US East (N. Virginia) ▾

Name

GFG020

The name must have 1-128 characters. Valid characters: A-Z, a-z, 0-9, - (hyphen), and _ (underscore).

Description - optional

The description can have 1-256 characters.

CloudWatch metric name

GFG020

The name must have 1-128 characters. Valid characters: A-Z, a-z, 0-9, - (hyphen), and _ (underscore).



Web ACL capacity units (WCUs) used by your web ACL

The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.

The total WCUs for a web ACL can't exceed 5000. Using over 1500 WCUs affects your costs. [AWS WAF Pricing](#)

750/5000 WCUs

Default web ACL action for requests that don't match any rules

Default action

☒ Allow

☐ Block

▶ Custom request - optional

Token domain list - optional

Enable the use of tokens across multiple protected applications by entering the application domains here. Tokens are used by the Challenge and CAPTCHA rule actions, the application integration SDKs, and the ATP and Bot Control managed rule groups. [Learn more](#)

Add token domain

You can add 10 more domains.

Cancel

Previous

Next

[AWS WAF](#) > [Web ACLs](#) > Create web ACL

Step 1
[Describe web ACL and
associate it to AWS resources](#)

Step 2
Add rules and rule groups

Step 3
[Set rule priority](#)

Step 4
[Configure metrics](#)

Step 5
[Review and create web ACL](#)

Add rules and rule groups [Info](#)

A rule defines attack patterns to look for in web requests and the action to take when a request matches the patterns. Rule groups are reusable collections of rules. You can use managed rule groups offered by AWS and AWS Marketplace sellers. You can also write your own rules and use your own rule groups.

Rules (0)

[Edit](#)[Delete](#)[Add rules ▲](#)

If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear.



Name

Capacity

Action

[Add managed rule groups](#)[Add my own rules and rule groups](#)

No rules.

You don't have any rules added.

Web ACL capacity units (WCUs) used by your web ACL

The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.

The total WCUs for a web ACL can't exceed 5000. Using over 1500 WCUs affects your costs. [AWS WAF Pricing](#)

0/5000 WCUs

Default web ACL action for requests that don't match any rules

[AWS WAF](#) > [Web ACLs](#) > Create web ACL

Step 1
[Describe web ACL and
associate it to AWS resources](#)

Step 2
Add managed rule groups

Step 3
Set rule priority

Step 4
Configure metrics

Step 5
Review and create web ACL

Add managed rule groups [Info](#)

Managed rule groups are created and maintained for you by AWS and AWS Marketplace sellers. Any fees that a managed rule group provider charges for using a managed rule group are in addition to the standard service charges for AWS WAF. [AWS WAF Pricing](#)

► **AWS managed rule groups**

► **Cloudbric Corp. managed rule groups**

► **Cyber Security Cloud Inc. managed rule groups**

► **F5 managed rule groups**

► **Fortinet managed rule groups**

► **GeoGuard managed rule groups**

Free rule groups

You can use the free rule groups without any added charges beyond the standard service charges for AWS WAF. [AWS WAF Pricing](#)

Name	Capacity	Action
Admin protection Contains rules that allow you to block external access to exposed admin pages. This may be useful if you are running third-party software or would like to reduce the risk of a malicious actor gaining administrative access to your application. Learn More	100	☐ Add to web ACL
Amazon IP reputation list This group contains rules that are based on Amazon threat intelligence. This is useful if you would like to block sources associated with bots or other threats. Learn More	25	☐ Add to web ACL
Anonymous IP list This group contains rules that allow you to block requests from services that allow obfuscation of viewer identity. This can include request originating from VPN, proxies, Tor nodes, and hosting providers. This is useful if you want to filter out viewers that may be trying to hide their identity from your application. Learn More	50	☒ Add to web ACL Edit
Core rule set Contains rules that are generally applicable to web applications. This provides protection against exploitation of a wide range of vulnerabilities, including those described in OWASP publications. Learn More	700	☒ Add to web ACL Edit
Known bad inputs Contains rules that allow you to block request patterns that are known to be invalid and are associated with exploitation or discovery of vulnerabilities. This can help reduce the risk of a malicious actor discovering a vulnerable application. Learn More	200	☐ Add to web ACL
Linux operating system Contains rules that block request patterns associated with exploitation of vulnerabilities specific to Linux, including LFI attacks. This can help prevent attacks that expose file contents or execute code for which the attacker should not have had access. Learn More	200	☐ Add to web ACL



- ▶ Cloudbric Corp. managed rule groups
- ▶ Cyber Security Cloud Inc. managed rule groups
- ▶ F5 managed rule groups
- ▶ Fortinet managed rule groups
- ▶ GeoGuard managed rule groups
- ▶ Imperva managed rule groups
- ▶ ThreatSTOP managed rule groups



Cancel

Add rules

Step 1

[Describe web ACL and associate it to AWS resources](#)

Step 2

Add rules and rule groups

Step 3

Set rule priority

Step 4

Configure metrics

Step 5

Review and create web ACL

Add rules and rule groups [Info](#)

A rule defines attack patterns to look for in web requests and the action to take when a request matches the patterns. Rule groups are reusable collections of rules. You can use managed rule groups offered by AWS and AWS Marketplace sellers. You can also write your own rules and use your own rule groups.

Rules (2)

[Edit](#)[Delete](#)[Add rules](#) ▼

If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear.

☐	Name	Capacity	Action
☐	AWS-AWSManagedRulesAnonymousIpList	50	Use rule actions
☐	AWS-AWSManagedRulesCommonRuleSet	700	Use rule actions

Web ACL capacity units (WCUs) used by your web ACL

The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.

The total WCUs for a web ACL can't exceed 5000. Using over 1500 WCUs affects your costs. [AWS WAF Pricing](#)

750/5000 WCUs

Default web ACL action for requests that don't match any rules

- Step 1
[Describe web ACL and associate it to AWS resources](#)
- Step 2
[Add rules and rule groups](#)
- Step 3
Set rule priority
- Step 4
[Configure metrics](#)
- Step 5
[Review and create web ACL](#)

Set rule priority [Info](#)

Rules (2) ▲ Move up ▼ Move down

If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear.

	Name	Capacity	Action
☐	AWS-AWSManagedRulesAnonymousIpList	50	Use rule actions
☐	AWS-AWSManagedRulesCommonRuleSet	700	Use rule actions

Cancel Previous Next

[AWS WAF](#) > [Web ACLs](#) > Create web ACL

Step 1
[Describe web ACL and
associate it to AWS resources](#)

Step 2
[Add rules and rule groups](#)

Step 3
[Set rule priority](#)

Step 4
Configure metrics

Step 5
[Review and create web ACL](#)

Configure metrics [Info](#)

Amazon CloudWatch metrics

CloudWatch metrics allow you to monitor web requests, web ACLs, and rules.

Rules

- ☒ AWS-AWSManagedRulesAnonymousIpList
- ☒ AWS-AWSManagedRulesCommonRuleSet

CloudWatch metric name

AWS-AWSManagedRulesAnonymousIpList

AWS-AWSManagedRulesCommonRuleSet

Request sampling options

If you disable request sampling, you can't view requests that match your web ACL rules.

Options

- ☒ Enable sampled requests
- ☐ Disable sampled requests
- ☐ Enable sampled requests with exclusions

[Cancel](#)

[Previous](#)

[Next](#)

[AWS WAF](#) > [Web ACLs](#) > Create web ACL

Step 1
[Describe web ACL and
associate it to AWS resources](#)

Step 2
[Add rules and rule groups](#)

Step 3
[Set rule priority](#)

Step 4
[Configure metrics](#)

Step 5
Review and create web ACL

Review and create web ACL [Info](#)

Step 1: Describe web ACL and associate it to AWS resources

Edit step 1

Web ACL details

Name	Scope
GFG020	REGIONAL
Description	Region
CloudWatch metric name	us-east-1
GFG020	

Steps 2 and 3: Add rules and set rule priority

Edit steps 2 and 3

Rules (2)

If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear.

Name	Capacity	Action
AWS-AWSManagedRulesAnonymousIpList	50	Use rule actions
AWS-AWSManagedRulesCommonRuleSet	700	Use rule actions

Web ACL capacity units (WCUs) used by your web ACL

The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.

The total WCUs for a web ACL can't exceed 5000. Using over 1500 WCUs affects your costs. [AWS WAF Pricing](#)

750/5000 WCUs

Default web ACL action for requests that don't match any rules

Action	Custom request headers
Allow	-

Token domain list (0)

Name

No items
No items to display

Step 4: Configure metrics

Edit step 4



Token domain list (0)

Name

No items
No items to display

Step 4: Configure metrics

Edit step 4

Amazon CloudWatch metrics (2)

Rules	CloudWatch metric name
AWS-AWSManagedRulesAnonymousIpList	AWS-AWSManagedRulesAnonymousIpList
AWS-AWSManagedRulesCommonRuleSet	AWS-AWSManagedRulesCommonRuleSet

Sampled requests

Sampled requests	Sampled requests for web ACL default actions
Enabled	Enabled

Cancel

Previous

Create web ACL

aws

Services

Search

[Alt+S]

Global

Deeksha Verma

WAF & Shield

▼ AWS WAF

Getting started

Web ACLs

Bot control dashboard

Application integration

IP sets

Regex pattern sets

Rule groups

AWS Marketplace managed rules

Switch to AWS WAF Classic

▼ AWS Shield

Getting started

Overview

Protected resources

Events

Flashed Alerts

Success

You successfully created the web ACL GFG020.

[AWS WAF](#) > Web ACLs

Web ACLs

Info

Web ACLs (1)

US East (N. Virginia)

Copy ARN

Delete

Create web ACL

Web ACLs that you have defined in the selected region.

Find web ACLs

< 1 > ⚙

Name	Description	ID
GFG020	-	a9518ceb-2293-4699-9cce-d740ab6b2aba

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)