


Steps for AWS WAF :

Step 1: Create web ACL

Firstly [signing up for an AWS account](#) if you haven't already. Next, go to the AWS Console and search for "Web Application Firewall." This will take you to the AWS WAF home page, where you can select the option to create a new Web ACL




Create Web ACL


Before Going to next step, refer to the article - [Identity and Access Management \(IAM\) in AWS](#)

Step 2: Give a Name

Enter a name to identify your Web ACL. You can also add an optional description if desired. Once done, click "Next" to proceed




Give a Name




Click on "Next"

Step 3: Add an AWS Managed Rule Group

In this step, you'll need to add rules and rule groups. Select "Add managed rule groups", which will take you to a page where you can manage the rule groups, as shown in the reference snapshot



Add an AWS Managed Rule Group




Click on AWS Managed Rule Group


AWS Managed Rules offers a selection of predefined rule groups, most of which are free for AWS WAF users. Once you've added a managed rule group, save the configuration.

In this setup, we'll create two specific rules to define the traffic patterns we want to allow or block:

- **Regular Rule:** This rule protects the application against SQL injection attacks by checking if the URI path contains any SQL injection patterns.
- **Rate-Based Rule:** This rule blocks requests from the same IP address once they exceed a specified request limit within a given time frame.




Toggle "Add to Web ACL"




Click on "Add Rule"

After that, check the added rules and hit Next



Click on Next




Step 4: Configure Cloudwatch Metrics

The screenshot shows the 'Configure metrics' step of the AWS WAF console. On the left, a sidebar lists five steps: Step 1 (Describe web ACL and associate it to AWS resources), Step 2 (Add rules and rule groups), Step 3 (Set rule priority), Step 4 (Configure metrics), and Step 5 (Review and create web ACL). The main content area is titled 'Configure metrics' and includes an 'info' icon. It features a section for 'Amazon CloudWatch metrics' with a description: 'CloudWatch metrics allow you to monitor web requests, web ACLs, and rules.' Below this, there are two columns: 'Rules' and 'CloudWatch metric name'. The 'Rules' column has two checked items: 'AWS-AWSManagedRulesAnonymousIpList' and 'AWS-AWSManagedRulesCommonRuleSet'. The 'CloudWatch metric name' column has two corresponding text boxes with the same names. A 'Request sampling options' section follows, with a note: 'If you disable request sampling, you can't view requests that match your web ACL rules.' It has three radio button options: 'Enable sampled requests' (selected), 'Disable sampled requests', and 'Enable sampled requests with exclusions'. At the bottom right, there are three buttons: 'Cancel', 'Previous', and 'Next' (highlighted with a red box).

Step 5: Review Web ACL Configuration


In the final step, review all selected rules and managed rule groups to ensure they meet your requirements. Once confirmed, click "Create Web ACL" to complete the setup

The screenshot shows the 'Review and create web ACL' step of the AWS WAF console. The sidebar on the left is the same as in Step 4, with Step 5 ('Review and create web ACL') now selected. The main content area is titled 'Review and create web ACL' and includes an 'info' icon. It is divided into two main sections. The first section, 'Step 1: Describe web ACL and associate it to AWS resources', has an 'Edit step 1' button. It contains a 'Web ACL details' box with the following information: Name (GFG020), Scope (REGIONAL), Description, Region (us-east-1), and CloudWatch metric name (GFG020). The second section, 'Steps 2 and 3: Add rules and set rule priority', has an 'Edit steps 2 and 3' button. It contains a 'Rules (2)' box with a note: 'If a request matches a rule, take the corresponding action. The rules are prioritized in order they appear:'. Below this is a table with three columns: Name, Capacity, and Action. The table has two rows: one for 'AWS-AWSManagedRulesAnonymousIpList' with a capacity of 50 and action 'Use rule actions', and another for 'AWS-AWSManagedRulesCommonRuleSet' with a capacity of 700 and action 'Use rule actions'. Below the table, there is a 'Web ACL capacity units (WCUs) used by your web ACL' section with a note: 'The WCUs used by the web ACL will be less than or equal to the sum of the capacities for all of the rules in the web ACL.' It shows a total of 750/5000 WCUs. Next is a 'Default web ACL action for requests that don't match any rules' section with a table showing Action (Allow) and Custom request headers (-). Below that is a 'Token domain list (0)' section with a table showing Name and No items. At the bottom, there is a 'Step 4: Configure metrics' section with an 'Edit step 4' button.



Click on "Create with ACL"

A confirmation message will appear saying, "You have successfully created Web ACL: [ACL-name]".



Preview You have successfully created Web ACL: [ACL-name]