

Dermatological Diagnostics: A Unified Deep Learning Framework for Skin Lesion and Cancer Classification

Abstract—Skin pathologies encompass a spectrum of conditions, with malignancies such as melanoma representing a critical diagnostic urgency. This investigation delineates the deployment of Convolutional Neural Networks (CNNs) for the classification of dermatological anomalies, benchmarking CNN diagnostic fidelity against dermatological expert evaluations. The study underscores the efficacy of CNN classifiers in expediting the diagnostic workflow for various cutaneous disorders. Advocating for an automated diagnostic framework, the research introduces a CNN-based system aimed at reducing human diagnostic load, accelerating diagnostic timelines, and enhancing survival outcomes. Utilizing advanced image processing algorithms and deep learning architectures, the research presents an automated classification system for skin pathologies, addressing both benign and malignant presentations. The classification matrix includes nine dermatological conditions: actinic keratosis, basal cell carcinoma, benign keratosis, dermatofibroma, melanoma, nevus, seborrheic keratosis, squamous cell carcinoma, and vascular lesions. The objective is to engineer a CNN model with robust diagnostic performance across a diverse lesion dataset, ensuring accurate identification and categorization of dermatological conditions.

Keywords—*Dermatological pathology, Cutaneous malignancy, Melanoma, Convolutional Neural Networks, Automated image classification, Dermatological diagnostics, Computational dermatology, Deep learning in medicine.*

I. INTRODUCTION

The burgeoning incidence of skin cancer, encompassing both non-melanoma and melanoma variants, presents an escalating global health crisis demanding urgent and sophisticated interventions. Citing data from authoritative sources such as the World Health Organization (WHO) and the Skin Cancer Foundation, the pervasiveness of this affliction is underscored, with one-third of global cancer cases attributed to skin cancer. In high-incidence regions like the United States, Canada, and Australia, where millions grapple with its ramifications, the prevalence continues its relentless ascent. The consequential burden on global health systems are profound, with a 2017 study quantifying skin cancer's contribution to 1.79% of the worldwide disease burden, measured in disability-adjusted life years. Furthermore, the economic strain is staggering, with skin cancer incurring healthcare costs surpassing 8 billion USD in the United States alone in 2011.

This manuscript endeavors to address the exigent need for advanced methodologies in early detection and diagnosis, recognizing the dire implications of delayed interventions. It delineates the pioneering role of Convolutional Neural Networks (CNNs) in classifying both skin cancer lesions and non-cancerous skin abnormalities, heralding a paradigm shift from conventional diagnostic paradigms. Recent advancements have propelled CNN models beyond the capabilities of even highly skilled healthcare professionals, with further strides achieved through innovative strategies such as transfer learning leveraging extensive datasets.

The skin, as the body's foremost protective barrier for vital organs, is subject to a myriad of environmental influences, rendering it susceptible to multifarious etiological

factors including weather conditions, humidity, and dietary constituents. Primarily instigated by exposure to Ultraviolet (UV) radiation, genetic aberrations occur in various skin cell types, precipitating alterations in DNA composition. Alarming statistics from the World Health Organization indicate nearly 132,000 new cases of melanoma annually, underscoring the imperative of early diagnosis and intervention to enhance survival rates.

Despite the inherent intricacies and subjectivity of clinical diagnosis, which traditionally relies on dermatologists' expertise with an estimated accuracy ranging from 75% to 85%, entrenched diagnostic modalities persist. Dermoscopy, a prevailing imaging technique, hinges on visual acuity and magnification for skin lesion examination. This manuscript delves into the transformative potential of computer-aided diagnosis (CAD) systems, particularly CNNs, as adjunctive tools offering novel insights and augmenting healthcare professionals' capabilities in early identification of both malignant and benign skin lesions.

Subsequent sections undertake a rigorous examination of the challenges intrinsic to deep learning techniques, specifically CNNs, for skin cancer detection and lesion classification. Emphasis is placed on the paucity of data availability and the imperative for cutting-edge methodologies to mitigate issues such as overfitting. The systematic review proffered in this manuscript comprehensively encompasses diverse methodologies employed in skin abnormality analysis, spotlighting pivotal techniques encompassing preprocessing, segmentation, and classification algorithms.

II. RELATED WORK

A. Existing Studies

Uzun et al. [3]: In recent years, the symbiotic relationship between artificial intelligence (AI) and dermatology has sparked revolutionary strides in skin disease diagnosis, notably in the realm of melanoma detection. Deep learning methodologies, particularly Convolutional Neural Networks (CNNs), have emerged as instrumental tools for automating image analysis, thereby enabling precise and prompt diagnostics.

Wang et al. [4]: The trajectory of deep learning in dermatology signifies a pivotal shift from conventional diagnostic paradigms towards data-driven, algorithmic solutions. This transition is fueled by the advent of extensive annotated datasets and advancements in computational prowess, facilitating the training of intricate neural network architectures. Nevertheless, the absence of standardized datasets poses a challenge, necessitating the development of benchmark datasets and uniform evaluation metrics to foster progress in skin disease classification.

Alenezi et al. [5]: Ensemble methodologies, leveraging an amalgamation of diverse neural network architectures, have demonstrated remarkable efficacy in skin disease classification. Noteworthy architectures such as DenseNet121, ResNet-50, InceptionResNetV2, InceptionV3, VGG-16, Xception, and AlexNet have been synergistically

integrated into ensemble frameworks, underscoring the potential of collaborative models in refining diagnostic accuracy.

Akram et al. [7]: The evaluation of deep learning models in dermatological diagnostics mandates a comprehensive suite of performance metrics. Metrics such as Accuracy, Area Under the Curve (AUC), Sensitivity, and Dice Coefficient have emerged as indispensable benchmarks for assessing model efficacy. Their utilization furnishes a nuanced understanding of a model's discriminative prowess across a spectrum of skin diseases, accentuating the pivotal role of quantitative benchmarks in advancing the landscape of dermatological diagnostics.

B. Problem Statement

In the domain of dermatology, the current diagnostic trajectory for skin cancer, predicated upon biopsy procedures, introduces a consequential temporal lag, spanning from the initial dermatologist consultation to the eventual receipt of biopsy findings—often extending beyond a week. This prolonged duration not only presents a palpable impediment to the timely implementation of therapeutic interventions but also begets heightened psychological distress among patients awaiting pivotal health insights. The multifaceted nature of this challenge mandates a comprehensive solution.

III. RESEARCH METHODOLOGY

A. Proposed Methodology

Our overarching endeavor is to catalyze a transformative shift in this diagnostic landscape by developing an innovative predictive model, leveraging cutting-edge Convolutional Neural Network (CNN) technology. This state-of-the-art model is meticulously tailored not solely to expedite the classification of the diverse array of nine distinct skin cancer subtypes but also to embrace the broader spectrum of dermatological lesions. We discern the imperative for a holistic approach encompassing both malignant and non-malignant cutaneous aberrations, thereby furnishing a holistic diagnostic framework.




Fig 1. Framework for Lesion Segmentation and Categorization

The crux of the matter emanates from the inherent inefficiencies embedded within the extant diagnostic framework, presenting formidable hurdles for patients and healthcare practitioners alike.



Fig 2. CNN Algorithm

The protracted interval from initial clinical assessment to the culmination of the biopsy analysis not only impedes the expeditious initiation of potentially life-preserving therapeutic modalities but also exacts a considerable emotional toll on patients navigating the uncertain terrain of health prognostication. Our strategic harnessing of advanced technologies, particularly CNNs, is poised to markedly ameliorate this diagnostic lacuna, condensing it into a mere span of a couple of days. This endeavor heralds a paradigmatic evolution in dermatological diagnostics, endeavoring not only to enhance the technical efficacy of healthcare workflows but also to prioritize the holistic welfare of individuals undergoing skin cancer evaluation. By broadening the purview of our predictive model to encompass both neoplastic and non-neoplastic skin lesions, we aspire to furnish a versatile and inclusive diagnostic solution that addresses the myriad spectrum of dermatologic anomalies. This commitment underscores our unwavering dedication to leveraging avant-garde technologies to improve patient outcomes and optimize diagnostic modalities within the healthcare continuum.




Fig 3. Lesion enhancement results: (a) initial image, (b) Poisson process applied, (c) de-correlation filter applied, and (d) median filtered image. The proposed methodology delineates an intricately engineered Convolutional Neural Network (CNN) architecture tailored for robust feature extraction, discernment, and classification of skin cancer lesions, encapsulating both melanoma and non-melanoma variants alongside benign skin abnormalities. Firmly rooted in the intricate communication pathways of biological systems, particularly the neural correlates within the visual cortex, this CNN is meticulously orchestrated with three cardinal layers: Convolutional, Pooling, and fully connected. Subsequent elucidations furnish a granular exposition of the feature extraction phase, model architecture intricacies, and the comprehensive testing protocol, underscoring our resolute commitment to advancing the frontiers of medical science and technology in the pursuit of enhanced diagnostic precision and therapeutic efficacy.

B. Feature Extraction Phase

1. *Dilated Convolutional Units:* The proposed Convolutional Neural Network (CNN) architecture integrates a series of five dilated convolutionary units denoted as CBr = iconv($n = 64, 128, 256, 512, 512$). Dilated convolution, orchestrated in parallel with dynamically varying dilation rates ($d_i = 1, 2, 3, \dots, N$), serves to significantly expand the receptive field, thereby enhancing the convolution layer's capacity to capture intricate spatial dependencies and nuanced features within the input data.
2. *Receptive Field Calculation:* The receptive field (rf) is meticulously computed, accounting for the kernel size (ks) and dilation rate (di), employing the formula $rf = di(ks) + 1$. Additionally, the output size (O) is intricately determined by the input dimensions, dilation factor, padding (pd), and stride (st), as encapsulated in the equation $O = i + 2pd/rf \cdot st + 1$, ensuring precise spatial mapping and alignment throughout the convolutional hierarchy.
3. *Convolutional Layer and Activation:* Each CBr=iconv block comprises a tandem of convolutional layers and activation functions, leveraging diverse filter configurations (3×3) with stride 1 and dynamic dilation rates (di). The final three blocks are architecturally enriched with four convolutional layers and activation functions, adeptly capturing salient features across multiple scales and hierarchical levels of abstraction.
4. *Max-pooling:* Post each CBr=iconv block, a sequence of five consecutive max-pooling operations is meticulously applied, featuring a 2×2 filter size and stride 2. This iterative downsampling process effectively reduces spatial dimensions while preserving essential contextual information, fostering optimal feature extraction and representation.
5. *Concatenation Operation:* The distinct branches emanating from the convolutional layer, orchestrating feature generation, are strategically amalgamated through concatenation operations, fostering comprehensive analysis of the interplay between dilated convolutional blocks. This synergistic fusion enhances the model's discriminative prowess, facilitating nuanced characterization and classification of complex dermatological features.
6. *Flattened Layer:* The feature maps derived from the convolutional layer undergo activation transformations, yielding a refined feature representation. Subsequently, the flattened layer orchestrates the transformation of these multi-dimensional feature maps into a cohesive one-dimensional feature vector, poised for subsequent high-dimensional classification tasks, thereby facilitating seamless integration into the overarching diagnostic framework.

C. Methodology for Classification and Testing

A meticulously designed testing framework is meticulously executed, encompassing comprehensive evaluations of both specific features and general functionality across diverse platform configurations. This rigorous assessment protocol ensures robust performance and adaptability of the proposed Convolutional Neural Network (CNN) model in real-world scenarios.

a) *Special Feature Assessment:* Specialized features pertinent to skin cancer diagnosis and lesion classification are meticulously evaluated within the testing framework. These encompass a spectrum of characteristics including texture, color, shape, and boundary delineation, each critically analyzed to ascertain the model's proficiency in discerning subtle nuances indicative of malignancy or benignity.

b) *General Functionality Evaluation:* Beyond specialized features, the overarching functionality and versatility of the CNN model are rigorously scrutinized across a myriad of platform combinations. This comprehensive evaluation ensures seamless integration and optimal performance across diverse hardware and software environments, facilitating widespread adoption and deployment in clinical settings.

c) *Modification of Pre-trained Image Recognizers:* Pre-existing image recognition architectures are meticulously tailored and fine-tuned to effectively discern and classify both skin cancer lesions and non-cancerous skin abnormalities. Leveraging transfer learning paradigms, these pre-trained recognizers are adeptly adapted to accommodate the nuances and intricacies inherent to dermatological imagery, thereby enhancing classification accuracy and generalization capabilities.

An intricately designed testing plan is systematically executed to comprehensively evaluate the performance of the Convolutional Neural Network (CNN) model. This involves meticulous assessments of specialized features and general functionality across a diverse array of platform configurations. Notably, pre-trained image recognizers undergo sophisticated modifications to effectively discern and classify both skin cancer and non-cancerous skin abnormalities, ensuring a comprehensive diagnostic scope. The methodology encompasses three indispensable modules: Feature Extraction, Training, and Validation/Testing. Each module is meticulously crafted to synergistically contribute to the holistic evaluation of the CNN model. Feature extraction is tasked with discerning salient patterns and features from input data, while Training optimizes model parameters through iterative learning. Validation/Testing rigorously evaluates model performance and generalization capabilities, ensuring robustness and accuracy.

The selection of neural network architectures is informed by a nuanced consideration of performance metrics, computational efficiency, and scalability. MobileNet is strategically chosen for its lightweight architecture and rapid inference speed, rendering it well-suited for deployment in resource-constrained environments such as mobile and embedded systems. Additionally, Inception V3 and InceptionResNetV2 networks are included for comparative analysis, leveraging their depth and architectural sophistication to enhance classification accuracy. Inception V3 harnesses the power of transfer learning to expedite model training and improve classification performance. By leveraging pre-trained feature extraction and classification components, the model benefits from previously learned representations of complex features, while retraining the final layers with domain-specific data enhance classification accuracy and generalization capabilities.

Model performance is rigorously assessed using a battery of advanced metrics, including confusion matrices and precision-recall curves, to quantitatively measure classification accuracy and efficacy. Furthermore, qualitative evaluations are conducted through meticulous analysis of prediction visualizations, providing insights into the model's

decision-making processes, and identifying potential areas for improvement.

D. CNN Architecture

The CNN architecture is meticulously engineered to optimize image processing capabilities and facilitate accurate classification of dermatological abnormalities:

Table 1. Classification (CNN Model)

S.No.	Class	No. of Image
0	Squamous cell carcinoma	181
1	Dermatofibroma	95
2	Actinic Keratosis	114
3	Pigmented benign keratosis	462
4	Nevus	357
5	Vascular Lesion	139
6	Seborrheic Keratosis	77
7	Basal Cell Carcinoma	376
8	Melanoma	438

The input layer accepts raw pixel values of the input image, representing it as a multi-dimensional array of intensity values. Convolutional layers employ learnable filters to extract hierarchical features from input data, capturing spatial relationships and patterns crucial for accurate classification. Rectified Linear Unit (ReLU) activation functions introduce non-linearities, enhancing the model's expressive capacity and facilitating feature extraction. Max pooling layers reduce spatial dimensions through downsampling, preserving important features while effectively managing computational complexity. The flattened layer transforms the multi-dimensional output of convolutional layers into a one-dimensional feature vector, preparing it for input into fully connected layers. Dense layers facilitate high-level abstraction and decision-making by connecting neurons to all activations in the preceding layer, enabling complex feature interactions and classification. The output layer produces the final classification result, with the number of neurons corresponding to the number of classes in the classification task. A softmax activation function ensures probabilistic output distribution, facilitating confident classification decisions.

The categorical cross-entropy loss function quantifies the discrepancy between predicted and ground truth labels, guiding model optimization. The Adam optimizer dynamically adjusts learning rates based on gradient descent, facilitating efficient convergence and parameter optimization. This meticulously designed methodology amalgamates advanced biomedical principles with cutting-edge technical methodologies, aiming to propel the development of a highly sophisticated CNN model for accurate classification of dermatological abnormalities.

IV. RESULTS & DISCUSSION

A. Research Applications

The landscape of skin cancer detection has undergone a revolutionary transformation with the integration of machine learning, particularly emphasizing Convolutional Neural Networks (CNNs). This section elucidates advanced


applications within the field, representing the convergence of cutting-edge technology and biomedical diagnostics, ushering in a new era of efficient and accurate skin cancer detection.

1. Automated Lesion Detection: Machine learning models, prominently CNNs, lead the charge in automating the detection and segmentation of skin lesions in medical images. These sophisticated models excel in analyzing intricate patterns, shapes, and color variations indicative of skin cancer, thereby achieving precision in lesion identification, and facilitating early and precise diagnosis.

2. Classification of Skin Lesions: Machine learning algorithms such as Support Vector Machines (SVMs) and Random Forests play a pivotal role in classifying diverse skin lesions, including benign and malignant types. Through training on expansive datasets encompassing a myriad of skin conditions, these algorithms exhibit adaptability, contributing to refined and nuanced classification outcomes.

3. Melanoma Detection: Specialized algorithms focus on the detection of melanoma, an aggressive form of skin cancer. Deep learning techniques are integrated into these models to discern specific features associated with melanoma lesions, resulting in heightened accuracy in detection. This focused application underscores the potential of machine learning in addressing specific challenges within the spectrum of skin cancer.

4. Mobile Applications for Self-Assessment: Mobile applications infused with machine learning capabilities empower users to undertake self-assessment of skin lesions. Leveraging smartphone cameras, these applications capture images for analysis, with machine learning algorithms evaluating the likelihood of skin cancer. This promotes proactive self-care and early intervention, leveraging accessible technology for improved health outcomes.



5. Dermoscopy Image Analysis: Dermoscopy, involving image capture using specialized equipment, benefits from enhanced diagnostic accuracy through machine learning. Models trained on dermoscopic images unravel patterns not discernible to the naked eye, elevating diagnostic precision and enhancing the depth of analysis in skin cancer diagnostics.

6. Real-time Diagnostics: Integration of machine learning models into diagnostic tools enables real-time analysis of skin lesions during clinical examinations. This expedites the diagnostic process and equips dermatologists with instantaneous, data-driven insights, fostering quicker and

more informed decision-making, and ultimately improving patient outcomes.

7. Data Augmentation for Improved Training: Techniques like data augmentation play a crucial role in enhancing model robustness. By expanding the diversity of training datasets, machine learning models demonstrate improved generalization, enhancing their proficiency in detecting many skin lesions. This methodological refinement contributes to the adaptability and resilience of skin cancer detection models.

These advanced applications epitomize the intersection of technology and healthcare, embodying a commitment to precision, accessibility, and efficiency in skin cancer diagnostics. Through strategic integration of machine learning, these applications collectively propel the field towards more nuanced, proactive, and effective approaches to skin cancer detection and classification.

B. Future Research Directions

The horizon of skin cancer detection propelled by Convolutional Neural Networks (CNNs) heralds a realm ripe with technical advancements and intricate possibilities, poised to redefine the landscape of early diagnosis. In this section, we delve into the highly technical and advanced facets shaping the future trajectory of CNN-based skin cancer detection:

Continuous refinement of CNN architectures and training methodologies holds the promise of elevating the accuracy and sensitivity of skin cancer detection systems. The evolution towards more sophisticated models, coupled with the integration of large-scale, diverse datasets, is anticipated to bolster the network's capacity for nuanced pattern recognition and generalization across varying skin phenotypes and pathologies. The relentless surge in computational capabilities, coupled with algorithmic optimizations, is propelling the prospect of real-time skin cancer diagnosis using CNNs. As hardware efficiencies surge, algorithms become more streamlined, fostering the potential for instantaneous lesion analysis during clinical encounters. This paradigm shift could revolutionize diagnostic workflows, enabling prompt decision-making and proactive intervention.

CNN-driven skin cancer detection systems are poised to seamlessly integrate into the clinical armamentarium of dermatologists, augmenting diagnostic prowess and decision-making. These systems, functioning as intelligent assistants, would provide invaluable support by offering insightful analyses, aiding in lesion characterization, and facilitating more informed clinical assessments. The fusion of CNN-based skin cancer detection models with mobile applications heralds a new era of remote screening and telemedicine. Leveraging the ubiquity of smartphones, patients can engage in self-assessment, capturing images for analysis by embedded CNN algorithms. This democratization of diagnostic tools promises to extend healthcare accessibility and promote proactive health management.

The convergence of multiple imaging modalities, coupled with CNN-driven analysis, presents a frontier in skin cancer diagnostics. Integrating photographic images with data from complementary techniques like dermoscopy and reflectance confocal microscopy offers a holistic view of lesion morphology and composition. This multimodal fusion enhances diagnostic accuracy and enables comprehensive lesion characterization. Advancements in CNN-based skin cancer detection pave the way for personalized treatment paradigms tailored to lesion-specific attributes. By leveraging predictive analytics and machine learning

algorithms, clinicians can stratify lesion malignancy risk and tailor therapeutic strategies accordingly. This precision medicine approach optimizes patient outcomes and minimizes therapeutic burden.

V.

CONCLUSION

In culmination, this research orchestrates a multifaceted exploration into the realm of skin disease diagnosis, harmonizing the intricacies of deep learning, particularly Convolutional Neural Networks (CNNs), with a profound focus on melanoma. Through a meticulous journey of discovery, this endeavor unravels profound insights, navigating through a labyrinth of methodologies and models, and thereby engendering a profound and nuanced comprehension of the domain. A formidable obstacle looms large in the scarcity of meticulously annotated datasets, posing a significant impediment in the trajectory of advancing skin disease diagnosis through deep learning methodologies. The dearth of diverse, high-quality data inhibits the development of robust models capable of clinical translation, mandating a concerted effort towards curated dataset creation and augmentation to mitigate this challenge.

The intricate tapestry of skin disease classification encounters a notable hurdle in the disjointed utilization of datasets across research studies, rendering direct comparisons arduous. Discrepancies in dataset composition and the utilization of proprietary data hinder methodological coherence, underscoring the exigency for standardized datasets to enable equitable evaluations and benchmarking of diverse methodologies. A salient facet of this inquiry resides in the exploration of ensemble methodologies, orchestrating a symphony of deep neural networks spanning architectures such as DenseNet121, Resnet-50, InceptionResNetV2, InceptionV3, VGG-16, Xception, and AlexNet. The judicious fusion of these models within ensemble frameworks not only fortifies classification accuracy but also harnesses the idiosyncratic strengths of individual architectures, heralding a paradigm shift in collaborative model frameworks to elevate diagnostic precision.

The crucible of deep learning model evaluation is enriched by a sophisticated arsenal of performance metrics, including but not limited to Accuracy, Area Under the Curve (AUC), Sensitivity, and Dice-coefficient. These metrics converge to furnish a multidimensional prism through which the efficacy of deep learning models in discerning diverse skin diseases is meticulously scrutinized, affording a holistic understanding of model performance and guiding the iterative refinement of diagnostic algorithms. In summation, this research transcends the confines of conventional dermatological diagnostics, propelling the domain towards a future where deep learning, underpinned by sophisticated methodologies and exacting performance benchmarks, stands as an indomitable force in the accurate and efficient diagnosis of skin diseases. The odyssey embarked upon not only underscores extant challenges but also lays the bedrock for a strategic metamorphosis, beckoning forth a new epoch in the fusion of artificial intelligence and dermatological expertise.

ACKNOWLEDGMENT

We extend our sincere gratitude to, for her insightful contributions to our work. Additionally, we express our heartfelt appreciation to, a distinguished research scholar at whose invaluable guidance, and feedback have played a pivotal role in enriching our manuscript, elevating it to new heights of excellence.

REFERENCES

1. Debelee, T. G. (2023). Skin lesion classification and detection using Machine Learning Techniques: A systematic review. *Diagnostics*, 13(19), 3147. <https://doi.org/10.3390/diagnostics13193147>
2. Gaviria, D., Saker, M., & Radeva, P. (2023). Efficient Deep Learning Ensemble for skin lesion classification. *Proceedings of the 18th International Joint Conference on Computer Vision, Imaging and Computer Graphics Theory and Applications*. <https://doi.org/10.5220/0011816100003417>
3. Uzun Ozsahin, D., Mustapha, M. T., Uzun, B., Duwa, B., & Ozsahin, I. (2023). Computer-aided detection and classification of Monkeypox and chickenpox lesion in human subjects using Deep Learning Framework. *Diagnostics*, 13(2), 292. <https://doi.org/10.3390/diagnostics13020292>
4. Wang, Y., Su, J., Xu, Q., & Zhong, Y. (2023). A collaborative learning model for skin lesion segmentation and classification. *Diagnostics*, 13(5), 912. <https://doi.org/10.3390/diagnostics13050912>
5. Alenezi, F., Armghan, A., & Polat, K. (2023). A novel multi-task learning network based on melanoma segmentation and classification with skin lesion images. *Diagnostics*, 13(2), 262. <https://doi.org/10.3390/diagnostics13020262>
6. Rai, S., Jain, I., Vij, A., & Kaushik, E. (2023). Translational Bioinformatics Ontology in healthcare with cloud computing. 2023 International Conference on Innovations in Engineering and Technology (ICIET). <https://doi.org/10.1109/iciet57285.2023.10220662>
7. Akram, T., Junejo, R., Alsuhaibani, A., Rafiullah, M., Akram, A., & Almujally, N. A. (2023). Precision in dermatology: Developing an optimal feature selection framework for skin lesion classification. *Diagnostics*, 13(17), 2848. <https://doi.org/10.3390/diagnostics13172848>
8. Kaushik, E., & Kaushik, R. (2023a). Dynamics of EHR in m-healthcare application. *Human-Machine Interface*, 295–309. <https://doi.org/10.1002/9781394200344.ch11>
9. Aldhyani, T. H., Verma, A., Al-Adhaileh, M. H., & Koundal, D. (2022). Multi-class skin lesion classification using a lightweight dynamic kernel deep-learning-based Convolutional Neural Network. *Diagnostics*, 12(9), 2048. <https://doi.org/10.3390/diagnostics12092048>
10. Kaushik, E., & Kaushik, R. (2023). Genetically induced biomaterial advances in medical sciences. *Engineered Biomaterials*, 95–123. https://doi.org/10.1007/978-981-99-6698-1_4
11. Afza, F., Sharif, M., Mittal, M., Khan, M. A., & Jude Hemanth, D. (2022). A hierarchical three-step superpixel and deep learning framework for skin lesion classification. *Methods*, 202, 88–102. <https://doi.org/10.1016/j.ymeth.2021.02.013>
12. Moreno-Tagle, J. C., Olveres, J., & Escalante-Ramirez, B. (2021). Skin lesion detection in dermatological images using Deep Learning. *Proceedings of Artificial Intelligence for Science, Industry and Society — PoS(AISIS2019)*. <https://doi.org/10.22323/1.372.0025>