## Writing Data-Driven Tests

## We'll cover the followingData-driven testsRunning the test

Good tests are FAIR—fast, automated, independent, and repeatable. If tests aren't independent of each other, then they have to run in a specific order. And by adding or removing a test, we may break the order and the tests may fail. Such tests will become expensive and hard to maintain.

One way to guarantee independence of tests is to never place multiple asserts in the same test for verifications that are independent of each other. The obvious benefit of this approach is that tests can evolve without affecting and without being affected by existing tests. The downside, though, is that we end up with too many tests—verbose, hard to understand, and tiring to write.

## Data-driven tests #

KotlinTest provides data-driven tests to solve this issue. We can provide a table of data and KotlinTest will take input parameters from the table and verify that the output of a function under test is equal to the output expressed in the table. The benefit of this approach is that the asserts are run for each row. If the asserts for one row fail, it doesn't stop the execution of that test; instead it separately verifies each given row.

An example will help to see data-driven tests in action. First, let's bring in some necessary imports to the top of the AirportTest.kt file:

```
// AirportTest.kt
import io.kotlintest.data.forall
import io.kotlintest.tables.row
```

Now, replace all the tests we've written for the sort() function with just one test,

like so:

```
"sort airports by name" {
    forall(
    row(listOf(), listOf()),
    row(listOf(iad), listOf(iad)),
    row(listOf(iad, iah), listOf(iad, iah)),
    row(listOf(iad, iah, ord), listOf(ord, iad, iah))) { input, result ->
        Airport.sort(input) shouldBe result
    }
}
```

AirportTest.kt

Within the test body we call a <code>forall()</code> method and pass two arguments to it—a table of rows and a lambda expression that contains the method invocation with assert. In the first parameter, each <code>row()</code> represents a row of data in a table. In this example, our table has two columns, one for the input to <code>sort()</code> and the other for the expected result from the call. The lambda expression provided is invoked by KotlinTest for each row, passing the value associated with the first and second column as <code>input</code> and <code>result</code>, the first and second parameter of the lambda, respectively.

## Running the test #

```
PK\square\square
                                                                                                                                                                   META-INF/□ PK□□
                                                                                                                                                             META-INF/MANIFEST.MFóMÌËLK-.ÑK-*ÎÌϳR0Ô3àåòÌ-ÈIÍMÍ+I,□
                                              A m \pm > = @
ê□d□ä¤Z),□%¦ä¤*□□%□□¤□ñrñr□ PK□□
                                                                                                                                                               org/□ PK□□
                                                                                                                                                               org/gradle/□ PK□□
                                                                                                                                                               org/gradle/wrapper/□ PK□□
                                              A ªÙfØ□□ ê
                                                                                                                                                                                      org/gradle/wrapper/BootstrapMainStarter.class□V[W□W□b□□d`□□c@□□□7
?(\Box \hat{a} \Box \Box \Box L \hat{E} x K \cancel{A} E \Box \%, x \hat{a} 2^{\otimes} (\Box \hat{A} U \pm L + \Box ! £` \Box ³b ¹ \ddot{O} \Box \ddot{e} B \grave{o} v \Box \cancel{a} d d e \Box (\grave{e} \hat{A} \% \Box \Box \Box g \pm (\~{a} \cancel{A} N \ddot{a} \ddot{o} \Box \Box \Box n))
wKb¹%□Û□xWÁ{x_□Þ□e±Í+8□□Î□9gX□;Á□J$□□¤I»@Ò®□añÙji□;óú²I□hÆÎëæ¢î□â%.□ÜU£Â□ÌØN1]tô□ÉÓ÷□%\æNú□
 \Box \text{\'U} \\ \tilde{\text{a}} \tilde{\text{n}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{d}} \tilde{\text{m}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{d}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}}} \tilde{\text{c}} \tilde{\text{c}} \tilde{\text{c}} \tilde{
vå \\ \text{$^{\circ}$} \\
DDDÔD"-2fD¤'DDDAqiDDDAr;ÑDÂ5D²ëUkèXCçD′D%.Õ°3.EÕDVDAááènÒîÊU¢ÝÙDÖDEâUFDh.4Lï{oÄ¥¿U{
&Ë□□Ñ-£×û□Éè□é÷□0æeÍ0N□è□SgýgÊ*BÏé'èÍG÷a□ñ□□Ş□¡3R□tèG□□é□N □jè□□¨áàcDâá_□Iì§çÿ<Á¡\´?àj□□× ý
                                              A hQb}¢ Ò
                                                                                                                                                          org/gradle/wrapper/Download$1.class}□M
Â0006h5µ*v/00×0%0?àB\x0000000T{700ÀC0)âÖ0æ0%÷^ïÇ0À0C0Æ0 $g{s0Ü0Z0Æ[Û0mE%,Å]0&;0ië0£02%Ú0
                                              A Çåî©□□ L□ 4
                                                                                                                                                                  org/gradle/wrapper/Download$ProxyAuthenticator.class□S]O□A□=³-l]¶XWmEä
ó□nb!□Å□□Ìö□□eÜv□□ocÅÆ□□ñga□êç
                                                                                                                                                                                                                                                    X, `□Ë, □Å¿?
                                                                                                                                                                                                                                                                                                                                                    c񺽻#Ô□¾□QÄ«È*□¶,
͹□LêFØ¢Ü□□{Ýμ¶n□X□U®¥bp_ƱPå□·Z□0Å□Tõ ®x-□AGñfS¨à□ìÄ□äµ¥³□%□@ºÐ□DïHU□È□2fXôó□÷ü□□b¡□á □□»
                                              A 5¶<□À□ □□ ! org/gradle/wrapper/Download.class□Y |\ÇYÿ‱Òî¾§ÕÓáõ¹¾²NìXÖi;□□Ë□□K¾dË
ÊrYaÊJμë*CV□²Æ□°)kYgÊú □d□)□M¹Eí□;&²É□[M¹Í□ͦl1åvS¶□Ò 6ØfH£!M□«+□pÜÎ,□J9)A¨ÏM^□9□ö&□□□□μ%¤+
Ä□□□□åëNº□m□®=□wÚ.¹öô´ã¶uëI□18î±§□ú□½!ÇMÅ□ Aý´□□p□Tª;□ò□□Ú§¥Ü>□□□□ñ¤=Ö·□□;□î□%bÞ~AGÃ□□,
O%#ç¹HE]Ñîìu□Ùn<¦,V□q□□)Ï,§□1 #ËÎê¢□□2»õ□£²K°□E=□□Û□3XðÄå□Rj¶ö\B#□9ÍM/%]Z□*ÙNg«`ECÙ□□□6ä$Æ□
È□}¦7t.□+□}óÏ□ÀxÒ□²½□&□ñT□□r\ø□õè□À□□0b8Ïþ□ □□c-¦□(□□□0□□□BH½□ø□©□□þ¦s_>#ø□÷2fø>ÌÑ üðñ[Õ
¶□`âV¼□¼£,#¼□oÓ?ëUiA¢{JT□î)a□ZÄ£9□ïä□ú!pcã,*□□®¡²±å□|□aß5ø□□⁻!À
                                                                                                                                                                                                                                                                                                                                                                                                                                                      c^îF□l¦´-ÜïvÔb+V □□Ø□ÔBé²
\hat{u}f\pm \Box.\underline{o}n\Box};p\emptyset \hat{e}m\emptyset \Box \hat{A}^{o}v\ddot{y}^{o}\Box \hat{e}de^{a}=5a\Box \emptyset \hat{e}ae^{a}\Box \varphi 1u\Box \cdot d\Box y
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         □□+«2h~áæ
+?\Pi_M;[3,m\Pi=C[fqû\E\vec{g}\V]\text{$\displaystyle} \cdot \quad \quad
                                                                                                                                                                                                                                                                                                                                                                                                      Ü@H}□V□¯¬ªù$□□h
```

```
ØEù}ä,□îßI□¹□0ûÐ□□Ø□□It²=□.□F□□ÐáG1AN□□±ú□3□º□Þ=K/□ Ç08□□¢□□%çÇ1□Wq□²0ã□8□/á,¾□□ð□□£□§ñ(
"\Box $ \Box $
                                                                                                                                                                                             wáç46¾]cvÅ□"f□V□□ØL&¾ï³P)q
pæqºã`□□N4□□gp$t´òÓèÊàXOsè.□wû8□®□□□Øîk□Î÷dĐÛî□ûÂ~NöW6□ú28I□ÞWÐ□□+□ÔÊÁÒ□a□□ãn÷Íah8tJ□Ø[^¦□8
xTJGoò\ñ□H$h*□d0□;¤□æH□sGh□□Ô□Đi¶=Í7p□□n]._xÄ□¨oÏàLK6_®2»Î^-dÌ*}R¾□□|□º¿□eô□aî□¢LÙQĐ~□Îe^a¨î
³Uð<ōü Ô¯□!□t□ºGX}[Y}ʶ£Y□r¶□□È□Ò□±□□OkÛB□□ÏhÛÂ□ú□ō!Â*z□=?÷Ù□_a/@ÎWμä_Å□¾FU`\ÿ_M□êÿEN"ømPK□
                                                                                                 Ê 1 org/gradle/wrapper/DownloadProgressListener.classu□Á
□@□EÏ+Ój□DËöEÐ@Û□E□□ERûI□¦□#3cþ[□> □□4Úv□□»9□×ûñ□°ÂÀ□çjO□Ī.r%ãÐJ[□ÍM□     Ç□ñ,Èä]□□8□ökβ□
                                             A !9|□¶□ □ 3 org/gradle/wrapper/ExclusiveFileAccessManager.class□WÛs□W□ÿ□YÒÚ«u|iªVÍM
 \label{eq:continuous} $$ t = 2/ y + 2 \cdot y +
□äMn,Ér¹Q□□ïíõÀôtÿ1□□)ß,,N□å@LÃ×5|CÃ75|K@gùdÙ·□'ÂhÊ□wL¿êQ÷ÄÀtnk□□}¢2□□ts¥□óÒ□&J',ÛVXjÊt³□□%sy
úð²□Wðª□ï@åûx□À¹cóLÕQ½V$□ÃCnÕ.¦□×O□<iú2]6UÒÓÅ□□Ó□]/ □¾HÛi□⁻□□~``□§□□¼□,□"Þ□□□âG□~□□□x□g4¾
                                                                                               L^-\mu \ : \ 1b' = \ a(\ddot{o}3\%e\dot{a}: \ \dot{g}) \ \dot{g} \ - \ qZ\tilde{A} \ \dot{u} \ WYD; A^- \ g \ 3 \ \ \ddot{u} \ \dot{g} \ - \ \dot{u} \ \dot{g} \ \dot{
□²□^2-□É
Ú□F[F
□Wÿ□□ßÄ®T□□U4]»□Ýï¬~"Tô®7½□6□□□övîãþà□7□ÝBZ §§Hè
\label{eq:continuity} $$ \Box \tilde{O}(0) = \tilde{O}(0) + \tilde{O}(0)
ëö□+ô□kô□□rÖ}□¿F□¿A?~□□Ô(μ□AZ□ÆÇ8□□δÃñ□ü:ü□ư□q□Á¤Ð8Ó□□"□%Ø□Q±□câ ï?□ z5)□□çq□j□□sDP□・
           □□ A □ì□,y□ □□ - org/gradle/wrapper/GradleUserHomeLookup.class□SÛNÛ@□=□$v□□Ô□K
 \Box \texttt{J})\$ \' \exists \texttt{U} \grave{\texttt{O}} \Box \texttt{E} \& \texttt{V} \Box
B \square \tilde{n} \backslash \neg DD \square
Ædè"¿□1-ò□□Y□þeceq7μ□_M/.§□ünÆHç×¶6□-u`□□ºm:%=ã{□SúÀ0t□□ßNom□é□\~ÝÈ1t,¹NÅ7□?kÚUNýïð□Í1□□□·□
qhN = ae^-eN = 38\% = 000 + de^-DA = 000 = 000 + de^-DA = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 0000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 000 = 
                                                                                                          "□ * org/gradle/wrapper/GradleWrapperMain.class□X□\□W□ÿ□,Ì2□□□m□"1*□□<Ë©`
^˵\õJ%j®×äº^ÙåäÔë%×{ï%z%ær÷3˲e□üî÷□·ó%÷%ÿ׿÷□□=rå□□R¥□')Ø□'+Pp□□□"□§Êx□□□A.ÁÓe<Cƽ^<Ó□g
□:ä□+x ^*` &□□□á□
 .â~□¯ôâU^¼Z□□×Èx□5x□□j¼^Æ□□¬□ □ñF□oòâÍ
\Box x \Box \Box \delta \phi z \ll \Box \flat \& \Box \cdot \{\tilde{n} \Box / \flat \emptyset \ \Box \ddot{\square} \acute{o} w + , \Box \ddot{E} \
| Φ□÷*x□P˙ □□□I□□P°□W□L`Ê□□□W½,&ãºφü□Xü°Xü□@á×Gñ11|\Á'ðI□□§e<| □□□°¬½§¹5Øv¬¿·çXG÷Á¶cÝ□ú:»»$q
                                                                                                                                           ÝìÓNDt;¤□Ò"G43,æi¢Ç□Ç%¬□□æHÃ□@Gô□qS□□ÓÍ□v{:àÌ□já□□òDù+ai`¨Ðd[ºf□□־ÊeY
Ô□□ài1□)"□□é]□è
"g¯□ü,KÕl?□□□□□ãý±Ó1ÖV÷t/_□¨□Ï□Rb¤Awº□s³@tO·¥Y□¶;^6ªÅ□Í□DT□Ys©□Á□gÛÉðHÂd®+hY□Æ□¾]l□□óμÆõxËÚf
æ□ðò□÷b□□Iià⁻Äßâú□□\¶Yz8□ØÄÕèå¨:èC?□Kq□□äâfé>*UFÚõI□□7LÂs□Cq×□J□S□□=~O□Þ□¿§Ø*J□□|e½□□□□
Õ□þÒ)H□}«}5)Ü<□5□~o
ë□´>□Ú□³□ÀÇq=¼\KC□(G=□a□Va#¶c□:è¯ÃØ□Ça+□□¢c□&°□÷`7îE□ÎãV\`□®a□íº1Ç=ä□´c7ÅÇÈ□ÝY□$îä×□J,ÌgÉ□í
□á³0-fWZLù□Ú□^AQ)tä;ýd□\y□NÂ□l®'þ□PK□□
          □□ A úâ□æª Û " org/gradle/wrapper/IDownload.classE□Á
Â0□ÿÌéæ□□¼
^õbÁë®*□AÑ{ÝÊØ(í¨Óùl□| □JìTf $_òçÏóu∞ X ï¡ë! ø□®□Ô<!L¦□□_9S¢d□]□~)Ól□I□Î□□`u□EQfZ□=ô,ïõÅÄ¢Þ□
                                                                                                                                               □ " org/gradle/wrapper/Install$1.class□Wù□□e□~Þì1ÓÍ□¦□□□¶□¥ĐÍ□d{ĐÖ¦
ʬp□~>□êóÎìn6□mlýaßó{<ïû}¾ßwöµ□¿ð"□Mxk□□C6Ge□□ͤlLÙ□□a3¦□X1"□V`Ç□Ã□□8r□Wñ□Ù»r¥ □O6EÙ□□!□□1
 = \{\Box, o\}y \acute{U}' = \acute{A} \acute{a} \acute{o} = \acute{a} = \acute{O}' \acute{d} = \acute{U} \acute{O} = \acute{
Îhx□Ï□Dºóºëiø□Ü>□Yz□□Æ;¤Å□□s□æp^Ã□, à□□~□□5¼□□5ü□¿Ñð
~«áwÒ«,□Üè3,Ã□êä□¯ÔqOÑĐïñ□□□Ôð□þ¤áuüYÃ_ðW
           □Óë□l□íx□Eû^3ßAætx□;Ñ- □□zÁ±{hõy¢7ñ7□□þo□w´z©,;íú□□¬Y2æ□H□+□«àB□2□ç□ú=□uÀq+'óýÔ□ì□□□#□
\neg \hat{u} = X\hat{u} = -\hat{u} = X\hat{u} = -\hat{u} = -\hat{
Ü&Nã□□H□é$M□□¥ñ¶õÁ4T□Þ´Àa□Z□DD□ÝU□x¤□#ÄÍ□yë□⁻xd□)□Ý0□□□□□½bH□ðïYØg□□Uþ□Ï□Yº□,M□□GÈË,99IV
□¢\□#ÔÒ(□ì□ÒÃ□Wn□ú□Ò
Ô□=â]xBÁ□ïb¥□Ã
Æÿ□Þc
:ß&°»(□□ÎZ÷2%î□R□)?EÀü*aã□□□¥□□eÔU31?äË□□÷ø%□
                                                                                                                                                                                                                                                                                                                                             DEL/Ã□ÞÏQ□R□Ü\ÄDEL□PK□□
                                                                                                                                                            org/gradle/wrapper/Install.class□Y | TÕÕ?'³¼ÉðØ□!ë□□²□□
           □□ A T",□-□ t+
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             □□$H4 HX
Owq¾□□à□
Ïtó□.pó□.□□"i□□.qóTÎus)□¹©□Ëås□4³¥□3□□ò\□ç¹x¼Â□dÆB7ÍäS¤□□□+ä¹XØ]"c§º)□□ºø4y.ËæJ^îæ*®vãFá□nZ
g□□3]\'=õ
7(¼ÊÅ«]|□t¬qÓ2n□f□^ãu
 ¯Wx□¼□í¦ZnrÓJ>Gá□nª□ê+ùk.Þ$□çJ3GáÍnjä-
knnf\Box 4\sim7\Box\Box\acute{Y}MM\Box\ddot{e}a\Box y\PJ3\r(fm\Box p\tilde{n}y.\r(p*1)\Box^39\ddot{a}a\Box.a\hat{a}vy\Box/\langle E\Box\Box^1@U\Box\acute{U}\hat{e}\&0\acute{u}\Box\ddot{a}\grave{o}1S, \tilde{A}MA^@\Box^{\dagger}_{S\&v})\&]\acute{a}^-\rangle\acute{e}|\Box\^{U}\mathring{L}\Box\grave{e}\Box o\Box\&\Box
;+²su □bª_fÕÜü□@»|C□À□Þ.Ëb
ï□Y0è□□;Þ4□$□¤R□É{lmz'□□õW□K¶□ä³Bp□ÉÖô□î□G□FWy=°□ V□Zõ□!+[Ä蹩=jÃíq□tu-□Q□□□Íñ□□□zÖÆåð¶æ.
   _□åÛ,ö□□YÕ¦û¶ÆÄnó□□2|L□à´JȲ□ô«ù□,□4Q□□□Ä£>ÝÄú0%³]÷□ºß□q□-,A:of¨ôK«ðå Õ□hkF<ª□Õñà□Cd□¥cºQÓ
iaø□□□□h«□þ□ô□□m□□□□ , ð□È□□5h²8Û⁻□u
                                                                                                                                                                                                                                                                                         □ÑÊÂD%□7□□XÆ□Ë×□Ù¢:à;fcF˙□¨□z□É□□o□@ü©□]&Ý□□=
```

æHÅ ñ□\$□Uiý□c□T@□}^□±□p<¤\$□uÍdËî×%[(Û□□/oèî&□

```
_jðw□%□!Þ□iïJ□FLe□□□Tfö,èAs6□\¶ hÑ□Ú□>kÖ,¦º□¹+□èN8ôduÎ□f¶4sú·□-[eN□É2&¾Tu□$4G□-9qBéÕO□ÖÜcÓ:F
\square \square P0) \square \% \circ \cdot \acute{e} 2 \square \lor \square^2 \hat{i} \div U \not \square \square \circ 5 | \hat{A} \times \acute{e} \zeta \circ * \ddot{y} \square O P \grave{u} G | \square O \tilde{n} \tilde{N} \square \square > [\square \acute{t} T \grave{u} F \%]
                                                                                                                                                                                                                                                                         "¤K□·n\YY□jEå□óÍðíôÑ4G□□ÈÊ·ð*߯·‹
Ö□A 1·K,÷¶D#!¯æ5¢ñ□èË*□ÊD0ozAéEÝTáÍ□å□□ÑĐ+U□YÝ)□û□õ[□i(□ñV□EØ□□□{Ä□ö«|□□*Ü«òÃbøGø□²u□´¬□Fμ.
Î□%□Jïó;*¿+□ø□ÿ5i□!u□ÊïI¤û□àcÒ`ë□P □O□,éCb,÷Å□□Wé□ô/□?à«Tp□oGð<z¬G□□ì□□Fy7çÄ□ÁI□□æK□Ë□¿ä0[
□Ä,a□Xu²ø□□□□¶;ùØWdØb□dªÒÂ□0ÊÂ %Ô,□□
WO~□¼Vïb¹Ó
Ôeݧ9C[{]O?□□\□□ŞË:à®ëhxuø□□Ñ□£□Q[§□h;□□□□<t□}□□.ÄW□]D9rBÇ{□□×Í'□Úæ□§n<Ç`îåô□´WàëbP°ã9½"□²
ì□Pa□¤q?Á!□□Åh ÂÉ□áÒÁö□T□E ÌÙÓ0×□¶□bv□ç_□â. *xh¿o4¤□Ó`b□Í·}Pb□V®¤nê□rö£W5□'=□Ð#jȦ¬#4]¡□S
ÄM□ôô□´¢□V6õRm□|□ÑCgöP□D□z(°¡B□jªp=My□%gμ□w□«±□ÎÚ□x$□dMÃ.□d□]□WDæý´¾□6HÇÙ□\!b³ÒKM xNÎÆnú□
1 Ø□□qC5£
□□1□Þ□òÞ¡S!é2z□□Þ□□□º?□¥□□□>DFú□ô>F,ÿ□Ô>□â>Aõó□SÙk □ét6ý□þ
| amBaðaýaaa¼ö>ýa;Cg)e_aava»ataôWãËaçaS~DÿaiÄaa)aó(a>v~õaa+aì£ù¤¤á\FÐaadöa|FùY}°º#5aaæPa,çi
»2□3+ó6_nÎ□ÒÌ ¬p6»3)□3Ó>□2(□□É|VQ@J□ÈB□¶þÝÀ□éGÄÿ□PK□□
                                                                                                                org/gradle/wrapper/Logger.class□□koÒ`□Çÿ□□Unc□á@Ø&s*□]7%□11$KHð□°`²w
                                A ð¿:öo□ 4□ □
\square g \square \square PP \notin \tilde{o} u \square pz * \square ! \square U \square \hat{I} \{QLx \mid \hat{A}5 \square \theta o \in A \}
                                                                                                                                                                                                           !1!DßÖ>□c□□±I![3□Ì□□;□Jg□´ÇXó□&Õ□;ovÂHIFií□□ó[
Q^{a}\forall V÷(\mu I \emptyset \Box 0 0)\mu \Box / \Box , 0 0\forall U \Box 0 0 0\forall U 0 0 0 0\forall U 0 0 0 0\forall U 0 0 0 0 0\forall U 0 0 0\forall U 0 0 0 0\forall U 0 0 0\forall U 0 0 0\forall U 0 0 0\forall U 0 0 0\forall U 0 0 0\forall U 0 0 0 0\forall U 
                                A on□□¶□ `□ 8 org/gradle/wrapper/PathAssembler$LocalDistribution.class□R[K□A□þÎf³«éV
Womi<□Ôvt0n□□&<}□ìÞ□_> vðÌÚç¬□¬□,ò□ßDom PK□□
                                A □JØâ□□ [□ & org/gradle/wrapper/PathAssembler.class□Vic□W□=cK□Y□Ç□b'μc□Å1,Ù□
                                                                                                                                                                                                                                                                                                                                                                                                                      4@
\phi(x) = (10 < x^1Q = x^2 = x^3) = (10 < x^1Q = x^2 = x^3) = (10 < x^1Q = x^3) = (10 < x^3) = (1
□□i□¨¼º□□□]□□ÎÒ¬'¶Ú□□ݰ½□*□påKWÌ¢□Ùø[³÷.ül□yμlç/é¥uJ□¡'Ý× ¥áá¶£TÒsƤ□3J□□>O@d¬□mÓÙJeöþMýàê
»>=>Đ===Zòî=Û=ÇÑ_x=Æ=vëý=¿=ÂÞ7@Û==='ÿO+òÚDÚ}òÖÈåÌá==ÚËÂÒ=%v===JC===YÝ;¹`üê,0
e}´P<íítÅó3□hô×ë;□ëvá□4@×ÑV>ò$□56g˙□É□Üé□K©%ºÛE□Çó□q¥çûU`<]Öó¥□ö%²□□%²¿r·J□±á□ñ²]`ª□C□,á□¿□Í
WѲ□Èr□\i□´E□pè□p¨ ½□□óÁ]Ý£ût£ût]i¯~(´□cË□î`w¨□Îí□;=□q□Ó□A´#□□□ê□□°□a×μK□é□k·1Åð°Vð.2□M<u□
®□ÉÇý□Úφμ%β□>î³<)6{□§û2C□□□□}□□Ú□ê□<UÁýuôãô□ô1Hÿ4zØA□¢ô;□□□□□<□□b□Ñ□§ÜJÒx¹□K³Ë¥□Ê¿□U;□□~
                               A □□ÍëÂ□ |
                                                                                                              0 org/gradle/wrapper/SystemPropertiesHandler.class□VÝS□U□ÿ]□°!,-Đ□Ò□
f_h@0_99¾-ż_n T,Hø;oXÄR=.â__Er_,_«~¼_A\{x___¤,&N_Oc_____æør|!:}mn~v_":_»Bã0_vC_§53__;¶a&#_
-nýµ|/âº#٠¿ÿ□Đ□)ãÚÅø□□yeðǤ2FIiÙ□ý&Ñ^Ó□Ê«,=A□□5ò²ñÙ¶□ì□áð¾´Tã□mªMëfR□Øμ□/}6·□-Æ·□bU
F□1µWÁ□U□>□Ë
\Box = \Box \ddot{} \Box \ddot{} \ddot{
                                A ª=@□°□ ?□ - org/gradle/wrapper/WrapperConfiguration.class□□mO□A□Çg¡ôÚãJK□□ | □□i□á
                                 HUL \square C \square \square B \square - \square \mathring{a}H^{1} \square w \& -*M$\& \mathring{x} \mathring{o} \square \phi_{1} \square 3w \square e \square \& 3^{3} \mathring{o} \square \mathring{y} \mathring{1} \mathring{o} \square \mathring{b} \square \mathring{e} \square \mathring{
÷nïóÖ□÷□Z□d,8t|□åZÛkZM□□´lë□ÇONlÏÚ□ü□¶ûÉiv<N,□□nÚÁú¥□gJeùìi_n□.]î!Ö□4*:ZþlÜåkÊùªæBéj⁻jttWò□(;
8\%g \Box 9\acute{Y}^2 = /a@£z\acute{A}62\acute{1} \Box \hat{a}9@\dot{z} \ddot{a}u\grave{A}\dot{E} \Box þ \Box N\~Alç = q\^Du \railland Laculland Laculla
hÖ8Y[ç#□□0□H M·□(aÉ"□þ-ÊÂW□
□ÃvĐ□$□ç□ûÜ`Pm¬□Þ¬Ü□?}U⋅b§ú4FÙásïN□Òú□VÈÜè\;ï□é□/TÈÒ□,P¡§@(□H□□dH□W)⁻(±MËî5òyb-Ù«$E□;μ,¤¢"6²
o±J□Vð;Û6w»±ÔîTâ□$Ú¯°□ö-□□T|□β;Æ]²y □μ□Ι½Xj□Z]□"%ðÈ□)□Y¿6¿>□6i□5í□~□ªg#□M «ιω□;□□ïâ{,í□5□;-
\Box u = \Box f^* \tilde{a} \hat{a} $1)\tilde{O} \Box - \tilde{a} \tilde{b} 
                                                                                                                                                                         Í□Pñ#æø1□ë%Ää□F/Q²0©â'□Æi□?e6õ!#□¤(è□□□1õçe□□ø□Lø%□ê|
Ý:bä□qJÞ»q(□,Kq6±Û·ßb¤□□j
                                                                                                                                      &□□Đù□□Ïï□};dm§□□?□JßpõEö¤□□)º@aÚ¦¨□Å□□führ%□□Qß□□æ□¦2&ÛÔxëg
C±□þ!Ì£□BµhÀ^ÜG»×Đ®
ç¬I□tÎV9gw□□"3Xí□6;□k□c□s¶Ö9['ÎÖ_@c□pÃ□ÇqvCÛ,bW/□þ□<□g□u□Ð□E4n"kÖÐÿÅÍXBÿ□□è□e□Û(¦Û□r□Å}□îÇl
\hat{a}.<\Box7\Box^{\wedge}\neg M\Box\grave{O}```h\Box\acute{E}\hat{1}7\~N.@\S\#\ddot{A}\}\neg``\acute{E}\Box\hat{a}"\Box\acute{a}\eth^{\dag}_{1}\Box^{\dag}_{2}\Box^{\dag}\Phi4\Box-\Box\varsigma p\div^{\circ}Xn\Box\mathring{A}\P\^{E}\grave{1}\^{e}\%\Box\acute{u}PG
\square 2k\mu \ll \square \square \Upsilon u \square \square
Ϗ,2□&"[²r□Û□É□÷ôÆ[g°□~;/@éã¹M□´□dÕ□客ÔäT¥P, Ia□UOs#ÍMä\Ö#"t[éf8⁻80□´□£HyCTÏ!âøÈHs□ô□¢ºcô£/□
ª_EXÆ□`-q□-z3AiÌ·□D#»7è6²á ×þ□¶^á□Ç=□n*êÒäê"á-□ÿáÿ□PK□□
                               A ã□Đ_□
                                                                                         # gradle-wrapper-classpath.properties+(ÊÏJM.)¶M/JLÉIÕMÎÉä**Í+ÉÌMμ□ PK□□
                                                                                                               org/gradle/cli/□ PK□□
                               A ÕÜ?®<□ S□ 1
                                                                                                               org/gradle/cli/AbstractCommandLineConverter.class□T]o□A□=□□□ëÚ"¶μ~C?□
                                A \times \square \mu^3 X \square ì
                         org/gradle/cli/AbstractPropertiesCommandLineConverter.classV[W□U□þN2ÉÀØå□
                                                                                                                                                                                                                                                                                                                                                                                   H;□°Ô□¤ÄKŀ
ÒøHÁÇÈô`
                                                                   Ë=□Å
```

□V»ŏ□□□>íB¶□□xÀ□Ïø°&c□ë□.cCÆ□Á□i□Þ□□?□]c□□ì¼ÁÐ□1-c¹¼·i8□′Í"aB□[×□k□crºÆ□‰mÓe □±□B¢àhù¢□Ð□

```
 F] \grave{e}p \& \exists g \& 0 = fv^{-2} - g \& 0 = fv^{-2} + g \& 0 = fv^{-2
Ò®q,¦□ËÆâAÉ1\W@
μό¦\□ì¶ΑÜ□□A)5"É□ã4□¡æä8,Õ□äF³hª□J+g□^Èz□¾Κ□Â□□□□añ@7ª e<¢ fÍ□¥y""ß¾´□;D□='þû□□□□+□;□î%£,[
 \square\#\^o0,\_; \square\^eð\square \square iq \square á9 | \cdot \aleph\square)\^o[A\&1 \square \emptyset\square \square q"\^u\square0 a\^C u \square N\^e \square T\square \square \square Â\square eq \square^o\Pþ u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p u 9 p 
       □□ A }ÎyG□ K□ 1 org/gradle/cli/CommandLineArgumentException.class□□ÍJ□1□□Oú3£μ¶Zm+êÂî´U
ÂàÂ□îÓi□Ff□Ę́¯åªàÂ□ð¡Ä$-U´□fq□{rïwOÈûÇë□□34K(`Ë□m□u□□ç□□□ö□ê□þ=}¤^DEèõSÅEØ=□□□.å□□T}.Øm□□
                          A ^3Râú\square g\square ) org/gradle/cli/CommandLineConverter.class\squareQMKÃ@\square}ÓÖÆÔ^{-a}'Ï"4
F<6¥ EQ□($xߦë²%ÝÈvSúÛ<ø□üQâ6□□L
]XvæÍ%÷□□□߯o ÷8wĐupJp□L-,6□~/□²□óS¦□ÿb,fã□□%ìu<å□ ¼*Dè<.□þid¦æ□Î□n$□b&×□pW'<(a□ÑR□`□ÄqàÙK;
       \square A Sf
Õ□□ g□ & org/gradle/cli/CommandLineOption.class□V[w□U□Ý□¦□4□^□´i;\ä"iB□μ´ ÜZ.Å^ĐÖ□□□ÓdL□¦
.□A□±□A□□□□□wÃh/ÝÊ
iEHz \| \W\hat{A} \| \righta \| \alpha \| \A\hat{A} \| \A
u:¦®"xÕTÑÖUÔUfUJhUÓ³9Õ.ZUUÝU§c¥¥;æ²@9ÛÒsÙÑü;"V¶,ªåìù[y^ÚäÓU7ÔBU*U«÷ÆUâf$£UÒUî8#!ZU/!¬çÒÅeÕæJ
¶c□□□
na·□|bèÇ□□ïá¶□÷1£à□|(;³º2>Rð1>aÑÊ Sz□´□5 □□%xAÁ$>U□D□é%P~Ã.*8□Ó
\ddot{o} \square \Box \hat{E} \ddot{i} \% \square > \tilde{A} \square \square \ddot{I} \tilde{n} \square , \hat{u} ¥ \square ^{-} \tilde{o} \mu \square ; \hat{A} \hat{o} \hat{I} g ¥ "\hat{A} \tilde{n} \hat{U} \mathring{a} + Z \square p E k \beta \square \tilde{o} M'
gÓ6-□0□ë□:ú□¦NV□çÏ□=!!¤{□Ý□LX□`@e2zF»I«Á□3Uö\É%ÑN□µ§e5CC]ñZ]Aá□ºmÑ,YC¶YÚb×□Z.+ÈËØ&%ôÅÇÿëb□Ý``
                             ¿"2□ø Á□5(□,Þ{úç□¢□□â,□!□Û¹□;□=èÆVú%□£ôé$¥Ij%H□□ôa□□%Dÿ□□/ü□□□□i;□ÐßaÊ
çÒÎ_¥__»_xÊ__dôÉ8$6_____dő«T_Å__fu+q%Yøú_£_r²*6÷:^_ð_]Û%_x,w_G\_78_8Ë_¤H__ir`ÂÎv?/'__î__
ÈY□râ□ì□n¶ï□ .ø□;*□Û□ä¤Çªa□QN□□"Z□ñ□ï\ð;É□©öÕ□èª□,D□Ëu!Îzqù{9z¿ª□3uzYbçö»ÜU}y¥Îe□òz⁻□\ý□□
                          A üí□ ¥ å ( org/gradle/cli/CommandLineParser$1.class□□A
Â0□Eÿhμμ
Ó□Î□q□.□Ü
                                                                             ; org/gradle/cli/CommandLineParser$AfterFirstSubCommand.classÅVëN□Q□þM
                           A □ĐÆN□ å
AIðß²¬u;ì□1"%□Ïá□`¢A%1þ3ñQ|□c□³[ X`□!ñÏ9sfæ|sÙ□ÙóóÏ×o Ò□□Ð□D□-I
                            □Z«ü(Ü□□K□¡ïL=VML□ÅÌ□lª□c:N□>}ÓPí»WÑ□Eà(Q□É□¢□□□□$Uio□□Ñå´é¦¥□□ÔU¢Ã□1"□óªÅÐQ>1rË«ªbíÝ-gqÌÑŲ
(6^f□ï□âè"pfSQ;□□□!nç,ÛÆèÁeÚGÉ1□=ÆZ□s□ö□>
                                                                                                                                                                   w□DÈO7Rè□x□¥0Dò í□!Þo)□ú<□¦=ë□þ□PK□□
                           A ¥□D£¢□ &□ 3 org/gradle/cli/CommandLineParser$AfterOptions.class□mO□A□Çÿ{-½r-´¨ >W□
wË\:J□□I□Ëi0dï%ômùä□ïxB@ËBØrÉå□□Mªu0r$f□□□□óuþ~Ó^õ¹ô□F□þ±Ò+þ□[.□5kÕ□□"-□o0$,¬@äÚ□□z<□Aè□
q~□:5ú□h□h□þkºmqéóåÕê□□ ò2w·íC^□2
ô\¦é¥G@ŏ□I]ÐT□□¥□′G¤i4gL¶□Í,~Ab□T¼4ö"A;□£□Ã`□È□m é□<N□□¤°□~§Ð□BçhV^Zâc□□"□∅□□Ck14²□□□□8□2
       □□ A ¤ÇÇà□□ □□ < org/gradle/cli/CommandLineParser$BeforeFirstSubCommand.classÅVëRÛF□þÖ□
^{@}r|\$\square\ddot{E}\square+\square\ddot{o}\pm\square\times 8^{@}\square p\square\tilde{a}^{\dag}\square[\phi D\&\ \ddot{O}8\grave{o}2\^{A}X\varsigma(p\ddot{u}a\grave{e}\cdot \i{}_{\xi}3\square\pm\square\square\pm|\acute{Y}^{\underline{a}}\underline{x}+\square^{\underline{o}}\underline{U}\tilde{O}\acute{O}Z\tilde{O}H^{-}\ddot{O}k5\tilde{O}\ddot{U}\hat{E}\square^{\dag}\sim G\mu\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}\square^{\underline{o}}
JØd□zé@à>¾dÈxFºgn□õÇf□Ì<sØ□□s□□¬¾aH□□`Ùª4kºi_{¢é<8×r□måHªJ,"□□Ñ□ñÆÄ4Ch?Y□å□ºfs|«@EYDÔ□.y□ií□
□D□m□·@X□FîèÇööë□□Ù□□8îBö□sj□O;□9æ□□Ål□□□/tÑñq □Ð,Bj□Q·|□,1□Ç%ÑMg□ ¦yF,
□ ºéU□^9□Û□□Đø©äÃW4~-Éÿ□PK□□
                           A ´*«ZM□ ï□ F org/gradle/cli/CommandLineParser$CaseInsensitiveStringComparator.class¥S
                           A □è2 □□ Á□ = org/gradle/cli/CommandLineParser$KnownOptionParserState.classÝXûw□Õ□
Û:□□M□Ū□)¾eEä□:ª¶§□=Ù□Ñm□ÎÊúõ□¡:)□□×Í;Þìí□ª□h÷ïÝÅâ□!Ý®ëˌþÍ=□□z³nèN□À□□□É□□□Â□/ìèÅ9³i@ ÐcÆ
t.°®ç0-Ï□k]T□□hYLu□¬[X[£□□²^G³TÇ´h]□®j□□ÂmÐï!Ô□i-¥X□«Ô«7å□:{#ó□□□Q□aR□ob±ð¤f$□!WW/Í□¹¯□B«ñø
åG°ú"äÁÊ%□ËX:X□þ□Rÿ□,□FÅß□§°<}\□{LpióV□a□ Zy□$□»·¨e□□S□Äi²þ}¬□gĐ%>@¯øĐ%Aμ§=s□(¶¡□lÛNp Ek×
&Þã□Ë¢°H□□psKkM ¦d□âü¼□¼å□°Í£Ë$□□□Pù
A $ľ¢¥□ ô□ < org/gradle/cli/CommandLineParser$MissingOptionArgState.class□□mOÓP□Çÿw□
SÊ□x[t;□¦)<□L/gdèí□¤÷□=Ij□$i□¨
                                                                                                                                              ÑÉ0iOH□Đ□*Ïö□É□~"ºCj□ÌAæQòÜ {□□I□;³ÑÀ□gI□/),£ß9□□ĐÅ□
                           A T□K>ª□ Ä□ = org/gradle/cli/CommandLineParser$OptionAwareParserState.classUÛnÓ@□=□¤d
□J| □□□MÝ□*A.□/Þ□□³ç□gfí□¿¾ÿ Pľ8□È®Đ0*w×Tz□®Èc\□□ □□*□L+("□cVAQÁu□□á4□Ü®□,ÛdÈ□□Q/Ô□⁻5Ì□Ñ
O¹pÍÚê□Ì□CÔ{i¹¹□□è□\û □èe˶¼;□óÁð`ùñ
CdÕ@Q²IéØh5«¦xÆ«ò□□□7*\XÒö□□□.Cúɶg9öÊ□□%ZÙã□ÅμuÛ6Åj□»®I,□À,s%□è]SMþ¶j□%%}ÃP¾ô□¿æ□□·ë□²',»¾4
B£□□*^□ÙvÒ#8G«Ni$èy6□¢□□+□ùÿÑ1E□83$r£]□ØoPK□□
                           A □%àÌ»□ a□ 7 org/gradle/cli/CommandLineParser$OptionComparator.class□TmOÓP□~îÖÑQ:□⁻
¾□Ý
□2@□□□.Ñ,YÀd□Ä□e4³¤kIÛ□□□?□/~□#□á³ÿÆ"_□ς¶N6).]ÏË}Îsî=çô~ýõù□□E□%d0#;□¿ú0+bN□ UÂ□J"□E,IHs;□
uä=#fÂdYþä"=5==">¬{}FCÀåNS=##ZOâq="f£=H= ·INQÍ2(RÔ8éô˦ÉSÄ<Ùi=E=ÿPK==
                          A äfC□§□ £□ 8 org/gradle/cli/CommandLineParser$OptionParserState.class□□ßJ□A□Æ¿³Y³º¦
```

}□⁻□/ú }"Ò3□□□□4»□β□³βù□Î□ýýcá□□#ÔB□°□ÂCF□Í UBñXie?□

```
ő%□Áo¦}IX1)-O□□®4ç¢□pf¹□öDÒ□F¹ó8éÛK□□□ήJõ□a2iÚVXþTú®µ4ÍDd□dËÇVjâ(6¢□È"□""□□□B÷]□Q]í□¤AXH5□
                    A ¢Æ÷E«□ ¶□ 3
                                                                      org/gradle/cli/CommandLineParser$OptionString.class□TÿN□A□þözåÊq□Z□DQ□
                    A gAq^2 \square \square x \square =
                                                                       org/gradle/cli/CommandLineParser$OptionStringComparator.class□TÏO□A□þfv
mÇü)Þz÷ì□TJ¯{-¿amÛr´LW»yyÈ□□□□%,kx̰Ù□cE□VÕ,7°CûÄê¾□□=□²ã¤□Qd□Ò¿ófXýÏ□t¥XG,□□ëÔb□êýOĐ%q,·□□□
.□¥h□"□,#□□% □G□Ç□I□ä
Òä□□ n`□,□òÄ□?C;<°U<□¢¾□¦¼□ªlÌý□¨ÙSè£ê□□¼□=□î)□jû□Ô□ì□□";□m*¢D□Çé³□□À O"Ë5Ló>ä¹□□□À□OE□□
                    A `M~U□□ ,□ 2 org/gradle/cli/CommandLineParser$ParserState.class□SßoÒP□þN)□□s□ÛÔ9□□
                    A pÍXÝ□ k□ ? org/gradle/cli/CommandLineParser$UnknownOptionParserState.class%UËR□Q□=w
BY°»$Sqt2CM&Ê/ø/.¤□G□□?À□□_□7nÜè/XvO¦B□P!.ÜtßÛ·Ïé¾§o&ï□¿}□`
·5Ä_ÕĐ_±6Z_³É±_à_I_R¦£,_Å5_µìIÏ_â_@û#é_w___úû6Ü%K_ËFY`|Ùq_¹¢+___Ë[fnÉ)_¤]X6m£__©_Ï
                    A dZ□Ô□□ l) & org/gradle/cli/CommandLineParser.class□Yi`\Å□þJ□□7zz¶eÙ²=`lá□ë□1¶°åS>
zE*ÕJ__ªÕ.3Usº.³ä5□É□|¬□□¿□@É\5□§¶¬õË|¥÷□¿,T¿□i²XG3□Ë□□åHêx□ʬf□¯ÉR¿,Sv-×±UV¨ÑY~9[yç□]êe¥.çÊ*
\mathcal{E}\Box\Box\mathsf{h}\Box\mathsf{h}\Box\mathsf{u}\Box\mathsf{f}\ddot{\Xi}\Box\mathsf{q}^3>\Box 7\#\tilde{\mathsf{n}}\mathsf{P}"\mathsf{t}\Box\Box\mathsf{M}\$(°^1\acute{\mathsf{o}}\grave{\mathsf{u}}\Box\mathsf{L}8?^2=\Box\acute{\mathsf{v}}\Box\pm\Box\times\Box\mathsf{c}\mathsf{q}3\ddot{\Diamond}\Box\Box\&\mathsf{L}M\ddot{\mathsf{o}}\mathsf{s}\mathsf{c}\mathsf{s}0°\P\mathsf{A}9\acute{\mathsf{u}}\mathsf{e}\acute{\mathsf{u}}\Box\mathsf{AQC}(\Box\varsigma\ddot{\mathsf{o}}\check{\mathsf{o}}\mathsf{j}]\neg\acute{\mathsf{v}}\mathsf{Z}\
                                                                                                                                                                                                                                                                    3f
Åâ□¦îmÔkG0ÒJ□KͶhÌÌ□×dcÊ□u;□13cßM□ü□□ÍÜ0Ý[□1«×¬«_Ý,μ±®aÅÖ5uëÖXÛ(□¬ê^□¬îN□ÂÕ1³ÝÜU%&□ V□ù□QQ[Ù¥
                                                                                                        □ª□ÛV□"¦ìüE□9:□□Gw6□v□□»□Êú1Ö|ÆyqeÌ4□□1ë×òP<,-lÒ□¾□;H
\mu G \square \hat{1} \square - \backslash \square^{1} \stackrel{\circ}{A} b \square F \acute{U} \stackrel{\circ}{M} \square \acute{O} \acute{W} E c \acute{I} O \acute{I} + \mathring{V} \not A b \square F \acute{U} \stackrel{\circ}{M} \square \acute{O} \acute{U} = \mathring{O} \acute{U} + \mathring{
kÙÎ□°X5¹P°jØìÃ:ÄÉ□)B□p□(^□□H□i%□□¹□⁻n
                                                                                                                                 ZÍük□n»□□Ý□□É □>N¶§¢□
□□□□Ï□□&3A□32g□□R4ìÑd«□Z□8?□lçy□ÒO¤®«□□m'□áÂ□f@çØh¬Õ□%sÆ□UÊuÅÌ6ë□□3□iÊ
Å□¾¹ÛÍ□¢Ä%Áp77õ□□DLý^a÷E□□9Í□V\Ñî□□EW□p¼ vX8□)â¬ä4iFf(Må¼aú□}î□à.ÁÔl?ºFò´,□N@6ßÍ7üwå□3ô½á§ÉE
ç4\Geq0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=0\delta=
9UQUå}(àUÂUðôa´`·¼®FUU¿ÂUZoeÀÛU±»å±U·°"Uãv£ UãUUëUÆ}rU§U%8i7N"eÀKâU{1±ÖUðõâUU\NUIUAUÀ[°°UU
ÕO¬õ□ü%¨Ü□Â□?i.UÁMjºªÑ[□W□§\Vý æÒ*þRv□×ê□"uG¤□□YÕxm□ì;þâ>,¦.□®®³%□Ó□ÒK□éÖ□ÍlÜwlfe/N⁻ØoE□□§'Q
ÌórËög¡ÐTþ¶4□Ò□3□+®"d□□;(âN□□W16□±E□□¶k□Û¬ðæ f5□7V□ªñäÖx□½E□□□ÊEÞYμ¾□dN□□□>ÌÎÁ□k%□ûßUôa□
Ýñ□¦□Q³û□c"□□á□Û%¹Ïp;°üª□s□Ë□`□q·□x<¿□ð¹à □6V¦□¹□□è□~,¦ï□Ôz*-wÔ□ü□□¼®F□G|¶□:%f)ÅX□J"X□□
Öd^pôK¼ÆPÎ□□ñ7x□Y□□§ñ+òçb□Ü□7X:y¨ñóx□Yçμ²Få□É⁻S□ü-1ÍÞáï8gËèOÉø{zSe×□y□μNv¼¥a®□`¿aZ□x¼□úà□5Öøſ
u = O(E U E u = A O^{3} V A^{3} V A^
cÑaÝ*^®□°òHÝ*□R·Ê!çV¹□g©ò-y□hÇà·.□#¨f□N>□@_À{□EV43$§□øñïø□çf®f⁻□N¹8÷Ѭ·Á□´;ÙËlçÎdþOü□□sNöÃÂ□ù
;{±□□□g□<¹Oajaø v<□sð[@□Gò,%.ÇX"□üÐ"ù□Q□kG□Oa@XÇg\□□p□³□±□Ï>Î>Á¾□â.a¿□□»Ø÷xtòvâ2Î□g□9û+Ø□□
     □□ A □□å>É□ □ &
                                                                         org/gradle/cli/ParsedCommandLine.class□Wiw□g□~FÛÈòÄ□ê%v□TMc[□å□□ ñR·
\BoxÍ%\Box1s\Box#+3\P\BoxÉ¥\bigcirc\Box% /ë\BoxE;\Box\BoxOòóÃ
êf2é_n_-CÁÉê§#Î2«çÒ__Àŏ¤i¥_Ò__Ê___ÙÌÀ__ºU0RãæÒ__KMfrÆ)yâð(__ò_Q0r¶£*T_>cØ4y¤Zãq__2~%sÙH____
                     FA|»□ÒWÓݳwó□/ë□½□)xØÖàÓV5KÔ¶x± :Ô□|)ÜÃ□ö#÷wOP¿cÆÖ□□c□I(□ßVñ□□Ã^yØ□¢ÈUØ6K¥Þ□ïõ¤ÿbÑ´□
 ´RÎ□|{□çY□#Û¶õô·nQ/□ª¬5^kÑKo□□u·□O;=F□,m,·RÚÙ□<sup>-</sup>h¤q3□5□$ßbwcÖLO□ËF¶Ü□mÞÆ
□□□¶□¼ßûLïÐÏn"ª□Ýöûª9mØG7M□h@z*gJw□r□ vè@□D□Õ³Ec□úY®Áeçy□íK□?ëa{ÿòÿ?ÂÕ□qZ:¯«f□y Ó×È□Y´□□c□Ñ
                     |É□□_à□□□=□¦0aç4ü
WU\Ó0□³□~□ßp´WL□öHZÏ□¼:zyÁpyØéø□ëé*ôÄr¦□K□ç□}j¿È□cü□ë,ªá□□Ñð□®Ö□[Ã□»£v.□□2}Ri□□Æ□□c9SV´UõP
Óù′ØQ¥¨Z³□y□□Û□ãµàµ□O□BçMkI'Æ GÃ>ýÞ □ï□=□7r©□□W=¶~©□□Ì□gDô□1□□[¼f(□O□:º%6y□ÙP=ð,□³J8□J□e³
Zç3¾□]□^á□□□¢kéô>□□1□Jþ;ï k>Ú□□eÞ'*ù6zþ□□Eä□□Ge¤)ö¤Aù<□],;[í¢ÃS□;\ô¬0º□□r□=18>Y □Ãß□ä□□□□^l
□dȹÿ□PK□□
    □□ A yß□tÚ□ E□ , org/gradle/cli/ParsedCommandLineOption.class□S]OÔ@□=Y˙îG□eùP□a□□eQª¨ø
☐,☐¦å☐☐É$ô4☐,☐Á-L%q[¾ï¨,+ßÓr¹§â¾☐☐
□[ÌlpWA¶´É¶□Þð□@□□ëÍ(H□□a1⁻áp□#-□g□³É,C/{□°□□9*IÌ
¢□ñU□±E»JÅ□%añ□□Ú:w^³u□"¹□]aæ*s□<□Á□·!□I¡d;□n8¬jr½b
ý□s\^]´k5fU%ÔJÝ□¶Eí□□÷V¥ □Ý□ñ³□□´□=Vy÷□ÕÃ□@£
j□;*i□=z&x□Ô«V□□£Qã□§ §p6K:□dÇ)¹□ñKn07T@□½U□.Û§Â□
                                                                                                                                                      Évà□é□□IC□z□t□°]p□¶-)kèDNÃ(Æ□□t]6Mn0□,
÷±(# ÍWmîæ-ÛËo°-□gÖvÞ¿□□²Ñ°□□□f0« ?L'æùZÃôDÝäA¦K©□@Ó϶*Õð□6□□$¡Ñÿ□ï)□□õM^!□Û0□□î□+v□ï□i¥áÊQ
×$ÈÄ□Ú"xÓjÊ□2D¬Ï§ìç□xr7□k>º%!âó□V.p£]Á.ÔØG²àÓ±ô□ãD□Ç\□Ô8"Ùy Rð□□ÿ□PK□□
                    A \vÆB|□ □□ : org/gradle/cli/ProjectPropertiesCommandLineConverter.class□□KOÂ@□□Ï□□
}FHWkw□LSº□°Ü□!¿□□]®nY×7ÎZK:Ì¿cJDóØÌè□□□□ZRy¶§□ësÛñ□ÝVò□;ÚH□+-ø )□□□n´kS□#cruLXõøgh|Ó×B□□□j
\beta\mu'_1XUP\delta \Box V'_2\Box fUi0\Box 1\Box EkAA\Box \Box D8\Box UUZ + B8T0gî?\Box D0a'_1\Box D0 = D11=\Box D10
□S³□s□□¦□§□£□□|
                                                               Ë1\□áôZêq□-}CÓ_èJ□□□EË□èj□□□E+
                                                                                                                                                                            "ùw'©õ□PK□□
                Α
Ï8=|□ ü□ 9
                                         org/gradle/cli/SystemPropertiesCommandLineConverter.class□□ËJÃ@□□ÏØ«mμ¶ÖjÕEÜ5B□PÄ
o}É,G ÑÖû□tFM□z¶9□□y¶²¶~X{()spL`7e.°□KV,øTXxÉ¢□õ¿□fD□T E□¤G □ÄPÇW□□ã□Jm®h~²Æ□49AíjxμѰÓsÃhöÌ
Õ□î$p¦%ô´□6¿¡□/t-□Í,¢;©h-□Í.¢Z
ª>kìZÿ□PK□□
                    A □ÿÃW□
                                                                         gradle-cli-classpath.properties+(ÊÏJM.)¶å**Í+ÉÌMµ□ PK□□□□
```

☐ ÍA META-INF/PK□□□□

A 🗆

```
¤□)
                                            META-INF/MANIFEST.MFPK□□□□
        A m \pm > = @
                                    □ íA□
        Α
                                             org/PK□□□□
        Α
                                   □ íA¿
                                             org/gradle/PK□□□□
                                   □ íAê
                                             org/gradle/wrapper/PK□□□□
        Α
        A ªÙfØ□□
                                                 org/gradle/wrapper/BootstrapMainStarter.classPK□□□□
                    ê
                                            org/gradle/wrapper/Download$1.classPK□□□□
        A hQb}¢
                   Ò
                        #

    \mathbf{z} \, \Box \, \mathbf{k} \, \Box

        A Çåî©□□
                    L\square
                                      \mu\square N\square
                                              org/gradle/wrapper/Download$ProxyAuthenticator.classPK□□
        A 5¶<□À□

    \square   
                                              org/gradle/wrapper/Download.classPK□□□□
                                             org/gradle/wrapper/DownloadProgressListener.classPK \( \Bar{\text{$\pi$}} \)
                                     ¤□o□
        A y□L¢i
                    Ê
                        1
        A !9|□¶□
                        3
                                     ¤ 🗌 a 🗌
                                            org/gradle/wrapper/ExclusiveFileAccessManager.classPK□□□
                                              org/gradle/wrapper/GradleUserHomeLookup.classPK□□□□
        A \Boxi\Box,y\Box
                                       ¤□±
        A À!lá7
                                      ¤□u#
                                             org/gradle/wrapper/GradleWrapperMain.classPK□□□□
        A úâ□æª
                                            org/gradle/wrapper/IDownload.classPK□□□□
                    Û
                                     ¤□ô,
        A p@áõc□
                                                  org/gradle/wrapper/Install$1.classPK□□□□
                                             org/gradle/wrapper/Install.classPK□□□□
        A T", □-□
                                      ¤□□5
                    t+
        Δō:¿δ Α
                                      ¤□ìI
                                             org/gradle/wrapper/Logger.classPK□□□□
                                      ¤□□L org/gradle/wrapper/PathAssembler$LocalDistribution.class
        A on□□¶□
                         8
        A □JØâ□□
                    [ 🗆
                                             org/gradle/wrapper/PathAssembler.classPK□□□□
                            0
                                          ¤□þU org/gradle/wrapper/SystemPropertiesHandler.classPK□□□
        A □□ÍëÂ□
        A = @ \bigcirc \circ \square
                    ?□
                                              org/gradle/wrapper/WrapperConfiguration.classPK□□□□
        A Gü"□□
                         (
                                               org/gradle/wrapper/WrapperExecutor.classPK□□□□
        A ã□Đ_□
                         #
                                             gradle-wrapper-classpath.propertiesPK□□□□
                                      ¤□dg
                                             org/gradle/cli/PK□□□□
                                    □ íAÃg
        A ÕÜ?®<□
                    S

                                             org/gradle/cli/AbstractCommandLineConverter.classPK□□□□
        A \times \square \mu^3 X \square
               ¤□}j org/gradle/cli/AbstractPropertiesCommandLineConverter.classPK□□□□
        A }ÎyG□
                                    ¤□.o org/gradle/cli/CommandLineArgumentException.classPK□□□□
        A ³ßâú□□
                                      ¤□Äp org/gradle/cli/CommandLineConverter.classPK□□□□
                    g□
        A Sf
Õ□□
                               org/gradle/cli/CommandLineOption.classPK□□□□
      g□
           &
        A üí□⁻¥
                                     ¤□jx org/gradle/cli/CommandLineParser$1.classPK□□□□
        A □ĐÆN□
                                          ¤□Uy org/gradle/cli/CommandLineParser$AfterFirstSubCommand.
                   å
                                             org/gradle/cli/CommandLineParser$AfterOptions.classPK□□□
        A ¥□D£¢□
                    &□
                         3
        A ¤ÇÇà□□
                    ¤□ï□
                                              org/gradle/cli/CommandLineParser$BeforeFirstSubCommand.c
        A ´*«ZM□
                                             org/gradle/cli/CommandLineParser$CaseInsensitiveStringCom
                        F
                                      ¤□J□
        A □è2
                      Á□
                                         ¤□û□
                                                org/gradle/cli/CommandLineParser$KnownOptionParserState
        A $ľ¢¥□
                   ô□
                                             org/gradle/cli/CommandLineParser$MissingOptionArgState.cl
                                      ¤□Z□
                                              org/gradle/cli/CommandLineParser$OptionAwareParserState.c
        A T \square K > \underline{a} \square
                    Ä□
                                      {\tt M}\,\square\,{\sf A}\,\square
        A □%àÌ»□
                         7
                                      {\tt M} \, {\tt \square} \, {\tt v} \, {\tt \square}
                                              org/gradle/cli/CommandLineParser$OptionComparator.classPK
        A äfC□§□
                                              org/gradle/cli/CommandLineParser$OptionParserState.classF
                    £□
                                      A ¢Æ÷E«□
                    \P \square
                        3
                                      x \square k \square
                                             org/gradle/cli/CommandLineParser$OptionString.classPK□□□
        A gAq<sup>2</sup>□□
                                              org/gradle/cli/CommandLineParser$OptionStringComparator.d
                                      ¤□g□
                         =
        A `M~U□□
                                      \square V \square
                                              org/gradle/cli/CommandLineParser$ParserState.classPK□□□
                         2
        A pÍXÝ□
                                           org/gradle/cli/CommandLineParser$UnknownOptionParserState.
                  k□
                                     ¤□ª¡
                    1)
                                             org/gradle/cli/CommandLineParser.classPK□□□□
        A dZ□Ô□□
                                      ¤□ä¤
        A □□å>É□
                                      ¤□>•
                                              org/gradle/cli/ParsedCommandLine.classPK□□□□
        A yß□tÚ□
                                             org/gradle/cli/ParsedCommandLineOption.classPK□□□□
                                      ¤□K₹
                    Ε□
        A \vÆB □
                                      ¤□oÂ
                                             org/gradle/cli/ProjectPropertiesCommandLineConverter.clas
                                 org/gradle/cli/SystemPropertiesCommandLineConverter.classPK \( \Boxed{1} \Boxed{1} \Boxed{2} \Boxed{2}
Ï8=|□
        ü□ 9
        A □ÿÃW□
                                       ¤□□Æ gradle-cli-classpath.propertiesPK□□
                                                                                          1 1 🗆 🗆
```

Run the build and verify all tests pass. If you change the expectations for a couple of rows and then run the build, you'll notice that KotlinTest reports multiple errors instead of one error. In other words, even though only one test is failing, it reports the failure of each row. Thus we get good visibility of regression, if and when it happens. If you're using Gradle, add a -i option to the command line to see the

detailed failure managements and the second state of a second

its computation, and returned a result.

We were able to write empirical tests to easily verify the behavior of that function. Things get more complicated when dependencies step in. Let's see how to deal with that in the next lesson.