## **Section 1: Brand Analysis**

In this lesson, the impact of a brand name on consumer purchasing behavior is discussed.



# Exploring the data #

The data files for both *October* & and *November* are very large in size so for this exercise, the data for only *October* will be selected and used. Let's review and analyze what data is stored in which format.

The following code reads the *CSV* data file and prints the DataFrame.

**Note**: The code in this chapter is not runnable due to memory constraints. Please run them locally along with each lesson.

```
import pandas as pd

df = pd.read_csv("2019-Oct.csv") # Reading the data from file

print(df)
```

|          | event_time                 | event_type | product_id | category_id         | category_code                       | brand    | price   | user_id   | user_sessio                                  |
|----------|----------------------------|------------|------------|---------------------|-------------------------------------|----------|---------|-----------|--|
| 0        | 2019-10-01<br>00:00:00 UTC | view       | 44600062   | 2103807459595387724 | NaN                                 | shiseido | 35.79   | 541312140 | 72d76fde<br>8bb3-4e00<br>8c23<br>a032dfed738 |
| 1        | 2019-10-01<br>00:00:00 UTC | view       | 3900821    | 2053013552326770905 | appliances.environment.water_heater | aqua     | 33.20   | 554748717 | 9333dfb<br>b87a-470<br>985<br>6336556b0fd    |
| 2        | 2019-10-01<br>00:00:01 UTC | view       | 17200506   | 2053013559792632471 | furniture.living_room.sofa          | NaN      | 543.10  | 519107250 | 566511c<br>e2e3-422<br>b69<br>cf8e6e792ca    |
| 3        | 2019-10-01<br>00:00:01 UTC | view       | 1307067    | 2053013558920217191 | computers.notebook                  | lenovo   | 251.74  | 550050854 | 7c90fc7<br>0e80-459<br>96f<br>13c02c18c7     |
| 4        | 2019-10-01<br>00:00:04 UTC | view       | 1004237    | 2053013555631882655 | electronics.smartphone              | apple    | 1081.98 | 535871217 | c6bd741<br>2748-4c5<br>95b<br>8cec9ff8b80    |
|          |                            |            |            |                     |                                     |          |         |           |  |
| 42448759 | 2019-10-31<br>23:59:58 UTC | view       | 2300275    | 2053013560530830019 | electronics.camera.video            | gopro    | 527.40  | 537931532 | 22c5726<br>da98-4f2<br>9a9<br>18bb5b3851     |
| 42448760 | 2019-10-31<br>23:59:58 UTC | view       | 10800172   | 2053013554994348409 | NaN                                 | redmond  | 61.75   | 527322328 | 5054190<br>46cb-421<br>a8t<br>16fc1a060e     |

According to the output, there are **nine** columns in the **DataFrame**, which are described below:

- event\_time: The exact time when the activity occurred by a user
- event\_type: The type of activity occurred; there are three types in our case, i.e, *view*, *cart*, and *purchase*
- product\_id: The unique ID of a particular product
- category\_id: The unique ID of the category to which the product belongs to
- category\_code: The unique category code to which the product belongs to
- brand: The brand name of the selected product
- price: The price of the selected product
- user\_id: The unique ID of the user
- user\_session: The unique ID generated every time a user visits the site. It is different for every visit of a particular user

## Brand analysis #

A *brand* is a term that differentiates one product from another. In this analysis, we will review whether people like to purchase products with a popular brand or a product without a brand.

For this analysis, only the products actually bought by the users will be considered. In our dataset, the products which have no brand are given a NaN value. This will be done in two steps:

- 1. Separate the original DataFrame into two DataFrames. One with all the products with brands and one with all the products without brands.
- 2. Fetch all those rows from the two DataFrames where the event\_type value is purchase.

As a final result, two Dataframes will be obtained containing the brand products with and without, that was purchased.

```
import pandas as pd

df = pd.read_csv("2019-Oct.csv") # Reading the data from file

# Step 1

# Fetch rows with brand
with_brand = df[df['brand'].notna()]

# Fetch rows without brand
without_brand = df[df['brand'].isna()]

# Step 2

# Purchased products with brands
with_brand = with_brand[with_brand['event_type'] == 'purchase']
print(with_brand)

# Purchased products without brands
without_brand = without_brand[without_brand['event_type'] == 'purchase']
print(without_brand)
```

| 1        | 2019-10-01<br>00:00:00+00:00 | view | 3900821  | 2053013552326770905 | appliances.environment.water_heater | aqua      | 33.20   | 554748717 | 9333dfb<br>b87a-470<br>985<br>6336556b0f             |
|----------|------------------------------|------|----------|---------------------|-------------------------------------|-----------|---------|-----------|--|
| 3        | 2019-10-01<br>00:00:01+00:00 | view | 1307067  | 2053013558920217191 | computers.notebook                  | lenovo    | 251.74  | 550050854 | 7c90fc7<br>0e80-459<br>96<br>13c02c18c7              |
| 4        | 2019-10-01<br>00:00:04+00:00 | view | 1004237  | 2053013555631882655 | electronics.smartphone              | apple     | 1081.98 | 535871217 | c6bd74 <sup>-</sup><br>2748-4c5<br>95b<br>8cec9ff8b8 |
| 5        | 2019-10-01<br>00:00:05+00:00 | view | 1480613  | 2053013561092866779 | computers.desktop                   | pulser    | 908.62  | 512742880 | 0d0d91d<br>c9c2-4e8<br>90a<br>86594dec0d             |
|          |                              |      |          |                     |                                     |           |         |           |  |
| 42448759 | 2019-10-31<br>23:59:58+00:00 | view | 2300275  | 2053013560530830019 | electronics.camera.video            | gopro     | 527.40  | 537931532 | 22c5726<br>da98-4f2<br>9a9<br>18bb5b3851             |
| 42448760 | 2019-10-31<br>23:59:58+00:00 | view | 10800172 | 2053013554994348409 | NaN                                 | redmond   | 61.75   | 527322328 | 5054190<br>46cb-42 <sup>-</sup><br>a8<br>16fc1a060e  |
| 42448761 | 2019-10-31<br>23:59:58+00:00 | view | 5701038  | 2053013553970938175 | auto.accessories.player             | kenwood   | 128.70  | 566280422 | 05b6c62<br>992f-4ei<br>91<br>961bcb4719              |
| 42448762 | 2019-10-31<br>23:59:59+00:00 | view | 21407424 | 2053013561579406073 | electronics.clocks                  | tissot    | 689.85  | 513118352 | 4c14bf2<br>2820-450<br>929<br>046356a5a2             |
| 42448763 | 2019-10-31<br>23:59:59+00:00 | view | 13300120 | 2053013557166998015 | NaN                                 | swisshome | 155.73  | 525266378 | 6e57d2e<br>6022-46e<br>81e<br>fa77f14ce              |
| 6331684  | rows × 11 columns            |      |          |                     |                                     |           |         |           |  |

#### With brand

| 2        | 2019-10-01<br>00:00:01+00:00 | view | 17200506 | 2053013559792632471 | furniture.living_room.sofa | NaN | 543.10 | 519107250 | 566511c2-e2e3<br>422b-b695<br>cf8e6e792ca |
|----------|------------------------------|------|----------|---------------------|----------------------------|-----|--------|-----------|---|
| 15       | 2019-10-01<br>00:00:17+00:00 | view | 23100006 | 2053013561638126333 | NaN                        | NaN | 357.79 | 513642368 | 17566c27-0a8<br>4506-9f30<br>c6a2ccbf583  |
| 26       | 2019-10-01<br>00:00:24+00:00 | view | 34700031 | 2061717937420501730 | NaN                        | NaN | 151.87 | 539512263 | f27a45f8-fb98<br>459a-96a6<br>45271f56a98 |
| 31       | 2019-10-01<br>00:00:26+00:00 | view | 13500046 | 2053013557099889147 | furniture.bedroom.bed      | NaN | 60.75  | 555446365 | 7f0062d8-ead0<br>4e0a-96f6<br>43a0b79a2fc |
| 32       | 2019-10-01<br>00:00:27+00:00 | view | 31501072 | 2053013558031024687 | NaN                        | NaN | 165.64 | 550978835 | 6280d577-25c8<br>4147-99a7<br>abc6048498d |
|          |                              |      |          |                     |                            |     |        |           |   |
| 42448746 | 2019-10-31<br>23:59:54+00:00 | view | 1002786  | 2053013555631882655 | electronics.smartphone     | NaN | 391.26 | 512789086 | cc782b99-88ab<br>4573-8311<br>c62e1d44775 |
| 42448747 | 2019-10-31<br>23:59:54+00:00 | view | 25600078 | 2053013559675191951 | NaN                        | NaN | 81.86  | 522031876 | 39d48518-9fca<br>4df3-9724<br>950cd6ec44e |
| 42448750 | 2019-10-31<br>23:59:55+00:00 | view | 42200036 | 2095518917320508073 | NaN                        | NaN | 17.50  | 515474976 | 222c370b-0fad<br>4287-982b<br>e340f5eaf3a |
| 42448753 | 2019-10-31<br>23:59:57+00:00 | view | 21408491 | 2053013561579406073 | electronics.clocks         | NaN | 350.07 | 553802615 | e09684bb-0c95<br>4f67-98d<br>59fc593f389  |
| 42448754 | 2019-10-31<br>23:59:57+00:00 | view | 44300011 | 2100825583029060150 | apparel.jeans              | NaN | 50.45  | 545220871 | f278cca0-e0f6<br>49a3-819a<br>d9619982826 |

In the output, we can see that the products have been correctly filtered, and two <code>DataFrames</code> have been obtained: one with purchased branded products and the other with purchased non-branded products.

On **line 11**, those rows from df are selected where the brand value is not null or NaN. A new DatFrame is returned which only contains products that belong to a brand.

On **line 14**, the rows from **df** were selected where **brand** value is null or **NaN**. A new **DatFrame** will be returned which will only contain products that don't belong to a brand.

On **line 19**, those entries from the with\_brand DataFrame where event\_type is equal to purchased are filtered to get information for only those products that were bought.

On **line 23**, the entries from the without\_brand DataFrame where event\_type is equal to purchased are filtered to get information for only those products that were bought.

At the end of each output, the number of rows for each <code>DataFrame</code> is mentioned. Let's review how much percentage of branded and non-branded products were bought.

```
# Get length of original dataframe with purchased products
org = len(df[df['event_type'] == 'purchase'])

# Divide the length of with_brand dataframe with length org dataframe
brand_p = len(with_brand) / org
print(brand_p * 100)

# Divide the length of without_brand dataframe with length org dataframe
brand_a = len(without_brand) / org
print(brand_a * 100)
```

brand\_p = 92.15116396468193 %

brand\_a = 7.8488360353180795 %

On **line 5**, the length of products with the brand DataFrame is divided by all of the purchased products to get the percentage of their sales.

On the County of the law of the description of the county of the county

the purchased products to get the percentage of their sales.

According to the above output, approximately **92**% of the purchased products were associated with a brand, and only **8**% of products without a brand were bought.

### The hypothesis #

A hypothesis can be drawn based on the above results.

- For *marketers*, most of the marketing budget should be allotted to the advertisement of branded products.
- For inventors or entrepreneurs, always introduce the product with a brand name because products without a brand have a very low probability of getting bought.

In the next lesson, we analyze the customer's activity on the website.