

```
    MongoDB Compass - test.boitr.mongodb.net/mongo_practice

mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
                                                                                                                                                                       Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({"actors":"Brad Pitt"})
    _id: ObjectId("62836427a77b3cb93ce0fe53"),
    title: 'Fight Club',
    writer: 'Chuck Palahniuko',
    year: 1999,
    actors: [ 'Brad Pitt', 'Edward Norton' ]
    _id: ObjectId("62838d4da77b3cb93ce0fe55"),
    title: 'Inglorious Basterds',
    writer: 'Quentin Tarantino',
    year: 2009,
    actors: [ 'Brad Pitt', 'Diane Krunger', 'Eli Roth' ]
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```




































21-05-2022

```
Data | Cloud: MongoDB Cloud X
Select mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
                                                                                                                                                      Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({franchise:"The Hobbit"})
    _id: ObjectId("628396eca77b3cb93ce0fe56"),
   title: 'The Hobbit: An Unexpected Journey',
   writer: 'J.R.R. Tolkein',
   year: 2012,
   franchise: 'The Hobbit'
    _id: ObjectId("628396eca77b3cb93ce0fe57"),
   title: 'The Hobbit: The Destination of Smaug',
   writer: 'J.R.R. Tolkein',
   year: 2013,
   franchise: 'The Hobbit'
    _id: ObjectId("628396eca77b3cb93ce0fe58"),
   title: 'The Hobbit: The Battle of the Five Aramies',
   writer: 'J.R.R. Tolkein',
   year: 2012,
   franchise: 'The Hobbit',
   synopsis: 'Bilbo and company are forced to engage in a war against an array of combatants and keep the lonely mountain from falling into the hand
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> 🗖
     Type here to search
                                                                                                                    (a) 31°C ∧ (a) □ (b) === ENG
```

```
    MongoDB Compass - test.boitr.mongodb.net/mongo_practice.movies

mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
                                                                                                                                                           Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({year:{$1t:2000}})
    _id: ObjectId("62836427a77b3cb93ce0fe53"),
    title: 'Fight Club',
    writer: 'Chuck Palahniuko',
    year: 1999,
    actors: [ 'Brad Pitt', 'Edward Norton' ]
    _id: ObjectId("628365f0a77b3cb93ce0fe54"),
    title: 'Pulp Fiction',
    writer: 'Quentin Tarantino',
    year: 1994,
    actors: 'Samuel L. Jackson'
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```








































Type here to search

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({synopsis:{$regex:/Bilbo/,$not:/Gandalf/}})
    id: ObjectId("628396eca77b3cb93ce0fe56"),
   title: 'The Hobbit: An Unexpected Journey',
   writer: 'J.R.R. Tolkein',
   year: 2012,
   franchise: 'The Hobbit',
   synopsis: 'A reluctant hobbit, Bilbo Baggins, sets out to the Lonely Mountain with a spirited group of dwarves to reclaim their mountain home-and the gold within it-from the dragon Smaug.
    _id: ObjectId("628396eca77b3cb93ce0fe58"),
   title: 'The Hobbit: The Battle of the Five Aramies',
   writer: 'J.R.R. Tolkein',
   year: 2012,
   franchise: 'The Hobbit',
   synopsis: 'Bilbo and company are forced to engage in a war against an array of combatants and keep the lonely mountain from falling into the hands of a raising darkness'
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({synopsis:{$regex:/Bilbo/,$not:/Gandalf/})db.movies.find({$or:[{synopsis:{$regex:/dwarves/}},{"synopsis:{$regex:/hobbit/}}]}
        ror: Unexpected token, expected "," (1:56)
 db.movies.find({synopsis:{$regex:/Bilbo/,$not:/Gandalf/})db.movies.find({$or:[{synopsis:{$regex:/dwarves/}},{"synopsis:{$regex:/hobbit/}}]})
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({synopsis:{$regex:/Bilbo/,$not:/Gandalf/})db.movies.find({$or:[{"synopsis":{$regex:/dwarves/}},{"synopsis":{$regex:/hobbit/}
}]})
Uncaught:
        ror: Unexpected token, expected "," (1:56)
1 | db.movies.find({synopsis:{$regex:/Bilbo/,$not:/Gandalf/})db.movies.find({$or:[{"synopsis":{$regex:/dwarves/}},{"synopsis":{$regex:/hobbit/}}]})
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({synopsis:{$regex:/Bilbo/,$not:/Gandalf/})db.movies.find({$or:[{"synopsis":{$regex:/dwarves/}},{"synopsis":{$regex:/ho
```

(a) 32°C Mostly cloudy へ (a) 🔄 🖒 ENG

18-05-2022

0

Type here to search

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({$or:[{"synopsis":{$regex:/dwarves/}},{"synopsis":{$regex:/hobbit/}}]})
   _id: ObjectId("628396eca77b3cb93ce0fe57"),
   title: 'The Hobbit: The Desolation of Smaug',
   writer: 'J.R.R. Tolkein',
   year: 2013,
   franchise: 'The Hobbit',
   synopsis: 'The dwarves, along with Bilbo Baggins and Gandalf the Grey, continue their quest to reclaim Erebor, their homeland, from Smaug. Bilbo Baggins is in posse
ssion of mysterious and magical ring.'
   _id: ObjectId("628396eca77b3cb93ce0fe56"),
   title: 'The Hobbit: An Unexpected Journey',
   writer: 'J.R.R. Tolkein',
   year: 2012,
   franchise: 'The Hobbit',
   synopsis: 'A reluctant hobbit, Bilbo Baggins, sets out to the Lonely Mountain with a spirited group of dwarves to reclaim their mountain home-and the gold within i
-from the dragon Smaug.'
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.movies.find({$and:[{"synopsis":{$regex:/gold/}},{"synopsis":{$regex:/dragon/}}]})
   _id: ObjectId("628396eca77b3cb93ce0fe56"),
   title: 'The Hobbit: An Unexpected Journey',
   writer: 'J.R.R. Tolkein',
   year: 2012,
   franchise: 'The Hobbit',
   synopsis: 'A reluctant hobbit, Bilbo Baggins, sets out to the Lonely Mountain with a spirited group of dwarves to reclaim their mountain home-and the gold within i
-from the dragon Smaug.'
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```












































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.posts.insertMany([{
... username: "GoodGuyGreg",
... title: "Passes out at party",
... body:"Wakes up early anb cleans house"
      username: "GoodGuyGreg",
      title: "Steals your identity",
      body: "Raises your credit score"
. . . . .
      username: "GoodGuyGreg",
      title: "Reports a bug in your code",
      body: "Sends you a Pull Request"
 .... username: "ScumbagSteve",
      title: "Borrows something",
..... body:"Sells it"
. . . . . },
 ..... username: "ScumbagSteve",
      title: "Borrows everything",
      body: "The end"
. . . . .
• • • {
      username: "ScumbagSteve",
..... title:"Forks your repo on github",
..... body: "Sets to private"
. . . . . }
...])
  acknowledged: true,
  insertedIds: {
     '0': ObjectId("62846bad66e46c5bd561b3a0"),
     '1': ObjectId("62846bad66e46c5bd561b3a1"),
     '2': ObjectId("62846bad66e46c5bd561b3a2"),
     '3': ObjectId("62846bad66e46c5bd561b3a3"),
     '4': ObjectId("62846bad66e46c5bd561b3a4"),
     5: ObjectId("62846bad66e46c5bd561b3a5")
```





```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.comments.insertMany([{
... username: "GoodGuyGreg",
... comment:"Hope you got a good deal!",
... post:ObjectId("62846e3b66e46c5bd561b3a9")
      username: "GoodGuyGreg",
      comment: "What's mine is yours!",
      post:ObjectId("62846e3b66e46c5bd561b3aa")
      username: "GoodGuyGreg",
      comment: "Don't violate the licensing agreement!",
      post: ObjectId("62846e3b66e46c5bd561b3ab")
      username: "ScumbagSteve",
      comment: "It still isn't clean",
      post:ObjectId("62846e3b66e46c5bd561b3a7")
. . . . .
      username: "ScumbagSteve",
      comment: "Denied your PR cause I found a hack",
      post:ObjectId("62846e3b66e46c5bd561b3a8")
. . . . .
...])
  acknowledged: true,
  insertedIds: {
     '0': ObjectId("6284730266e46c5bd561b3ac"),
     '1': ObjectId("6284730266e46c5bd561b3ad"),
    '2': ObjectId("6284730266e46c5bd561b3ae"),
    '3': ObjectId("6284730266e46c5bd561b3af"),
     '4': ObjectId("6284730266e46c5bd561b3b0")
```

Atlas atlas-14p2yt-shard-0 [primary] mongo\_practice> -

























```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.users.find({})
   _id: ObjectId("628467f566e46c5bd561b39e"),
   username: 'ScumbagSteve',
   first_name: 'Good Guy',
   last_name: 'Greg',
   full_name: { first: 'Scumbag', last: 'Steve' }
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> =
```































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.posts.find({})
   _id: ObjectId("62846e3b66e46c5bd561b3ab"),
   username: 'ScumbagSteve',
   title: 'Forks your repo on github',
   body: 'Sets to private'
   _id: ObjectId("62846e3b66e46c5bd561b3a6"),
   username: 'GoodGuyGreg',
   title: 'Passes out at party',
   body: 'Wakes up early anb cleans house'
   _id: ObjectId("62846e3b66e46c5bd561b3aa"),
   username: 'ScumbagSteve',
   title: 'Borrows everything',
   body: 'The end'
   _id: ObjectId("62846e3b66e46c5bd561b3a7"),
   username: 'GoodGuyGreg',
   title: 'Steals your identity',
   body: 'Raises your credit score'
 },
   _id: ObjectId("62846e3b66e46c5bd561b3a9"),
   username: 'ScumbagSteve',
   title: 'Borrows something',
   body: 'Sells it'
   _id: ObjectId("62846e3b66e46c5bd561b3a8"),
   username: 'GoodGuyGreg',
   title: 'Reports a bug in your code',
   body: 'Sends you a Pull Request'
```

































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.posts.find({username:"GoodGuyGreg"})
   _id: ObjectId("62846e3b66e46c5bd561b3a6"),
   username: 'GoodGuyGreg',
   title: 'Passes out at party',
   body: 'Wakes up early anb cleans house'
   _id: ObjectId("62846e3b66e46c5bd561b3a7"),
   username: 'GoodGuyGreg',
   title: 'Steals your identity',
   body: 'Raises your credit score'
   _id: ObjectId("62846e3b66e46c5bd561b3a8"),
   username: 'GoodGuyGreg',
   title: 'Reports a bug in your code',
   body: 'Sends you a Pull Request'
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> -
```






































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.posts.find({username:"ScumbagSteve"})
   _id: ObjectId("62846e3b66e46c5bd561b3ab"),
   username: 'ScumbagSteve',
   title: 'Forks your repo on github',
   body: 'Sets to private'
   _id: ObjectId("62846e3b66e46c5bd561b3aa"),
   username: 'ScumbagSteve',
   title: 'Borrows everything',
   body: 'The end'
   _id: ObjectId("62846e3b66e46c5bd561b3a9"),
   username: 'ScumbagSteve',
   title: 'Borrows something',
   body: 'Sells it'
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```




























```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.comments.find({})
   _id: ObjectId("6284730266e46c5bd561b3b0"),
   username: 'ScumbagSteve',
   comment: 'Denied your PR cause I found a hack',
   post: ObjectId("62846e3b66e46c5bd561b3a8")
   _id: ObjectId("6284730266e46c5bd561b3ac"),
   username: 'GoodGuyGreg',
   comment: 'Hope you got a good deal!',
   post: ObjectId("62846e3b66e46c5bd561b3a9")
   _id: ObjectId("6284730266e46c5bd561b3ae"),
   username: 'GoodGuyGreg',
   comment: "Don't violate the licensing agreement!",
   post: ObjectId("62846e3b66e46c5bd561b3ab")
   _id: ObjectId("6284730266e46c5bd561b3ad"),
   username: 'GoodGuyGreg',
   comment: "What's mine is yours!",
   post: ObjectId("62846e3b66e46c5bd561b3aa")
 },
   _id: ObjectId("6284730266e46c5bd561b3af"),
   username: 'ScumbagSteve',
   comment: "It still isn't clean",
   post: ObjectId("62846e3b66e46c5bd561b3a7")
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```






























```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.comments.find({username:"GoodGuyGreg"})
   _id: ObjectId("6284730266e46c5bd561b3ac"),
   username: 'GoodGuyGreg',
   comment: 'Hope you got a good deal!',
   post: ObjectId("62846e3b66e46c5bd561b3a9")
   _id: ObjectId("6284730266e46c5bd561b3ae"),
   username: 'GoodGuyGreg',
   comment: "Don't violate the licensing agreement!",
   post: ObjectId("62846e3b66e46c5bd561b3ab")
 },
   _id: ObjectId("6284730266e46c5bd561b3ad"),
   username: 'GoodGuyGreg',
   comment: "What's mine is yours!",
   post: ObjectId("62846e3b66e46c5bd561b3aa")
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```



































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.comments.find({username:"ScumbagSteve"})
   _id: ObjectId("6284730266e46c5bd561b3b0"),
   username: 'ScumbagSteve',
   comment: 'Denied your PR cause I found a hack',
   post: ObjectId("62846e3b66e46c5bd561b3a8")
   _id: ObjectId("6284730266e46c5bd561b3af"),
   username: 'ScumbagSteve',
   comment: "It still isn't clean",
   post: ObjectId("62846e3b66e46c5bd561b3a7")
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```




























```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice> db.comments.find({post:ObjectId("62846e3b66e46c5bd561b3a8")})
   _id: ObjectId("6284730266e46c5bd561b3b0"),
   username: 'ScumbagSteve',
   comment: 'Denied your PR cause I found a hack',
   post: ObjectId("62846e3b66e46c5bd561b3a8")
Atlas atlas-14p2yt-shard-0 [primary] mongo_practice>
```



