


```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find({},
... {"restaurant_id":1, "name":1, "borough":1, "cuisine":1}
...)
   _id: ObjectId("6288a881221a3bc46cac769f"),
   borough: 'Bronx',
   cuisine: 'Bakery',
   name: 'Morris Park Bake Shop',
   restaurant_id: '30075445'
   _id: ObjectId("6288a881221a3bc46cac76a0"),
   borough: 'Brooklyn',
   cuisine: 'Hamburgers',
   name: "Wendy'S",
   restaurant_id: '30112340'
   _id: ObjectId("6288a881221a3bc46cac76a1"),
   borough: 'Manhattan',
   cuisine: 'Irish',
   name: 'Dj Reynolds Pub And Restaurant',
   restaurant_id: '30191841'
   _id: ObjectId("6288a881221a3bc46cac76a2"),
   borough: 'Brooklyn',
   cuisine: 'American',
   name: 'Riviera Caterer',
   restaurant_id: '40356018'
   _id: ObjectId("6288a881221a3bc46cac76a3"),
   borough: 'Queens',
   cuisine: 'Jewish/Kosher',
   name: 'Tov Kosher Kitchen',
   restaurant_id: '40356068'
 },
                                                                                                                                🗀 30°C \land 🦟 🔄 վ») 🚃 ENG
       Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find({},
... {"restaurant_id":1, "name":1, "borough":1, "cuisine":1, "_id":0}
   borough: 'Bronx',
   cuisine: 'Bakery',
   name: 'Morris Park Bake Shop',
   restaurant_id: '30075445'
   borough: 'Brooklyn',
   cuisine: 'Hamburgers',
   name: "Wendy'S",
   restaurant_id: '30112340'
   borough: 'Manhattan',
   cuisine: 'Irish',
   name: 'Dj Reynolds Pub And Restaurant',
   restaurant_id: '30191841'
   borough: 'Brooklyn',
   cuisine: 'American',
   name: 'Riviera Caterer',
   restaurant_id: '40356018'
   borough: 'Queens',
   cuisine: 'Jewish/Kosher',
   name: 'Tov Kosher Kitchen',
   restaurant_id: '40356068'
   borough: 'Queens',
   cuisine: 'American ',
   name: 'Brunos On The Boulevard',
   restaurant_id: '40356151'
                                                                                                                                 (a) 30°C ∧ (a) (b) (iii) ENG (21-05-2022)
       Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find({},
... {"restaurant_id":1, "name":1, "borough":1, "address.zipcode":1, "_id":0}
   address: { zipcode: '10462' },
   borough: 'Bronx',
   name: 'Morris Park Bake Shop',
   restaurant_id: '30075445'
   address: { zipcode: '11225' },
   borough: 'Brooklyn',
   name: "Wendy'S",
   restaurant_id: '30112340'
   address: { zipcode: '10019' },
   borough: 'Manhattan',
   name: 'Dj Reynolds Pub And Restaurant',
   restaurant_id: '30191841'
   address: { zipcode: '11224' },
   borough: 'Brooklyn',
   name: 'Riviera Caterer',
   restaurant_id: '40356018'
   address: { zipcode: '11374' },
   borough: 'Queens',
   name: 'Tov Kosher Kitchen',
   restaurant_id: '40356068'
   address: { zipcode: '11369' },
   borough: 'Queens',
   name: 'Brunos On The Boulevard',
   restaurant_id: '40356151'
                                                                                                                                 (a) 30°C ∧ (a) (b) (iii) ENG 21-05-2022
       Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find({"borough":"Bronx"})
   _id: ObjectId("6288a881221a3bc46cac769f"),
   address: {
     building: '1007',
     coord: [ -73.856077, 40.848447 ],
     street: 'Morris Park Ave',
     zipcode: '10462'
   borough: 'Bronx',
   cuisine: 'Bakery',
   grades: [
       date: ISODate("2014-03-03T00:00:00.000Z"),
       grade: 'A',
       score: 2
       date: ISODate("2013-09-11T00:00:00.000Z"),
       grade: 'A',
       score: 6
       date: ISODate("2013-01-24T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2011-11-23T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2011-03-10T00:00:00.000Z"),
       grade: 'B',
       score: 14
                                                         Ħŧ
```

































```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {"borough": "Bronx"}).limit(5)
   _id: ObjectId("6288a881221a3bc46cac769f"),
   address: {
     building: '1007',
     coord: [ -73.856077, 40.848447 ],
     street: 'Morris Park Ave',
     zipcode: '10462'
   borough: 'Bronx',
   cuisine: 'Bakery',
   grades: [
       date: ISODate("2014-03-03T00:00:00.000Z"),
       grade: 'A',
       score: 2
       date: ISODate("2013-09-11T00:00:00.000Z"),
       grade: 'A',
       score: 6
       date: ISODate("2013-01-24T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2011-11-23T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2011-03-10T00:00:00.000Z"),
       grade: 'B',
       score: 14
                                                   0
                                                        Ħŧ
                                                                                                                               🌕 30°C ∧ 🦟 🔄 ➪») 🚃 ENG
       Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {"borough": "Bronx"}).skip(5).limit(5);
   _id: ObjectId("6288a881221a3bc46cac76dc"),
   address: {
     building: '658',
     coord: [ -73.81363999999999, 40.82941100000001 ],
     street: 'Clarence Ave',
     zipcode: '10465'
   borough: 'Bronx',
   cuisine: 'American',
   grades: [
       date: ISODate("2014-06-21T00:00:00.000Z"),
       grade: 'A',
       score: 5
       date: ISODate("2012-07-11T00:00:00.000Z"),
       grade: 'A',
       score: 10
   name: 'Manhem Club',
   restaurant_id: '40364363'
   _id: ObjectId("6288a881221a3bc46cac76f4"),
   address: {
     building: '2222',
     coord: [ -73.84971759999999, 40.8304811 ],
     street: 'Haviland Avenue',
     zipcode: '10462'
   borough: 'Bronx',
   cuisine: 'American',
Atlas atlas-14p2yt-shard-0 [primary] restaurants>
```

🗀 30°C \land 🦟 🔄 վ») 🚃 ENG

0

Type here to search

Ħŧ

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {grades:{$elemMatch:{"score":{$gt:90}}}}
...);
   _id: ObjectId("6288a881221a3bc46cac77fd"),
   address: {
     building: '65',
     coord: [ -73.9782725, 40.7624022 ],
     street: 'West 54 Street',
     zipcode: '10019'
   borough: 'Manhattan',
   cuisine: 'American',
   grades: [
       date: ISODate("2014-08-22T00:00:00.000Z"),
      grade: 'A',
       score: 11
       date: ISODate("2014-03-28T00:00:00.000Z"),
       grade: 'C',
       score: 131
       date: ISODate("2013-09-25T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2013-04-08T00:00:00.000Z"),
       grade: 'B',
       score: 25
       date: ISODate("2012-10-15T00:00:00.000Z"),
       grade: 'A',
       score: 11
                                                                                                                         0
                                                      Ħŧ
      Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {grades:{$elemMatch:{"score":{$gt:80,$lt:100}}}}
...);
   _id: ObjectId("6288a881221a3bc46cac789e"),
   address: {
     building: '345',
     coord: [ -73.9864626, 40.7266739 ],
     street: 'East 6 Street',
     zipcode: '10003'
   borough: 'Manhattan',
   cuisine: 'Indian',
   grades: [
       date: ISODate("2014-09-15T00:00:00.000Z"),
       grade: 'A',
       score: 5
       date: ISODate("2014-01-14T00:00:00.000Z"),
       grade: 'A',
       score: 8
       date: ISODate("2013-05-30T00:00:00.000Z"),
       grade: 'A',
       score: 12
       date: ISODate("2013-04-24T00:00:00.000Z"),
       grade: 'P',
       score: 2
       date: ISODate("2012-10-01T00:00:00.000Z"),
       grade: 'A',
       score: 9
```







Ħŧ





























```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {"address.coord":{$1t: -95.754168}}
...);
   _id: ObjectId("6288a883221a3bc46cac7ce7"),
   address: {
     building: '3707',
     coord: [ -101.8945214, 33.5197474 ],
     street: '82 Street',
     zipcode: '11372'
   borough: 'Queens',
   cuisine: 'American',
   grades: [
       date: ISODate("2014-06-04T00:00:00.000Z"),
       grade: 'A',
       score: 12
       date: ISODate("2013-11-07T00:00:00.000Z"),
       grade: 'B',
       score: 19
       date: ISODate("2013-05-17T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2012-08-29T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2012-04-03T00:00:00.000Z"),
       grade: 'A',
       score: 12
                                                                                                                         0
                                                      Ħŧ
      Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {$and:[{"cuisine":{$ne:"American"}},{"grades.score":{$gt:70}},{"address.coord":{$1t:-65.754168}}]}
...);
   _id: ObjectId("6288a881221a3bc46cac77fd"),
   address: {
     building: '65',
     coord: [ -73.9782725, 40.7624022 ],
     street: 'West 54 Street',
     zipcode: '10019'
   borough: 'Manhattan',
   cuisine: 'American',
   grades: [
       date: ISODate("2014-08-22T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2014-03-28T00:00:00.000Z"),
       grade: 'C',
       score: 131
       date: ISODate("2013-09-25T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2013-04-08T00:00:00.000Z"),
       grade: 'B',
       score: 25
       date: ISODate("2012-10-15T00:00:00.000Z"),
       grade: 'A',
       score: 11
                                                 0
                                                                                                                           Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
      "cuisine":{$ne:"Americian"},
..... "grades.score":{$gt:70},
..... "address.coord":{$1t:-65.754168}
. . . . . }
...);
   _id: ObjectId("6288a881221a3bc46cac77fd"),
   address: {
     building: '65',
     coord: [ -73.9782725, 40.7624022 ],
     street: 'West 54 Street',
     zipcode: '10019'
   borough: 'Manhattan',
   cuisine: 'American',
   grades: [
       date: ISODate("2014-08-22T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2014-03-28T00:00:00.000Z"),
       grade: 'C',
       score: 131
       date: ISODate("2013-09-25T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2013-04-08T00:00:00.000Z"),
       grade: 'B',
       score: 25
                                                   0
                                                         Ħŧ
                                                                                                                                🏊 29°C ∧ 🦟 🔄 ➪») 🚃 ENG
          Type here to search
```

```
Select mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
      "cuisine":{$ne:"Americian"},
..... "grades.grade":"A",
..... "borough":{$ne:"Brookiyn"}
... ).sort({"cuisine":-1});
   _id: ObjectId("6288a883221a3bc46cac7dab"),
   address: {
     building: '89',
     coord: [ -73.9995899, 40.7168015 ],
     street: 'Baxter Street',
     zipcode: '10013'
   borough: 'Manhattan',
   cuisine: 'Vietnamese/Cambodian/Malaysia',
   grades: [
       date: ISODate("2014-08-21T00:00:00.000Z"),
       grade: 'A',
       score: 13
       date: ISODate("2013-08-31T00:00:00.000Z"),
       grade: 'A',
       score: 13
       date: ISODate("2013-04-11T00:00:00.000Z"),
       grade: 'C',
       score: 3
       date: ISODate("2012-10-17T00:00:00.000Z"),
       grade: 'A',
       score: 4
                                                  0
                                                        ≓ŧ
                                                                                                                            Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
... {name: /Wil/},
. . . {
..... "restaurant_id": 1,
..... "name": 1,
..... "borough": 1,
.... "cuisine": 1
...);
   _id: ObjectId("6288a881221a3bc46cac76a6"),
   borough: 'Brooklyn',
   cuisine: 'Delicatessen',
   name: "Wilken'S Fine Food",
   restaurant_id: '40356483'
   _id: ObjectId("6288a881221a3bc46cac76a9"),
   borough: 'Bronx',
   cuisine: 'American',
   name: 'Wild Asia',
   restaurant_id: '40357217'
   _id: ObjectId("6288a886221a3bc46cac8420"),
   borough: 'Bronx',
   cuisine: 'American ',
   name: 'The Williamsbridge Tavern',
   restaurant_id: '40852754'
   _id: ObjectId("6288a886221a3bc46cac84ae"),
   borough: 'Bronx',
   cuisine: 'Pizza',
   name: 'Wilbel Pizza',
   restaurant_id: '40871979'
Atlas atlas-14p2yt-shard-0 [primary] restaurants>
                                                                                                                           Ħŧ
         Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {name: /ces$/},
. . . {
..... "restaurant_id": 1,
..... "name": 1,
..... "borough": 1,
.... "cuisine": 1
...);
   _id: ObjectId("6288a883221a3bc46cac7b32"),
   borough: 'Manhattan',
   cuisine: 'American',
   name: 'Pieces',
   restaurant_id: '40399910'
   _id: ObjectId("6288a883221a3bc46cac7bf1"),
   borough: 'Queens',
   cuisine: 'American',
   name: 'S.M.R Restaurant Services',
   restaurant_id: '40403857'
   _id: ObjectId("6288a883221a3bc46cac7bf7"),
   borough: 'Manhattan',
   cuisine: 'American',
   name: 'Good Shepherd Services',
   restaurant_id: '40403989'
   _id: ObjectId("6288a884221a3bc46cac80aa"),
   borough: 'Queens',
   cuisine: 'Ice Cream, Gelato, Yogurt, Ices',
   name: "The Ice Box-Ralph'S Famous Italian Ices",
   restaurant_id: '40690899'
                                                                                                                           Ħŧ
         Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {name: /
. . . {
..... "restaurant_id": 1,
..... "name": 1,
..... "borough": 1,
.... "cuisine": 1
...);
   _id: ObjectId("6288a881221a3bc46cac76a7"),
   borough: 'Brooklyn',
   cuisine: 'American ',
   name: 'Regina Caterers',
   restaurant_id: '40356649'
   _id: ObjectId("6288a881221a3bc46cac77a4"),
   borough: 'Manhattan',
   cuisine: 'Café/Coffee/Tea',
   name: 'Caffe Reggio',
   restaurant_id: '40369418'
   _id: ObjectId("6288a881221a3bc46cac78b3"),
   borough: 'Manhattan',
   cuisine: 'American',
   name: 'Regency Hotel',
   restaurant_id: '40382679'
   _id: ObjectId("6288a883221a3bc46cac7bd0"),
   borough: 'Manhattan',
   cuisine: 'American ',
   name: 'Regency Whist Club',
   restaurant_id: '40402377'
                                                                                                                           Ħŧ
         Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "borough": "Bronx",
..... $or:[
..... {"cuisine":"American"},
..... {"cuisine":"Chinese"}
. . . . .
...);
   _id: ObjectId("6288a881221a3bc46cac76c2"),
   address: {
     building: '1236',
     coord: [ -73.8893654, 40.81376179999999 ],
     street: '238 Spofford Ave',
     zipcode: '10474'
   borough: 'Bronx',
   cuisine: 'Chinese',
   grades: [
       date: ISODate("2013-12-30T00:00:00.000Z"),
       grade: 'A',
       score: 8
       date: ISODate("2013-01-08T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2012-06-12T00:00:00.000Z"),
       grade: 'B',
       score: 15
   name: 'Happy Garden',
   restaurant_id: '40363289'
                                                                            (a) 30°C ∧ (a) (b) (iii) ENG 21-05-2022
                                                    0
                                                          Ħŧ
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "borough":{$in:["Staten Island","Queens","Bronx","Brooklyn"]}
..... },
. . . {
..... "restaurant_id":1,
..... "name":1,
..... "borough":1,
.... "cuisine":1
...);
   _id: ObjectId("6288a881221a3bc46cac769f"),
   borough: 'Bronx',
   cuisine: 'Bakery',
   name: 'Morris Park Bake Shop',
   restaurant_id: '30075445'
   _id: ObjectId("6288a881221a3bc46cac76a0"),
   borough: 'Brooklyn',
   cuisine: 'Hamburgers',
   name: "Wendy'S",
   restaurant_id: '30112340'
   _id: ObjectId("6288a881221a3bc46cac76a2"),
   borough: 'Brooklyn',
   cuisine: 'American',
   name: 'Riviera Caterer',
   restaurant_id: '40356018'
   _id: ObjectId("6288a881221a3bc46cac76a3"),
   borough: 'Queens',
   cuisine: 'Jewish/Kosher',
   name: 'Tov Kosher Kitchen',
   restaurant_id: '40356068'
                                                                                                                                 (a) 30°C ∧ (a) (b) (iiii ENG 21-05-2022)
                                                    0
                                                          ≓ŧ
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "borough":{$nin:["Staten Island","Queens","Bronx","Brooklyn"]}
..... },
. . . {
..... "restaurant_id":1,
..... "name":1,
..... "borough":1,
.... "cuisine":1
...);
   _id: ObjectId("6288a881221a3bc46cac76a1"),
   borough: 'Manhattan',
   cuisine: 'Irish',
   name: 'Dj Reynolds Pub And Restaurant',
   restaurant_id: '30191841'
   _id: ObjectId("6288a881221a3bc46cac76ac"),
   borough: 'Manhattan',
   cuisine: 'American',
   name: '1 East 66Th Street Kitchen',
   restaurant_id: '40359480'
   _id: ObjectId("6288a881221a3bc46cac76b1"),
   borough: 'Manhattan',
   cuisine: 'American',
   name: 'Glorious Food',
   restaurant_id: '40361521
   _id: ObjectId("6288a881221a3bc46cac76b4"),
   borough: 'Manhattan',
   cuisine: 'Delicatessen',
   name: "Bully'S Deli",
   restaurant_id: '40361708'
                                                   0
                                                         ≓ŧ
                                                                                                                                🗀 30°C \land 🦟 🔄 վ») 🚃 ENG
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "grades.score":{$not:{$gt:10}}
..... },
. . . {
..... "restaurant_id":1,
..... "name":1,
..... "borough":1,
.... "cuisine":1
...);
   _id: ObjectId("6288a881221a3bc46cac76aa"),
   borough: 'Brooklyn',
   cuisine: 'American',
   name: 'C & C Catering Service',
   restaurant_id: '40357437'
   _id: ObjectId("6288a881221a3bc46cac76ac"),
   borough: 'Manhattan',
   cuisine: 'American ',
   name: '1 East 66Th Street Kitchen',
   restaurant_id: '40359480'
   _id: ObjectId("6288a881221a3bc46cac76b0"),
   borough: 'Brooklyn',
   cuisine: 'Delicatessen',
   name: 'Nordic Delicacies',
   restaurant_id: '40361390'
   _id: ObjectId("6288a881221a3bc46cac76b9"),
   borough: 'Brooklyn',
   cuisine: 'Hamburgers',
   name: 'White Castle',
   restaurant_id: '40362344'
                                                                                                                           Ħŧ
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
... {$or:[
..... {name: /^Wil/},
..... {"$and":[
\dots {"cuisine":{$ne:"American"}},
...... {"cuisine":{$ne:"Chinees"}}
............]}
..... ]},
... {"restaurant_id":1,"name":1,"borough":1,"cuisine":1}
   _id: ObjectId("6288a881221a3bc46cac769f"),
   borough: 'Bronx',
   cuisine: 'Bakery',
   name: 'Morris Park Bake Shop',
   restaurant_id: '30075445'
   _id: ObjectId("6288a881221a3bc46cac76a0"),
   borough: 'Brooklyn',
   cuisine: 'Hamburgers',
   name: "Wendy'S",
   restaurant_id: '30112340'
   _id: ObjectId("6288a881221a3bc46cac76a1"),
   borough: 'Manhattan',
   cuisine: 'Irish',
   name: 'Dj Reynolds Pub And Restaurant',
   restaurant_id: '30191841'
   _id: ObjectId("6288a881221a3bc46cac76a2"),
   borough: 'Brooklyn',
   cuisine: 'American',
   name: 'Riviera Caterer',
   restaurant_id: '40356018'
 },
                                                                                                                           0
         Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "grades.date": ISODate("2014-08-11T00:00:00Z"),
      'grades.grade":"A",
      'grades.score":11
..... },
. . . {
..... "restaurant_id":1, "name":1, "grades":1
...);
   _id: ObjectId("6288a881221a3bc46cac771d"),
   grades: [
       date: ISODate("2014-08-11T00:00:00.000Z"),
       grade: 'A',
       score: 13
       date: ISODate("2013-07-22T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2013-03-14T00:00:00.000Z"),
       grade: 'A',
       score: 12
       date: ISODate("2012-07-02T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2012-02-02T00:00:00.000Z"),
       grade: 'A',
       score: 10
                                                                                                                                 🦰 31°C ^ 🦟 🔄 ➪») 🚃 ENG
                                                    0
                                                         Ħŧ
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "grades.1.date":ISODate("2014-08-11T00:00:00Z"),
      "grades.1.grade":"A",
      'grades.1.score":9
..... },
. . . {
..... "restaurant_id":1, "name":1, "grades":1
...);
   _id: ObjectId("6288a883221a3bc46cac7cca"),
   grades: [
       date: ISODate("2015-01-12T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2014-08-11T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2014-01-14T00:00:00.000Z"),
       grade: 'A',
       score: 13
       date: ISODate("2013-02-07T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2012-04-30T00:00:00.000Z"),
       grade: 'A',
       score: 11
                                                                                                                                 🧥 31°C ∧ 🦟 🔄 ➪») 🚃 ENG
                                                   0
                                                         Ħŧ
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "address.coord.1":{$gt:42,$1te:52}
..... },
. . . {
      "restaurant_id":1,"name":1,"address":1,"cooord":1
. . . . .
...);
   _id: ObjectId("6288a881221a3bc46cac7941"),
   address: {
     building: '47',
     coord: [ -78.877224, 42.89546199999999 ],
     street: 'Broadway @ Trinity Pl',
     zipcode: '10006'
   name: "T.G.I. Friday'S",
   restaurant_id: '40387990'
   _id: ObjectId("6288a881221a3bc46cac796d"),
   address: {
     building: '1',
     coord: [ -0.7119979, 51.6514664 ],
     street: 'Pennplaza E, Penn Sta',
     zipcode: '10001'
   name: 'T.G.I. Fridays',
   restaurant_id: '40388936'
   _id: ObjectId("6288a883221a3bc46cac7bc6"),
   address: {
     building: '3000',
     coord: [ -87.86567699999999, 42.61150920000001 ],
     street: '47 Avenue',
     zipcode: '11101'
                                                  0
                                                        Ħŧ
                                                                                                                              Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find().sort(
... {"name":1});
   _id: ObjectId("6288a886221a3bc46cac832f"),
   address: {
     building: '129',
     coord: [ -73.962943, 40.685007 ],
     street: 'Gates Avenue',
     zipcode: '11238'
   borough: 'Brooklyn',
   cuisine: 'Italian',
   grades: [
       date: ISODate("2014-03-06T00:00:00.000Z"),
       grade: 'A',
       score: 5
       date: ISODate("2013-08-29T00:00:00.000Z"),
       grade: 'A',
       score: 2
       date: ISODate("2013-03-08T00:00:00.000Z"),
       grade: 'A',
       score: 7
       date: ISODate("2012-06-27T00:00:00.000Z"),
       grade: 'A',
       score: 7
       date: ISODate("2011-11-17T00:00:00.000Z"),
       grade: 'A',
       score: 12
                                                   0
                                                         Ħŧ
       Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find().sort(
... {"name":-1}
...);
   _id: ObjectId("6288a881221a3bc46cac775e"),
   address: {
     building: '6946',
     coord: [ -73.8811834, 40.7017759 ],
     street: 'Myrtle Avenue',
     zipcode: '11385'
   borough: 'Queens',
   cuisine: 'German',
   grades: [
       date: ISODate("2014-09-24T00:00:00.000Z"),
       grade: 'A',
       score: 11
       date: ISODate("2014-04-17T00:00:00.000Z"),
       grade: 'A',
       score: 7
       date: ISODate("2013-03-12T00:00:00.000Z"),
       grade: 'A',
       score: 13
       date: ISODate("2012-10-02T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2012-05-09T00:00:00.000Z"),
       grade: 'A',
       score: 13
                                                                                                                         0
                                                      Ħŧ
      Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find().sort(
..... "cuisine":1,
..... "borough":-1
. . . . . }
...);
   _id: ObjectId("6288a883221a3bc46cac7d8a"),
   address: {
     building: '1345',
     coord: [ -73.959249, 40.768076 ],
     street: '2 Avenue',
     zipcode: '10021'
   borough: 'Manhattan',
   cuisine: 'Afghan',
   grades: [
       date: ISODate("2014-10-07T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2013-10-23T00:00:00.000Z"),
       grade: 'A',
       score: 8
       date: ISODate("2012-10-26T00:00:00.000Z"),
       grade: 'A',
       score: 13
       date: ISODate("2012-04-26T00:00:00.000Z"),
       grade: 'A',
       score: 7
                                                                                                                                🧥 31°C ∧ 🦟 🔄 ➪») 🚃 ENG
                                                   0
                                                         Ħŧ
```

Type here to search

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "address.street":{$exists:true}
. . . . . }
...);
   _id: ObjectId("6288a881221a3bc46cac769f"),
   address: {
     building: '1007',
     coord: [ -73.856077, 40.848447 ],
     street: 'Morris Park Ave',
     zipcode: '10462'
   borough: 'Bronx',
   cuisine: 'Bakery',
   grades: [
       date: ISODate("2014-03-03T00:00:00.000Z"),
       grade: 'A',
       score: 2
       date: ISODate("2013-09-11T00:00:00.000Z"),
       grade: 'A',
       score: 6
       date: ISODate("2013-01-24T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2011-11-23T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2011-03-10T00:00:00.000Z"),
                                                                                                                                🦰 31°C ^ 🦟 🔄 ➪») 🚃 ENG
                                                         ≓ŧ
                                                   0
```

Type here to search

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "address.coord":{$type:1}
. . . . . }
...);
   _id: ObjectId("6288a881221a3bc46cac769f"),
   address: {
     building: '1007',
     coord: [ -73.856077, 40.848447 ],
     street: 'Morris Park Ave',
     zipcode: '10462'
   borough: 'Bronx',
   cuisine: 'Bakery',
   grades: [
       date: ISODate("2014-03-03T00:00:00.000Z"),
       grade: 'A',
       score: 2
       date: ISODate("2013-09-11T00:00:00.000Z"),
       grade: 'A',
       score: 6
       date: ISODate("2013-01-24T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2011-11-23T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2011-03-10T00:00:00.000Z"),
                                                                                                                                🦰 31°C ^ 🦟 🔄 ➪») 🚃 ENG
                                                         ≓ŧ
                                                   0
          Type here to search
```

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... "grades.score":{$mod:[7,0]}
..... },
      "restaurant_id":1,"name":1,"grades":1
...);
   _id: ObjectId("6288a881221a3bc46cac769f"),
   grades: [
       date: ISODate("2014-03-03T00:00:00.000Z"),
       grade: 'A',
       score: 2
       date: ISODate("2013-09-11T00:00:00.000Z"),
       grade: 'A',
       score: 6
       date: ISODate("2013-01-24T00:00:00.000Z"),
       grade: 'A',
       score: 10
       date: ISODate("2011-11-23T00:00:00.000Z"),
       grade: 'A',
       score: 9
       date: ISODate("2011-03-10T00:00:00.000Z"),
       grade: 'B',
       score: 14
   name: 'Morris Park Bake Shop',
                                                                                                                               ☆ Start... ^ ( 🚾 ♦) 📰 ENG 21-05-2022
                                                   0
                                                         ≓ŧ
```

Type here to search

```
mongosh mongodb+srv://<credentials>@test.boitr.mongodb.net/Test
Atlas atlas-14p2yt-shard-0 [primary] restaurants> db.addresses.find(
..... name:{$regex: /^Mad/i,}
..... },
... {
..... "name":1,
..... "borough":1,
..... "address.coord":1,
.... "cuisine":1
...);
   _id: ObjectId("6288a883221a3bc46cac7bdb"),
   address: { coord: [ -73.9860597, 40.7431194 ] },
   borough: 'Manhattan',
   cuisine: 'American',
   name: 'Madison Square'
   _id: ObjectId("6288a883221a3bc46cac7ca9"),
   address: { coord: [ -73.98302199999999, 40.742313 ] },
   borough: 'Manhattan',
   cuisine: 'Indian',
   name: 'Madras Mahal'
   _id: ObjectId("6288a884221a3bc46cac7f57"),
   address: { coord: [ -74.000002, 40.72735 ] },
   borough: 'Manhattan',
   cuisine: 'American',
   name: 'Madame X'
   _id: ObjectId("6288a884221a3bc46cac8007"),
   address: { coord: [ -73.98171959999999, 40.7499406 ] },
   borough: 'Manhattan',
   cuisine: 'French',
   name: 'Madison Bistro'
                                                                                                                                合 30°C 🗥 🦟 🔄 վ») 🚃 ENG
                                                   0
                                                         Ħ
          Type here to search
```