

TUD Neo — Modern White Theme

Clean footline, geometric accent

Sihao Wei

Faculty of Transportation and Traffic Sciences

October 30, 2025



Outline

1 Bullets & Math

- Inline and Display
- Blocks

2 Algorithms

- Pseudocode

3 Tables & Figures

- Table
- Figure

4 Code

5 References

Outline

1 Bullets & Math

2 Algorithms

3 Tables & Figures

4 Code

5 References

Outline

1 Bullets & Math

- Inline and Display
- Blocks

2 Algorithms

- Pseudocode

3 Tables & Figures

- Table
- Figure

4 Code

5 References

Bullets & Math

Item: Clean white background with TU blue accents inspired by TU Dresden's visual identity [1].

Note: Readable footline; total pages + pages left in the header [2].

Inline math: $f(x) = x^2$, bold vector $\mathbf{v} \in \mathbb{R}^3$.

Displayed integral:

$$\int_0^1 x^m dx = \frac{1}{m+1}, \quad m > -1.$$

Outline

1 Bullets & Math

- Inline and Display
- Blocks

2 Algorithms

- Pseudocode

3 Tables & Figures

- Table
- Figure

4 Code

5 References

Blocks

Strong statement

Clean block environments; titles use TU blue with white text.

Example

Use white titles with blue text for helpful tips.

Outline

- 1 Bullets & Math
- 2 Algorithms**
- 3 Tables & Figures
- 4 Code
- 5 References

Outline

1 Bullets & Math

- Inline and Display
- Blocks

2 Algorithms

- Pseudocode

3 Tables & Figures

- Table
- Figure

4 Code

5 References

Pseudocode

Algorithm 1 Greedy Selection (toy)

Require: set S , score $w(\cdot)$, budget k

Ensure: subset A

```
1:  $A \leftarrow \emptyset$ 
2: while  $|A| < k$  do
3:    $x \leftarrow \arg \max_{y \in S \setminus A} w(y)$ 
4:    $A \leftarrow A \cup \{x\}$ 
5: end while
6: return  $A$ 
```

Outline

- 1 Bullets & Math
- 2 Algorithms
- 3 Tables & Figures**
- 4 Code
- 5 References

Outline

1 Bullets & Math

- Inline and Display
- Blocks

2 Algorithms

- Pseudocode

3 Tables & Figures

- Table
- Figure

4 Code

5 References

Table

Table 1: Tiny example with booktabs.

Method	Accuracy	Time (s)
A	0.92	12.3
B	0.89	9.8

Outline

1 Bullets & Math

- Inline and Display
- Blocks

2 Algorithms

- Pseudocode

3 Tables & Figures

- Table
- Figure

4 Code

5 References

Figure



Figure 1: Example figure (use `example-graph.pdf/png/jpeg`) [3].

Outline

- 1 Bullets & Math
- 2 Algorithms
- 3 Tables & Figures
- 4 Code**
- 5 References

Listings

Listing 1: Simple Python snippet

```
def f(x: float) -> float:  
    return x*x + 1.0  
  
print(f(2.0))
```

Outline

- 1 Bullets & Math
- 2 Algorithms
- 3 Tables & Figures
- 4 Code
- 5 References**

Bibliography I

- 1 George B. Dantzig. “Linear Programming and Extensions”. In: *The RAND Corporation* (1951)
- 2 Claude Berge. *Graphs and Hypergraphs*. North-Holland, 1963
- 3 Edsger W. Dijkstra. “A Note on Two Problems in Connexion with Graphs”. In: *Numerische Mathematik*. 1959, pp. 269–271