

1. man man

```
MAN(1)                                Manual pager utils                                MAN(1)

NAME
  man - an interface to the system reference manuals

SYNOPSIS
  man [man options] [[section] page ...] ...
  man -k [apropos options] regexp ...
  man -K [man options] [section] term ...
  man -f [whatis options] page ...
  man -l [man options] file ...
  man -w|-W [man options] page ...

DESCRIPTION
  man is the system's manual pager. Each page argument given to man is
  normally the name of a program, utility or function. The manual page
  associated with each of these arguments is then found and displayed. A
  section, if provided, will direct man to look only in that section of
  the manual. The default action is to search in all of the available
  sections following a pre-defined order (see DEFAULTS), and to show only
  the first page found, even if page exists in several sections.

  The table below shows the section numbers of the manual followed by the
  types of pages they contain.

  1 Executable programs or shell commands
  2 System calls (functions provided by the kernel)
  3 Library calls (functions within program libraries)
  4 Special files (usually found in /dev)
  5 File formats and conventions, e.g. /etc/passwd
  6 Games
  7 Miscellaneous (including macro packages and conventions), e.g.
  man(7), groff(7), man-pages(7)
  8 System administration commands (usually only for root)
  9 Kernel routines [Non standard]

  A manual page consists of several sections.

  Conventional section names include NAME, SYNOPSIS, CONFIGURATION, DE-
  SCRIPTON, OPTIONS, EXIT STATUS, RETURN VALUE, ERRORS, ENVIRONMENT,
  FILES, VERSIONS, CONFORMING TO, NOTES, BUGS, EXAMPLE, AUTHORS, and
  SEE ALSO.

  The following conventions apply to the SYNOPSIS section and can be used
  as a guide in other sections.

  bold text      type exactly as shown.
  italic text    replace with appropriate argument.
  [-abc]         any or all arguments within [ ] are optional.
  -a|-b          options delimited by | cannot be used together.
  argument ...   argument is repeatable.
  [expression] ... entire expression within [ ] is repeatable.
```

2. uname

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ uname
Linux
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

3. pwd

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ pwd
/home/sunbeam
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

4. hostname

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ hostname
sunbeam-Lenovo-Ideapad-V15-ADA
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

5. date

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ date
Friday 24 October 2025 08:40:44 PM IST
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

6. cal

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cal
      October 2025
Su Mo Tu We Th Fr Sa
                1  2  3  4
 5  6  7  8  9 10 11
12 13 14 15 16 17 18
19 20 21 22 23 24 25
26 27 28 29 30 31
```

7. ls, dir

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
Desktop Documents Downloads Music Pictures Public snap Templates Videos
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ dir
Desktop Documents Downloads Music Pictures Public snap Templates Videos
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

8. cat

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat > myNewFile
hey , this is first line of my file.^C
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat > myNewFile
hey, this is the first line of my file.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat myNewFile
hey, this is the first line of my file.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat >> myNewFile
this is appended line into myNewfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat myNewFile
hey, this is the first line of my file.
this is appended line into myNewfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

9. cat >>

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat >> myNewFile
this is another appended line into the existing file myNewFile file.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat myNewFile
hey, this is the first line of my file.
this is appended line into myNewfile
this is another appended line into the existing file myNewFile file.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

10. Cp

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cp -r newFile myNewFile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat myNewFile
here is the first line
asdf fghhj
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

11 and 12 . mv (rename)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mv newFile myNewFile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

13. tac, rev

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ tac
"hii everyone"

"hii everyone"
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ rev
"hii everyone"
"enoyreve iih"
$
```

14. wc

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ wc myNewfile
 7  27 151 myNewfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

15. mkdir

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir labFolder
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

16. cd

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd ..
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/home$
```

17. rm

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat sampleFile
this is shivam,
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ rm sampleFile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ rm smapleFile
rm: cannot remove 'smapleFile': No such file or directory
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

18. rmdir (removes empty directory)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ rmdir labFolder
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

19. touch

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch newLabfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ man touch
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch newLabfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch newLabfile 10
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch file1 file2 file3 file4 file5 file6 file7
```

20. Sort

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ sort file1
hey
hey
hy
jskd
no
noj
nsodc
sdif
sdui
sjd
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

21. uniq

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat file1
hey
hey
hy
noj
no
sjd
sdui
jskd
nsodc
sdif

sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ uniq file1
hey
hy
noj
no
sjd
sdui
jskd
nsodc
sdif

sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

22. head

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ head -2 file1
hey
hey
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

23. tail

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ tail -3 file1
nsodc
sdif

sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ tail -4 file1
jskd
nsodc
sdif
```

24. factor

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ factor 24
24: 2 2 2 3
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ factor 13
13: 13
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ factor 0
0:
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

25. alias

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ alias sl='ls --color=auto'
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ sl
10 Desktop Documents Downloads file1 file2 file3 file4 file5 file6 file7 Music
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
10 Desktop Documents Downloads file1 file2 file3 file4 file5 file6 file7 Music
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ sl
10 Desktop Documents Downloads file1 file2 file3 file4 file5 file6 file7 Music
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

26. unalias

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ unalias sl
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ sl
Command 'sl' not found, but can be installed with:
sudo apt install sl
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
10 Desktop Documents Downloads file1 file2 file3 file4 file5 file6 file7 Music
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

27. echo

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ echo print the next line
print the next line
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

28. ps

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ps
  PID TTY          TIME CMD
 3034 pts/0    00:00:00 bash
 47487 pts/0    00:00:00 ps
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

29. kill

30. env

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ env
SHELL=/bin/bash
SESSION_MANAGER=local/sunbeam-Lenovo-Ideapad-V15-ADA:@/tmp/.ICE-unix/1473,unix/sunbeam-Lenovo-Ideapad-V15-ADA:/tmp/.ICE-unix/1473
QT_ACCESSIBILITY=1
COLORTERM=truecolor
XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/etc/xdg
SSH_AGENT_LAUNCHER=gnome-keyring
XDG_MENU_PREFIX=gnome-
GNOME_DESKTOP_SESSION_ID=this-is-deprecated
LANGUAGE=en_IN:en
GNOME_SHELL_SESSION_MODE=ubuntu
SSH_AUTH_SOCK=/run/user/1000/keyring/ssh
XMODIFIERS=@im=ibus
DESKTOP_SESSION=ubuntu
GTK_MODULES=gall:atk-bridge
PKW=/home/sunbeam
LOGNAME=sunbeam
XDG_SESSION_DESKTOP=ubuntu
XDG_SESSION_TYPE=wayland
SYSTEMD_EXEC_PID=1496
XAUTHORITY=/run/user/1000/.nutter-Xwaylandauth.B6VRE3
HOME=/home/sunbeam
USERNAME=sunbeam
IM_CONFIG_PHASE=1
LANG=en_IN
LS_COLORS=rs=0:di=01;34:ln=01;36:mh=00:pl=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:ml=00:su=37;41:sg=30;43:ca=30;41:tw=30;42:ow=34;42:st=37;44:ex=01;32:*tar=01;31:*tgz=01;31:*arc=
31:*arj=01;31:*taz=01;31:*lha=01;31:*lzh=01;31:*lzh=01;31:*lzh=01;31:*tlz=01;31:*txz=01;31:*tzo=01;31:*t7z=01;31:*zip=01;31:*z=01;31:*dz=01;31:*gz=01;31:*lrz=01;31:*lzo=01;3
*xz=01;31:*zst=01;31:*test=01;31:*bz2=01;31:*bz=01;31:*tbz=01;31:*tbz2=01;31:*t2=01;31:*deb=01;31:*rpm=01;31:*jar=01;31:*war=01;31:*car=01;31:*sar=01;31:*rar=01;31:*alz=01;31:*ace=01;3
zoo=01;31:*cpio=01;31:*7z=01;31:*rz=01;31:*cab=01;31:*wlm=01;31:*swm=01;31:*dwm=01;31:*esd=01;31:*jpg=01;35:*jpeg=01;35:*njpg=01;35:*mjpeg=01;35:*gif=01;35:*bmp=01;35:*pbm=01;35:*pgm=0
:*ppm=01;35:*tga=01;35:*xbm=01;35:*xpm=01;35:*tif=01;35:*tiff=01;35:*png=01;35:*svg=01;35:*svgz=01;35:*mng=01;35:*pcx=01;35:*mov=01;35:*mpg=01;35:*mpeg=01;35:*m2v=01;35:*mkv=01;35:*web
1;35:*webp=01;35:*ogm=01;35:*mp4=01;35:*m4v=01;35:*mp4v=01;35:*vob=01;35:*qt=01;35:*nuv=01;35:*wmv=01;35:*asf=01;35:*rm=01;35:*rmvb=01;35:*flc=01;35:*avi=01;35:*fli=01;35:*flv=01;35:*c
i;35:*dl=01;35:*xcrf=01;35:*wvd=01;35:*yuv=01;35:*cgm=01;35:*enf=01;35:*ogv=01;35:*ogx=01;35:*aac=00;36:*au=00;36:*flac=00;36:*m4a=00;36:*m1d=00;36:*m1d=00;36:*nka=00;36:*mp3=00;36:*mp
0;36:*ogg=00;36:*ra=00;36:*wav=00;36:*oga=00;36:*opus=00;36:*spx=00;36:*xspf=00;36:
XDG_CURRENT_DESKTOP=ubuntu:GNOME
VTE_VERSION=6800
WAYLAND_DISPLAY=wayland-0
GNOME_TERMINAL_SCREEN=/org/gnome/Terminal/screen/a6a66c6e_6fcd_41ee_8d13_b00bd5e908d9
GNOME_SETUP_DISPLAY=1
LESSCLOSE=/usr/bin/lesspipe %s %s
XDG_SESSION_CLASS=user
TERM=xterm-256color
LESSOPEN=| /usr/bin/lesspipe %s
USER=sunbeam
GNOME_TERMINAL_SERVICE=:1.140
DISPLAY=:0
SHLVL=1
QT_IM_MODULE=ibus
XDG_RUNTIME_DIR=/run/user/1000
XDG_DATA_DIRS=/usr/share/ubuntu:/usr/local/share:/usr/share:/var/lib/snapd/desktop
PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/snap/bin
GNOME_SESSION=ubuntu
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/1000/bus
_=/usr/bin/env
```