

Assignment 2

1. List the directory content date wise short (ls -t)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls -t
Pictures Documents file1 snap file4 file5 file6 file7 file2 file3 10 newLabfile myNewfile 'prac folder'
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
10 Desktop Documents Downloads file1 file2 file3 file4 file5 file6 file7 Music myNewfile newLabfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

2. List the directory content size wise short (ls -s)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls -s
total 52
0 10      4 Documents  4 file1  0 file3  0 file5  0 file7  4 myNewfile  4 Pictures  4 pracfolder  4 snap      4
4 Desktop  4 Downloads  0 file2  0 file4  0 file6  4 Music  0 newLabfile  4 'prac folder'  4 Public    4 Templates
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
10 Desktop Documents Downloads file1 file2 file3 file4 file5 file6 file7 Music myNewfile newLabfile
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

3. List the directory content along with their iNode number. (ls -li)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls -li
1835663 10      1835093 Documents 1835150 file1 1835664 file3 1835666 file5 1835668 file7 1835651 myNewfile 1835095 Pictures 1835329 pracfolder 1835014 snap 1835096 Videos
1835089 Desktop 1835090 Downloads 1835054 file2 1835665 file4 1835667 file6 1835094 Music 1835658 newLabfile 1835626 'prac folder' 1835092 Public 1835091 Templates
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

4. List the content of sub – directory. (ls subDirectoryName).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls Documents
'Assignment1 Question1.odt'
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls Public
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls Downloads
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

5. create a file , write your surname and name in it and save it .

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat > myName
Singh Kashyap
Shivam
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

- i.) Now open the same file and add your address in it and save.


```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat >> myName
Address : Block colony , hilsa , nalanda
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat myName
Singh Kashyap
Shivam
Address : Block colony , hilsa , nalanda
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

ii.) reopen the same file and check your name and address in it.

```
Address : Block colony , hilsa , nalanda
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat myName
Singh Kashyap
Shivam
Address : Block colony , hilsa , nalanda
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

6. How to change the time stamp of file. (man touch)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
12:05 Desktop Documents Downloads Music myName myNewfile Pictures 'prac folder'
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch -t 202012171215.12 myName
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls
```



7. Create directory structure : Give following commands

* create one

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir Assignment2
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

* cd one

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir Assignment2
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd Assignment2
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/Assignment2$
```

* touch 1.txt 11.txt 111.txt

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/Assignment2$ touch 1.txt 11.txt 111.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/Assignment2$
```

* create mkdir two

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/Assignment2$ cd ..
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir two
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

* cd two

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd two
```

* create 2.txt 22.txt 222.txt

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir two
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd two
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/two$ touch 2.txt 22.txt 222.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/two$
```

* mkdir three , cd three , touch 3.txt , 33.txt, 333.txt

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir three
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd three
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/three$ touch 3.txt 33.txt 333.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/three$
```

* mkdir four, cd four, create 4.txt, 44.txt, 444.txt

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir four
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd four
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/four$ touch 4.txt 44.txt 444.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/four$
```

* mkdir five, cd five, create 5.txt, 55.txt, 555.txt

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ mkdir five
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd five
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ touch 5.txt 55.txt 555.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$
```

8.) Considering above directory structure , Do following operations :

i. list the directory contents of directory named "five" from current directory (i.e. home directory).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls five
555.txt 55.txt 5.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

ii. write your name in a file named "44.txt" of directory "four" from current directory.

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ echo "Shivam Singh Kashyap" > four/44.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat four/44.txt
Shivam Singh Kashyap
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

iii. remove the file named "555.txt" from directory "five" from current directory.

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ rm five/555.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ ls five
55.txt 5.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

iv. change directory to five (i.e cd one/two/three/four/five/)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd two
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/two$ cd
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd three
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/three$ cd
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd four
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/four$ cd
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd five
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ cd
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

v. write your course name in file named "3.txt" which resides in directory "three" from current directory (i.e. five).also read the same file.

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ echo "Pg-dac" > ../three/3.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ cat ../three/3.txt
Pg-dac
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$
```

vi. list the contents of directory "two" from current directory (i.e. five)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ ls ../two
222.txt  22.txt  2.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$
```

vii. remove file named "222.txt" which belongs to directory "two" from current directory (i.e. five)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ rm ../two/222.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$ ls ../two
22.txt  2.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/five$
```

viii. now change the directory to "one"

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cd one
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$
```

ix. remove all files only from directory named "five" from current directory (i.e. one)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$ rm ../five/*
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$ ls ../five
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$
```

xi. remove whole directory named "four" from current directory (i.e. one)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$ rm ../four/*
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$ ls ../four
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$
```

xii. change to your home directory.

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$ ls ../four  
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~/one$ cd  
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

9. change the time stamp of file named "3.txt" which resides in directory named "three".(man touch)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch -t 202012171215.25 three/3.txt  
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

