

Assignment 4

1. count the no. of words ,characters and lines from above 2 file.(man wc).
Wc : count the no. of words ,characters and lines from above 2 file.(man wc)

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ touch data.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat > data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ wc -l
^C
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ wc data.txt
  6  25 146 data.txt
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

2. list the lines having word "files" (man grep).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ man grep
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ grep "file" data.txt
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

3. list the lines having word "files" (man grep).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ man grep
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ grep "file" data.txt
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

4. list the lines which don't have word "files" (man grep).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ grep -v "file" data.txt
Linux is open source.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

5. list the lines having word "have" . (man grep).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ grep "have" data.txt
files have permissions.
files have inode no.
files have size.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

6. list the lines starts with letter "f" (man grep).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ grep "^f" data.txt
files have permissions.
files have inode no.
files have size.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

7. list the lines ends with "." (man grep).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ grep "\.$" data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

8. list only first two lines.(man head).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ head -2 data.txt
Linux is open source.
In Linux everything is file.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

9. list only last three lines.(man tail).

```
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ tail -3 data.txt
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```

10. list line no.3,4 and 5 . (man head and tail)

```
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ head -5 data.txt | tail -3
files have permissions.
files have inode no.
files have size.
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$ cat data.txt
Linux is open source.
In Linux everything is file.
files have permissions.
files have inode no.
files have size.
there are several types of files
sunbeam@sunbeam-Lenovo-Ideapad-V15-ADA:~$
```