

Assignment – 4

- i. count the no. of words ,characters and lines from above 2 file.(man wc)

Answer :

➤ cat > data.txt << EOF

Linux is open source.

In Linux everything is file

files have permissions.

files have inode no.

files have size.

there are several types of files

EOF

➤ cat data.txt

- ii. list the lines having word "files" (man grep).

Answer : wc data.txt

- iii. list the lines having word "file" (man grep).

Answer : grep "file" data.txt

OR : grep -w "file" data.txt

- iv. list the lines which don't have word "files" (man grep).

Answer : grep -v "files" data.txt

- v. list the lines having word "have" . (man grep)

Answer : grep "have" data.txt

- vi. list the lines starts with letter "f" (man grep)

Answer : grep "^f" data.txt

```

prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cat > data.txt << EOF
Linux is open source.
In Linux everything is file
files have permissions.
files have inode no.
files have size.
there are several types of files
EOF
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cat data.txt
Linux is open source.
In Linux everything is file
files have permissions.
files have inode no.
files have size.
there are several types of files
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ wc data.txt
  6  25 145 data.txt
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep "files" data.txt
files have permissions.
files have inode no.
files have size.
there are several types of files
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep "file" data.txt
In Linux everything is file
files have permissions.
files have inode no.
files have size.
there are several types of files
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep -w "file" data.txt
In Linux everything is file
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep -v "file" data.txt
Linux is open source.
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep -v "files" data.txt
Linux is open source.
In Linux everything is file
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep -w "have" data.txt
files have permissions.
files have inode no.
files have size.
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep "^f" data.txt
files have permissions.
files have inode no.
files have size.
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ █

```

vii. list the lines ends with "." (man grep)

Answer : `grep "^f" data.txt`

viii. list only first two lines.(man head)

Answer: `grep "\.$" data.txt`

ix. list only last three lines.(man tail)

Answer : head -2 data.txt

- x. list line no.3,4 and 5 . (man head and tail)

Answer : tail -n 3 data.txt

```
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep "^f" data.txt
files have permissions.
files have inode no.
files have size.
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ grep "\.$" data.txt
Linux is open source.
files have permissions.
files have inode no.
files have size.
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ head -n 2 data.txt
Linux is open source.
In Linux everything is file
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ tail -n 3 data.txt
files have inode no.
files have size.
there are several types of files
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ head -n 5 data.txt | tail -n 3
files have permissions.
files have inode no.
files have size.
prakhar@PRAKHAR-96378-D1:~/temp/ass2$
```