

Assignment 2

1.	man	Command to get help about commands
2.	uname	Print System information
3.	pwd	Print current directory
4.	hostname	Print IP address and hostname of the machine
5.	date	Find today's date
6.	cal	Print calendar for current year

```
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ man uname
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ uname
Linux
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ pwd
/home/prakhar/temp/ass2
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ hostname
PRAKHAR-96378-D1
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ date
Wed May 20 15:45:34 IST 2026
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cal
Command 'cal' not found, but can be installed with:
sudo apt install ncal
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cal -y
Command 'cal' not found, but can be installed with:
sudo apt install ncal
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cal 2026
Command 'cal' not found, but can be installed with:
sudo apt install ncal
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cal 2026
```

2026																					
January							February							March							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
					1	2	3	1	2	3	4	5	6	7	1	2	3	4	5	6	7
4	5	6	7	8	9	10	8	9	10	11	12	13	14	8	9	10	11	12	13	14	
11	12	13	14	15	16	17	15	16	17	18	19	20	21	15	16	17	18	19	20	21	
18	19	20	21	22	23	24	22	23	24	25	26	27	28	22	23	24	25	26	27	28	
25	26	27	28	29	30	31								29	30	31					

April							May							June						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
				1	2	3	4					1	2		1	2	3	4	5	6
5	6	7	8	9	10	11	3	4	5	6	7	8	9	7	8	9	10	11	12	13
12	13	14	15	16	17	18	10	11	12	13	14	15	16	14	15	16	17	18	19	20
19	20	21	22	23	24	25	17	18	19	20	21	22	23	21	22	23	24	25	26	27
26	27	28	29	30			24	25	26	27	28	29	30	28	29	30				
							31													

July							August							September							
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	
				1	2	3	4						1				1	2	3	4	5
5	6	7	8	9	10	11	2	3	4	5	6	7	8	6	7	8	9	10	11	12	
12	13	14	15	16	17	18	9	10	11	12	13	14	15	13	14	15	16	17	18	19	
19	20	21	22	23	24	25	16	17	18	19	20	21	22	20	21	22	23	24	25	26	
26	27	28	29	30	31		23	24	25	26	27	28	29	27	28	29	30				
							30	31													

October							November							December						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
				1	2	3	1	2	3	4	5	6	7			1	2	3	4	5
4	5	6	7	8	9	10	8	9	10	11	12	13	14	6	7	8	9	10	11	12
11	12	13	14	15	16	17	15	16	17	18	19	20	21	13	14	15	16	17	18	19
18	19	20	21	22	23	24	22	23	24	25	26	27	28	20	21	22	23	24	25	26
25	26	27	28	29	30	31	29	30						27	28	29	30	31		

7.	ls, dir	See directory structure
8.	cat	Create file
9.	cat >>	Append some text into existing file
10.	cp	Copy a file, Copy a directory
11.	mv	Move the files
12.	mv	Rename a file

```

ass2 myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ dir
ass2 myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ cat myfule.txt
cat: myfule.txt: No such file or directory
prakhar@PRAKHAR-96378-D1:~/temp$ cat myfile.txt
Prakhar Vishwakarma
Indore, Madhya Pradesh
prakhar@PRAKHAR-96378-D1:~/temp$ cat file1.txt
cat: file1.txt: No such file or directory
prakhar@PRAKHAR-96378-D1:~/temp$ cat > file1.txt
Hello from the world of linux.prakhar@PRAKHAR-96378-D1:~/temp$ cat file1.txt
Hello from the world of linux.prakhar@PRAKHAR-96378-D1:~/temp$ cat >> file1.txt
Here you will know some command to learn linux.
prakhar@PRAKHAR-96378-D1:~/temp$ cat file1.txt
Hello from the world of linux.Here you will know some command to learn linux.
prakhar@PRAKHAR-96378-D1:~/temp$ cp file1.txt file2.txt
prakhar@PRAKHAR-96378-D1:~/temp$ cat file2.txt
Hello from the world of linux.Here you will know some command to learn linux.
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ cp -r ass2 ass2_cp
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ cd ass2_cp
prakhar@PRAKHAR-96378-D1:~/temp/ass2_cp$ ls
data.txt file1.txt file2.txt
prakhar@PRAKHAR-96378-D1:~/temp/ass2_cp$ cd ..
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ cd ass2
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ ls
data.txt file1.txt file2.txt
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ mv file1.txt ../one
prakhar@PRAKHAR-96378-D1:~/temp/ass2$ cd ../one
prakhar@PRAKHAR-96378-D1:~/temp/one$ ls
1.txt 11.txt 111.txt file1.txt two
prakhar@PRAKHAR-96378-D1:~/temp/one$ mv file1.txt new_file1.txt
prakhar@PRAKHAR-96378-D1:~/temp/one$ ls
1.txt 11.txt 111.txt new_file1.txt two
prakhar@PRAKHAR-96378-D1:~/temp/one$ cat new_file1.txt
Hello from the world of Linux.
prakhar@PRAKHAR-96378-D1:~/temp/one$ cat >> new_file1.txt
Here you are gonna learn some commands related to linux.
Raj Shourya Pritam and Chacha are my dosto.
prakhar@PRAKHAR-96378-D1:~/temp/one$ cat new_file1.txt
Hello from the world of Linux.
Here you are gonna learn some commands related to linux.
Raj Shourya Pritam and Chacha are my dosto.

```

13.	tac, rev	Print the file in reverse order, Reverse each line in the file
14.	wc	Count the words, characters and lines in a file
15.	mkdir	Create directory
16.	cd	Change current directory
17.	rm	Remove a file, remove a directory (with -R)
18.	rmdir	remove empty directory

```

prakhar@PRAKHAR-96378-D1:~/temp/one$ cat new_file1.txt
Hello from the world of Linux.
Here you are gonna learn some commands related to linux.
Raj Shourya Pritam and Chacha are my dosts.
prakhar@PRAKHAR-96378-D1:~/temp/one$ tac new_file1.txt
Raj Shourya Pritam and Chacha are my dosts.
Here you are gonna learn some commands related to linux.
Hello from the world of Linux.
prakhar@PRAKHAR-96378-D1:~/temp/one$ rev new_file1.txt
.xunił fo ɹıow eht morf olleH
.xunił ot detaler sdnammoc emos nrael annog era uoy ereH
.stsod ym era ahcahC dna matirP ayruohS jaR
prakhar@PRAKHAR-96378-D1:~/temp/one$ wc -c new_file1.txt
133 new_file1.txt
prakhar@PRAKHAR-96378-D1:~/temp/one$ ls
1.txt 11.txt 111.txt new_file1.txt two
prakhar@PRAKHAR-96378-D1:~/temp/one$ cd ..
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ cd two
-bash: cd: two: No such file or directory
prakhar@PRAKHAR-96378-D1:~/temp$ mkdir two
prakhar@PRAKHAR-96378-D1:~/temp$ cd two
prakhar@PRAKHAR-96378-D1:~/temp/two$ touch file.txt
prakhar@PRAKHAR-96378-D1:~/temp/two$ ls
file.txt
prakhar@PRAKHAR-96378-D1:~/temp/two$ rm file.txt
prakhar@PRAKHAR-96378-D1:~/temp/two$ ls
prakhar@PRAKHAR-96378-D1:~/temp/two$ cd ..
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one two
prakhar@PRAKHAR-96378-D1:~/temp$ rmdir two
Command 'rmdir' not found, did you mean:
  command 'rmdir' from deb coreutils (8.32-4.1ubuntu1.3)
  command 'mmdir' from deb simh (3.8.1-6.1)
Try: sudo apt install <deb name>
prakhar@PRAKHAR-96378-D1:~/temp$ rmdir two
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$

```

19. touch change the modification time , Create Multiple empty files at once.

```

prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ touch file1.txt
prakhar@PRAKHAR-96378-D1:~/temp$ ls
ass2 ass2_cp file1.txt file2.txt myfile.txt one
prakhar@PRAKHAR-96378-D1:~/temp$ stat file1.txt
  File: file1.txt
  Size: 78          Blocks: 8          IO Block: 4096   regular file
Device: 830h/2096d Inode: 6650         Links: 1
Access: (0664/-rw-rw-r--)  Uid: ( 1000/  prakhar)   Gid: ( 1001/  prakhar)
Access: 2026-05-20 17:25:31.747622312 +0530
Modify: 2026-05-20 17:25:31.747622312 +0530
Change: 2026-05-20 17:25:31.747622312 +0530
 Birth: 2026-05-20 16:11:27.104867752 +0530
prakhar@PRAKHAR-96378-D1:~/temp$ touch -t 202605201630 file1.txt
prakhar@PRAKHAR-96378-D1:~/temp$ stat file1.txt
  File: file1.txt
  Size: 78          Blocks: 8          IO Block: 4096   regular file
Device: 830h/2096d Inode: 6650         Links: 1
Access: (0664/-rw-rw-r--)  Uid: ( 1000/  prakhar)   Gid: ( 1001/  prakhar)
Access: 2026-05-20 16:30:00.000000000 +0530
Modify: 2026-05-20 16:30:00.000000000 +0530
Change: 2026-05-20 17:26:57.499622564 +0530
 Birth: 2026-05-20 16:11:27.104867752 +0530

```

20.	sort	Sort file.
21.	uniq	Avoid repetition in a file.
22.	head	Print the specified number of lines from top in the file.
23.	tail	Print the specified number of lines from bottom in the file.
24.	factor	Find the factors of a number

```
prakhar@PRAKHAR-96378-D1:~/temp$ cat file1.txt
Hello from the world of linux.Here you will know some command to learn linux.
There are so many command in linux to learn.
For example ls , cd , mkdir, touch etc.
prakhar@PRAKHAR-96378-D1:~/temp$ sort -r file1.txt
There are so many command in linux to learn.
Hello from the world of linux.Here you will know some command to learn linux.
For example ls , cd , mkdir, touch etc.
prakhar@PRAKHAR-96378-D1:~/temp$ cat >> file1.txt
```

Apple
Banana
Orange

```
prakhar@PRAKHAR-96378-D1:~/temp$ cat file1.txt
Hello from the world of linux.Here you will know some command to learn linux.
There are so many command in linux to learn.
For example ls , cd , mkdir, touch etc.
```

Apple
Banana
Orange

```
prakhar@PRAKHAR-96378-D1:~/temp$ uniq file1.txt
Hello from the world of linux.Here you will know some command to learn linux.
There are so many command in linux to learn.
For example ls , cd , mkdir, touch etc.
```

Apple
Banana
Orange

```
prakhar@PRAKHAR-96378-D1:~/temp$ sort filename.txt | uniq -c
sort: cannot read: filename.txt: No such file or directory
prakhar@PRAKHAR-96378-D1:~/temp$ sort file1.txt | uniq -c
```

```
1
1 Apple
1 Banana
1 For example ls , cd , mkdir, touch etc.
1 Hello from the world of linux.Here you will know some command to learn linux.
1 Orange
1 There are so many command in linux to learn.
```

```
prakhar@PRAKHAR-96378-D1:~/temp$ head file1.txt
Hello from the world of linux.Here you will know some command to learn linux.
There are so many command in linux to learn.
For example ls , cd , mkdir, touch etc.
```

Apple
Banana
Orange

```
prakhar@PRAKHAR-96378-D1:~/temp$ head -n 4 file1.txt
Hello from the world of linux.Here you will know some command to learn linux.
There are so many command in linux to learn.
For example ls , cd , mkdir, touch etc.
```

```
prakhar@PRAKHAR-96378-D1:~/temp$ tail -n 5 file1.txt
For example ls , cd , mkdir, touch etc.
```

Apple
Banana
Orange

24.	factor	Find the factors of a number
25.	alias	Create command shortcut
26.	unalias	remove the command shortcut
27.	echo	Print environment variables individually
28.	ps	Print current processes
29.	kill	Kill the process
30.	env	Print environment variables

```

prakhar@PRAKHAR-96378-D1:~/temp$ factor 64
64: 2 2 2 2 2 2
prakhar@PRAKHAR-96378-D1:~/temp$ factor 100
100: 2 2 5 5
prakhar@PRAKHAR-96378-D1:~/temp$ alias a1 ="factor 1224"
-bash: alias: a1: not found
-bash: alias: =factor 1224: not found
prakhar@PRAKHAR-96378-D1:~/temp$ alias a1="factor 1224"
prakhar@PRAKHAR-96378-D1:~/temp$ a1
1224: 2 2 2 3 3 17
prakhar@PRAKHAR-96378-D1:~/temp$ unalias a1
prakhar@PRAKHAR-96378-D1:~/temp$ a1
a1: command not found
prakhar@PRAKHAR-96378-D1:~/temp$ echo Hello World
Hello World
prakhar@PRAKHAR-96378-D1:~/temp$ ps
  PID TTY          TIME CMD
  5338 pts/3        00:00:00 bash
  6024 pts/3        00:00:00 ps
prakhar@PRAKHAR-96378-D1:~/temp$ export MY_VAR="Hello World"
prakhar@PRAKHAR-96378-D1:~/temp$ echo $MY_VAR
Hello World

```