```
d2_96390_Shashidhar>create view vname as
    -> select * from customers where rating = (select max(rating) from custo
mers);
Query OK, 0 rows affected (0.01 sec)

d2_96390_Shashidhar>show tables;
+-----------------+
| Tables_in_sales |
+-----------------+
| customers       |
| orders          |
| salespeople     |
| vname           |
+-----------------+
4 rows in set (0.00 sec)

d2_96390_Shashidhar>select * from vname;
+------+----------+----------+--------+------+
| cnum | cname    | city     | rating | snum |
+------+----------+----------+--------+------+
| 2004 | Grass    | Berlin   |    300 | 1002 |
| 2008 | Cisneros | San Jose |    300 | 1007 |
+------+----------+----------+--------+------+
2 rows in set (0.00 sec)
```

```
d2_96390_Shashidhar>select * from vname2;
+-----------+-------------+
| city      | count(snum) |
+-----------+-------------+
| London    |           2 |
| San Jose  |           1 |
| Barcelona |           1 |
| New York  |           1 |
+-----------+-------------+
4 rows in set (0.00 sec)
```

```
+---------+-------+-------------+
| sname   | total | avg         |
+---------+-------+-------------+
| Peel    |     3 | 5127.356667 |
| Serres  |     3 | 1848.716667 |
| Motika  |     1 | 1900.100000 |
| Rifkin  |     2 |  558.425000 |
| Axelrod |     1 | 1713.230000 |
+---------+-------+-------------+
5 rows in set (0.01 sec)

d2_96390_Shashidhar>
```

```
d2_96390_Shashidhar>select s.sname,c.cname from salespeople s inner join cus
tomers c on c.snum = s.snum ;
+---------+----------+
| sname   | cname    |
+---------+----------+
| Peel    | Hoffman  |
| Axelrod | Giovanni |
| Serres  | Liu      |
| Serres  | Grass    |
| Peel    | Clemens  |
| Rifkin  | Cisneros |
| Motika  | Pereira  |
+---------+----------+
7 rows in set (0.06 sec)
```

```
    -> \c
12_96390_Shashidhar>create view vname6 as
    -> select snum, comm from salespeople where comm between 0.10 and 0.20
    -> with check option;
Query OK, 0 rows affected (0.01 sec)

12_96390_Shashidhar>select * from vname6;
+------+------+
| snum | comm |
+------+------+
| 1001 | 0.12 |
| 1002 | 0.13 |
| 1004 | 0.11 |
| 1007 | 0.15 |
| 1003 | 0.10 |
+------+------+
5 rows in set (0.00 sec)

12_96390_Shashidhar>
```

```
12_96390_Shashidhar>Create View Dailyorders
    -> \c
12_96390_Shashidhar>Create View Dailyorders
    -> as Select Distinct cnum, snum, onum, odate from orders;
Query OK, 0 rows affected (0.01 sec)

12_96390_Shashidhar>describe Dailyorders;
+-------+------+------+-----+---------+-------+
| Field | Type | Null | Key | Default | Extra |
+-------+------+------+-----+---------+-------+
| cnum  | int  | YES  |     | NULL    |       |
| snum  | int  | YES  |     | NULL    |       |
| onum  | int  | YES  |     | NULL    |       |
| odate | date | YES  |     | NULL    |       |
+-------+------+------+-----+---------+-------+
4 rows in set (0.01 sec)

12_96390_Shashidhar>insert into Dailyorders values(122,21,01-11-2000);
ERROR 1471 (HY000): The target table Dailyorders of the INSERT is not insert
able-into
12_96390_Shashidhar>
```

```
2_96390_Shashidhar>
2_96390_Shashidhar>Create View Custotals
    -> as Select cname, sum(amt) sum_Amt from orders, customers
    -> where orders.cnum=customers.cnum
    -> Group by cname;
uery OK, 0 rows affected (0.01 sec)

2_96390_Shashidhar>describe Custotals;
+---------+---------------+------+-----+---------+-------+
| Field   | Type          | Null | Key | Default | Extra |
+---------+---------------+------+-----+---------+-------+
| cname   | varchar(10)   | YES  |     | NULL    |       |
| sum_Amt | decimal(29,2) | YES  |     | NULL    |       |
+---------+---------------+------+-----+---------+-------+
 rows in set (0.00 sec)

2_96390_Shashidhar>insert into Custotls values('sa',23);
RROR 1146 (42S02): Table 'sales.custotls' doesn't exist
2_96390_Shashidhar>insert into Custotals values('sa',23);
RROR 1471 (HY000): The target table Custotals of the INSERT is not insertab
e-into
2_96390_Shashidhar>
```

```
d2_96390_Shashidhar>Create view Thirdorders
    -> as Select * from Dailyorders where
    -> odate='1990-10-03';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual t
hat corresponds to your MySQL server version for the right syntax to use nea
r '?1990-10-03?' at line 3
d2_96390_Shashidhar>Create view Thirdorders
    -> as Select * from Dailyorders where
    -> odate='1990-10-03';
Query OK, 0 rows affected (0.01 sec)

d2_96390_Shashidhar>describe Thirdorders;
+-------+------+------+-----+---------+-------+
| Field | Type | Null | Key | Default | Extra |
+-------+------+------+-----+---------+-------+
| cnum  | int  | YES  |     | NULL    |       |
| snum  | int  | YES  |     | NULL    |       |
| onum  | int  | YES  |     | NULL    |       |
| odate | date | YES  |     | NULL    |       |
+-------+------+------+-----+---------+-------+
4 rows in set (0.00 sec)

d2_96390_Shashidhar>insert into Thirdorders values(23,23,3,01-11-2000);
ERROR 1471 (HY000): The target table Thirdorders of the INSERT is not insert
able-into
d2_96390_Shashidhar>
```

```
2_96390_Shashidhar>insert into Thirdorders values(23,23,3,01-11-2000);
RROR 1471 (HY000): The target table Thirdorders of the INSERT is not insert
ble-into
2_96390_Shashidhar>Create view Nullcities
   -> as Select snum, sname, city
   -> from salespeople
   -> where city is NULL
   -> OR sname BETWEEN 'A' and 'MZ';
uery OK, 0 rows affected (0.01 sec)

2_96390_Shashidhar>describe Nullcities;
-------+-------------+------+-----+---------+-------+
 Field | Type        | Null | Key | Default | Extra |
-------+-------------+------+-----+---------+-------+
 snum  | int         | YES  |     | NULL    |       |
 sname | varchar(10) | YES  |     | NULL    |       |
 city  | varchar(10) | YES  |     | NULL    |       |
-------+-------------+------+-----+---------+-------+
 rows in set (0.00 sec)

2_96390_Shashidhar>insert into Nullcities values(23,'asd','ss');
uery OK, 1 row affected (0.01 sec)

2_96390_Shashidhar>select * from Nullcities;
------+---------+----------+
 snum | sname   | city     |
------+---------+----------+
 1004 | Motika  | London   |
 1003 | Axelrod | New York |
   23 | asd     | ss       |
------+---------+----------+
 rows in set (0.00 sec)
```