

BONO

Imagen de contenedor con spring-boot:build-image

Se genera la imagen de Docker con

mvn spring-boot:build-image

```
[INFO] -----
PS C:\Users\pacoa\Desktop\Laboratorio-4-ARSW> docker images
REPOSITORY                                TAG          IMAGE ID       CREATED        SIZE
paketobuildpacks/run-jammy-base           latest       4e39bca2a86f   24 hours ago   176MB
postgres                                  16           e4842c8a99ca   8 days ago     636MB
poseidon-payments                         latest       dab3b86c0796   3 months ago   496MB
postgres                                  15           43bb5eba70ad   3 months ago   627MB
postgres                                  latest       5ec39c188013   3 months ago   643MB
kong                                       3.4          384807eefaae   3 months ago   388MB
sonarqube                                 latest       963c88705b11   5 months ago   2.19GB
rabbitmq                                  3.9-management 8a279e9396a8   2 years ago    382MB
blueprints-api                            latest       adad7ca9f6fc   46 years ago    684MB
paketobuildpacks/builder-jammy-base       latest       0e13a62529da   46 years ago    3.92GB
PS C:\Users\pacoa\Desktop\Laboratorio-4-ARSW>
```

☐		sonarqube 	latest 	963c88705b11 	6 months ago	2.19 GB			
☐		rabbitmq	3.9-management	8a279e9396a8	3 years ago	382.32 MB			
☐		paketobuildpacks/builder-jammy-base	latest	0e13a62529da	N/A	3.91 GB			
☐		paketobuildpacks/run-jammy-base	latest	4e39bca2a86f	1 day ago	176.3 MB			
☐		blueprints-api	latest	adad7ca9f6fc	N/A	683.67 MB			

Showing 10 items

Ejecutar contenedor

docker run -p 8080:8080 blueprints-api:latest

ARSW Blueprints API v1 OAS 3.0

[v3/api-docs](#)

Blueprints Laboratory (Java 21 / Spring Boot 3.3.x)

[Contact Oscar Andrés Sánchez Porras](#)

Apache 2.0

Servers

[http://localhost:8080](#) - Generated server url

Blueprints Operations related to blueprints

PUT	/api/v1/blueprints/{author}/{bpname}/points	Add a point to a blueprint	▼
GET	/api/v1/blueprints	Get all blueprints	▼
POST	/api/v1/blueprints	Create a new blueprint	▼
GET	/api/v1/blueprints/{author}	Get blueprints by author	▼
GET	/api/v1/blueprints/{author}/{bpname}	Get blueprint by author and name	▼

Schemas

Métricas con Actuator

```
spring.sql.init.mode=never
#spring.profiles.active=redundancy
spring.profiles.active=undersampling
management.endpoints.web.exposure.include=health,info,metrics,env
management.endpoint.health.show-details=always
```

```
</dependency>
<dependency>
  <groupId>org.springframework.boot</groupId>
  <artifactId>spring-boot-starter-actuator</artifactId>
</dependency>

</dependencies>

build>
  <plugins>
```

<http://localhost:8080/actuator/health>

```
Impresión con formato estilístico ☒
{
  "status": "UP",
  "components": {
    "db": {
      "status": "UP",
      "details": {
        "database": "PostgreSQL",
        "validationQuery": "isValid()"
      }
    },
    "diskSpace": {
      "status": "UP",
      "details": {
        "total": 254538698496,
        "free": 44375719936,
        "threshold": 10485760,
        "path": "C:\\Users\\pacoa\\Desktop\\Laboratorio-4-ARSH\\",
        "exists": true
      }
    },
    "ping": {
      "status": "Up"
    }
  }
}
```

<http://localhost:8080/actuator/metrics>

Impresión con formato estilístico ☒

```
{
  "names": [
    "application.ready.time",
    "application.started.time",
    "disk.free",
    "disk.total",
    "executor.active",
    "executor.completed",
    "executor.pool.core",
    "executor.pool.max",
    "executor.pool.size",
    "executor.queue.remaining",
    "executor.queued",
    "hikaricp.connections",
    "hikaricp.connections.acquire",
    "hikaricp.connections.active",
    "hikaricp.connections.creation",
    "hikaricp.connections.idle",
    "hikaricp.connections.max",
    "hikaricp.connections.min",
    "hikaricp.connections.pending",
    "hikaricp.connections.timeout",
    "hikaricp.connections.usage",
    "http.server.requests",
    "http.server.requests.active",
    "jdbc.connections.max",
    "jdbc.connections.min",
    "jvm.buffer.count",
    "jvm.buffer.memory.used",
    "jvm.buffer.total.capacity",
    "jvm.classes.loaded",
    "jvm.classes.unloaded",
    "jvm.compilation.time",
    "jvm.gc.live.data.size",
    "jvm.gc.max.data.size",
    "jvm.gc.memory.allocated",
    "jvm.gc.memory.promoted",
    "jvm.gc.overhead",
    "jvm.gc.pause",
    "jvm.info",
    "jvm.memory.committed",
    "jvm.memory.max",
    "jvm.memory.usage.after.gc",
    "jvm.memory.used",
    "jvm.threads.daemon",
    "jvm.threads.live",
    "jvm.threads.peak",
    "jvm.threads.started",
    "jvm.threads.states",
    "logback.events",
    "process.cpu.time",
    "process.cpu.usage",
    "process.start.time",
    "process.uptime",
    "system.cpu.count",
    "system.cpu.usage",
    "tomcat.sessions.active.current",
    "tomcat.sessions.active.max",
    "tomcat.sessions.alive.max",
    "tomcat.sessions.created",
    "tomcat.sessions.expired",
    "tomcat.sessions.rejected"
  ]
}
```

<http://localhost:8080/actuator/metrics/jvm.memory.used>

```
Impresión con formato estilístico ☒
{
  "name": "jvm.memory.used",
  "description": "The amount of used memory",
  "baseUnit": "bytes",
  "measurements": [
    {
      "statistic": "VALUE",
      "value": 107892816
    }
  ],
  "availableTags": [
    {
      "tag": "area",
      "values": [
        "heap",
        "nonheap"
      ]
    },
    {
      "tag": "id",
      "values": [
        "G1 Survivor Space",
        "Compressed Class Space",
        "Metaspace",
        "CodeCache",
        "G1 Old Gen",
        "G1 Eden Space"
      ]
    }
  ]
}
```

<http://localhost:8080/actuator/metrics/jvm.memory.used>

```
Impresión con formato estilístico ☒
{
  "name": "jvm.memory.used",
  "description": "The amount of used memory",
  "baseUnit": "bytes",
  "measurements": [
    {
      "statistic": "VALUE",
      "value": 111400232
    }
  ],
  "availableTags": [
    {
      "tag": "area",
      "values": [
        "heap",
        "nonheap"
      ]
    },
    {
      "tag": "id",
      "values": [
        "G1 Survivor Space",
        "Compressed Class Space",
        "Metaspace",
        "CodeCache",
        "G1 Old Gen",
        "G1 Eden Space"
      ]
    }
  ]
}
```

<http://localhost:8080/actuator/metrics/process.cpu.usage>

```
Impresión con formato estilístico ☒
{
  "name": "process.cpu.usage",
  "description": "The \"recent cpu usage\" for the Java Virtual Machine process",
  "measurements": [
    {
      "statistic": "VALUE",
      "value": 0.104215300473554
    }
  ],
  "availableTags": []
}
```

<http://localhost:8080/actuator/metrics/process.cpu.usage>

```
Impresión con formato estilístico ☒
{
  "name": "process.cpu.usage",
  "description": "The \"recent cpu usage\" for the Java Virtual Machine process",
  "measurements": [
    {
      "statistic": "VALUE",
      "value": 0.000403752799400977
    }
  ],
  "availableTags": []
}
```

Usando gets

```

{
  "name": "http.server.requests",
  "baseUnit": "seconds",
  "measurements": [
    {
      "statistic": "COUNT",
      "value": 14
    },
    {
      "statistic": "TOTAL_TIME",
      "value": 5.611170102
    },
    {
      "statistic": "MAX",
      "value": 2.5718437
    }
  ],
  "availableTags": [
    {
      "tag": "exception",
      "values": [
        "none"
      ]
    },
    {
      "tag": "method",
      "values": [
        "GET"
      ]
    },
    {
      "tag": "error",
      "values": [
        "none"
      ]
    },
    {
      "tag": "uri",
      "values": [
        "/actuator/metrics/{requiredMetricName}",
        "/api/v1/blueprints",
        "/swagger-ui"/"swagger-initializer.js",
        "/swagger-ui.html",
        "/actuator/health",
        "/v3/api-docs/swagger-config",
        "/v3/api-docs",
        "/actuator/metrics"
      ]
    },
    {
      "tag": "outcome",
      "values": [
        "REDIRECTION",
        "SUCCESS"
      ]
    },
    {
      "tag": "status",
      "values": [
        "302",
        "200"
      ]
    }
  ]
}

```

<http://localhost:8080/actuator/env>

espressioni con simboli "catalina:ioo"

```
{
  "activeProfiles": [
    "undersampling"
  ],
  "defaultProfiles": [
    "default"
  ],
  "propertySources": [
    {
      "name": "server.ports",
      "properties": {
        "local.server.port": {
          "value": "*****"
        }
      }
    },
    {
      "name": "servletContextInitParams",
      "properties": {

      }
    },
    {
      "name": "systemProperties",
      "properties": {
        "java.specification.version": {
          "value": "*****"
        },
        "sun.cpu.isalist": {
          "value": "*****"
        },
        "sun.jnu.encoding": {
          "value": "*****"
        },
        "java.class.path": {
          "value": "*****"
        },
        "java.vm.vendor": {
          "value": "*****"
        },
        "sun.arch.data.model": {
          "value": "*****"
        },
        "user.variant": {
          "value": "*****"
        },
        "java.vendor.url": {
          "value": "*****"
        },
        "catalina.useNaming": {
          "value": "*****"
        },
        "user.timezone": {
          "value": "*****"
        },
        "org.jboss.logging.provider": {
          "value": "*****"
        },
        "java.vm.specification.version": {
          "value": "*****"
        },
        "os.name": {
          "value": "*****"
        },
        "sun.java.launcher": {
          "value": "*****"
        },
        "user.country": {
          "value": "*****"
        },
        "sun.boot.library.path": {
          "value": "*****"
        }
      }
    }
  ]
}
```

http://localhost:8080/actuator/health

GET

http://localhost:8080/actuator/health

Send

Docs

Params

Authorization

Headers (6)

Body

Scripts

Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (5)

Test Results

200 OK

264 ms

505 B

...

{ } JSON

Preview

Visualize

...

```
1 {
2   "status": "Up",
3   "components": {
4     "db": {
5       "status": "UP",
6       "details": {
7         "database": "PostgreSQL",
8         "validationQuery": "isValid()"
9       }
10    },
11    "diskSpace": {
12      "status": "UP",
13      "details": {
14        "total": 254510698496,
15        "free": 44338016256,
16        "threshold": 10485760,
17        "path": "C:\\Users\\pacoa\\Desktop\\Laboratorio-4-ARSW\\",
18        "available": true
19      }
20    }
21  }
```

http://localhost:8080/actuator/metrics

GET

http://localhost:8080/actuator/metrics

Send

Docs

Params

Authorization

Headers (6)

Body

Scripts

Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (6)

Test Results

200 OK

113 ms

1.55 KB

...

{}

JSON

Preview

Visualize

```
1 {
2   "names": [
3     "application.ready.time",
4     "application.started.time",
5     "disk.free",
6     "disk.total",
7     "executor.active",
8     "executor.completed",
9     "executor.pool.core",
10    "executor.pool.max",
11    "executor.pool.size",
12    "executor.queue.remaining",
13    "executor.queued",
14    "hikaricp.connections",
15    "hikaricp.connections.acquire",
16    "hikaricp.connections.active",
17    "hikaricp.connections.creation",
18    "hikaricp.connections.idle"
```