Exp 7

Aim :- To implement MetaMask wallet integration and perform transactions using Solidity.

Theory :-

MetaMask :

MetaMask is a cryptocurrency wallet that allows users to interact with blockchain networks. It acts as a bridge between the browser and blockchain, enabling transactions and smart contract interaction.

Testnet :

A testnet is a blockchain network used for testing purposes. It uses fake cryptocurrency like Sepolia ETH, allowing developers to test smart contracts without real money.

Academic Credential Verification using Blockchain :

In this system, student academic details such as name, course, and grade are stored on the blockchain using a smart contract. This ensures data is secure, tamper-proof, and easily verifiable.

Advantages :

- Secure and tamper-proof records
- Easy verification
- No dependency on centralized authority
- Transparent system

Steps to Connect MetaMask with Remix IDE :

1. Install MetaMask extension
2. Create a wallet account
3. Select Sepolia Testnet
4. Get free ETH from faucet
5. Open Remix IDE
6. Select “Injected Provider - MetaMask”
7. Connect MetaMask
8. Compile smart contract
9. Deploy contract
10. Confirm transaction
11. Interact with functions

<u>Code</u> :-

Program (Smart Contract) :

```
{
// SPDX-License-Identifier: MIT pragma solidity ^0.8.0;
contract AcademicCredentials { struct Credential {
   uint256 id;
   string studentName; string course;
   string grade; address issuedBy; uint256 timestamp;
   }
mapping(uint256 => Credential) public credentials; event CredentialAdded(
uint256 id,
string studentName, string course,
string grade, address issuedBy, uint256 timestamp
);

function addCredential( uint256 _id,
string memory _studentName, string memory _course,

string memory _grade
) public {
   require(credentials[_id].id == 0, "Already exists!"); credentials[_id] = Credential(_id,
_studentName, _course, _grade, msg.sender, block.timestamp);

   emit CredentialAdded(_id, _studentName, _course, _grade, msg.sender, block.timestamp);
   }

function getCredential(uint256 _id) public view returns ( uint256, string memory, string memory,
string memory, address, uint256)
   {
   Credential memory c = credentials[_id]; return (c.id, c.studentName, c.course, c.grade,
c.issuedBy, c.timestamp);
   }
}
```

D20A Jai Talreja 59 Blockchain Lab

Screenshots :-

Metamask connected :



Contract deployed :



Transaction completed :



<u>Conclusion</u> :-

The experiment successfully demonstrated the integration of MetaMask with Remix IDE and execution of blockchain transactions. The smart contract was deployed on Sepolia Testnet and used to store and verify academic credentials securely. This shows how blockchain can be used for tamper-proof academic verification systems.