

38) You need to subnet a network that has 7 subnets, each with at least 16 hosts. Which classful subnet mask would you use?

- a) 255.255.255.192
- b) 255.255.255.224
- c) 255.255.255.240
- d) 255.255.255.252

42) Which of the following affirmations about UDP is not true?

- a) Writes packets of bytes
- b) No read bytes from a packet are lost
- c) Neither party can overflow the other. Traffic is controlled by the OS
- d) Not read bytes from a packet are lost

43) Which one is not a principle to the OSI model?

- a) A layer should be created where a different abstraction is needed
- b) Each layer should perform a well-defined function
- c) The layer boundaries should be chosen to maximize the information flow across the interfaces
- d) The function of each layer should be chosen with an eye toward defining internationally standardized protocols

44) Which of the following layers controls the operation of a subnet and handles how packets are routed from source to destination?

- a) The Network Layer
- b) The Transport Layer
- c) The Session Layer
- d) The Presentation Layer

46) Which one of the following is a Natural Mask?

- a) 255.255.255.255
- b) 255.255.255.0
- c) 255.255.255.128
- d) 255.255.255.64

48) Which affirmation is not true about The Network Address Translation?

- a) No need to be allocated range of addresses from ISP; just one IP address is used for all devices
- b) Can change addresses of devices in local network without notifying outside world
- c) Can change ISP only by changing addresses of devices in local network
- d) Devices inside local net not explicitly addressable, visible by outside world

51) Which is not a Service of a Data Link Layer?

- a) Framing and link access
- b) Flow control
- c) Error correction
- d) Traffic isolation

54) TCP stands for...

- a) Transfer Control Protocol
- b) Transmission Connection Protocol
- c) Transformation Central Protocol
- d) Transmission Control Protocol

57) TCP, UDP and SCTP are part of:

- a) Application Layer
- b) Internet Layer
- c) Transport Layer
- d) Link Layer

61) What is DSL and what it is used for?

- a) Digital Subscriber Line; used to give access to internet through telephone lines
- b) Digital Supplier Limit; verifies if the maximum connected users in a wi-fi network have been reached
- c) Describer Serial Link; used for serial cables to assure their connectivity in a network
- d) Destination Source Limit; limits the number of packets sent and received; used for security reasons

65) Which of the following is correct regarding Class B address of IP address?

- a) Network 18, Host 16
- b) Network 14, Host 16
- c) Network 16, Host 14
- d) Network 12, Host 14

68) DNS is the abbreviation for:

- a) Dynamic Network System
- b) Domain Name System
- c) Domain Network Server
- d) Dynamic Name System

70) MAC address is the example of?

- a) Transport layer
- b) Data link layer
- c) Application layer
- d) Physical layer

80) The following system calls are/is optional at the level of a TCP client:

- a) Socket()
- b) Listen()
- c) Bind()
- d) Connect()

83) DHCP is a client/server protocol that automatically provides an Internet Protocol host with its:

- a) IP address
- b) Subnet Mask
- c) MAC address
- d) Default gateway

91) How many bytes does 'double' use?

- a) 1 byte
- b) 4 bytes
- c) 8 bytes
- d) 16 bytes

92) How many bytes does 'float' use?

- a) 1 byte
- b) 4 bytes
- c) 8 bytes
- d) 16 bytes

125) Which of the following is a valid IP/Netmask combination?

- a) 209.220.186.8/255.255.255.240
- b) 209.220.186.8/255.255.255.0
- c) 209.220.186.8/255.255.255.248
- d) 209.220.186.8/255.255.255.252
- e) C and D are both correct

128) What is the netmask for the following IP class: 192.168.0.0/24?

- a) 255.255.255.128
- b) 255.255.255.0
- c) 255.255.0.0
- d) 255.0.0.0
- e) All netmasks are correct

141) What is a broadcast MAC address?

- a) It's a logical address which identifies only one recipient
- b) It's a logical address which is used to identify all the computers within a network
- c) It's a logical identifier for a group of hosts in a computer network that are available to process datagrams

142) In how many subclasses with the netmask 255.192.0.0 can be the class of minimal dimension containing both IP addresses: 78.79.80.81 and 79.80.81.82 be divided?

- a) 7
- b) 10
- c) 8
- d) 9

143) Which are the layers of the TCP/IP model?

- a) Application layer, transport layer, session layer, network access layer
- b) Application layer, transport layer, internet layer, network access layer
- c) Application layer, presentation layer, session layer, transport layer, network layer, data-link layer, physical layer
- d) Application layer, internet layer

144) Which of the following does not describe a socket?

- a) An internal endpoint for sending or receiving data at a single node in a computer
- b) A door between the application process and end-to-end transport protocol
- c) A process that sends and receives data at a single node in a computer

149) What does a routing table contain?

- a) Source address, destination address, gateway, interface
- b) Interface, netmask, destination address, gateway
- c) Source address, destination address, netmask, gateway

150) What is Throughput?

- a) Quantity of data which we send at some point through a transmission channel
- b) Quantity of data over quantity of time which we send at a given time through a transmission channel
- c) The capacity of data transportation that we send through a transmission channel

151) What does traceroute?

- a) Shows all IPs of the routers parsed until the current IP
- b) Shows all IP's parsed until the current router IP
- c) Shows the IP route of the last 5 parsed

152) What is a congestion window?

- a) A sender impose window implemented to avoid overrunning some routers in the middle of the network path
- b) A window managed by the receiver that grows when each segment is sent
- c) A window that controls flow moving of the sender

163) The networks can be classified on the types of transmission as ... switching and ... switching. (R: circuit, packet)

168) What function call you don't find in an UDP server?

- a) Recvfrom
- b) Bind
- c) Sendto
- d) Accept

171) Which of the following is NOT a valid IP netmask combination?

- a) 168.220.186.8/255.255.225.252
- b) 156.198.186.8/255.255.255.254
- c) 209.198.186.8/255.255.255.246
- d) 168.220.186.64/255.255.255.240

173) Which of the following is NOT a valid IP netmask combination?

- a) 168.220.186.8/225.255.225.252
- b) 156.198.186.16/255.255.255.254
- c) 209.198.186.8/255.255.255.248
- d) 168.220.186.8/255.255.255.240

176) Which of the following functions does UDP perform?

- a) Process to process communication
- b) Improve the data transfer rate of large files (compared to TCP)
- c) Assure that the sent messages arrive in the order that have been sent
- d) Protect the data sent against any corruption while transferring it

179) The data link layer takes packets from ... and encapsulates them into frames for transmission. a)

- Network layer
- b) Physical layer
- c) Transport layer
- d) Application layer

180) FTP uses the following channels:

- a) The delta channel b) The control channel
- c) The bearer channel d) The data channel

181) Which IP address class can have 64000 subnets with 64000 hosts/subnet?

- a) Class A
- b) Class B
- c) Class C
- d) Class D





