Introduction to C and C++

Iuliana Bocico

C/C++
programming

Syntax

Data type

Variables and

Pointers

Functions

Summar

Introduction to C and C++

Iuliana Bocicor iuliana@cs.ubbcluj.ro

Babes-Bolyai University

2022

Overview

Introduction to C and C++

Bocicor

C/C++ programmin

programmir language

Synta

Data type

Variables and constants

Pointer

Statements

Function

Summar

- 1 C/C++ programming language
- 2 Syntax
- 3 Data types
- Wariables and constants
- Dointers
- **6** Statements
- Functions
- 8 Summary

C/C++ programming language I

Introduction to C and C++

Bocico

C/C++ programming language

Svnta

Data typ

Variables and constants

Pointe

Statemen

Functions

Summai

No beard, no belly, no guru...

- Ken Thompson (B), Dennis Ritchie (C) UNIX
- Bjarne Stroustrup (C++)
- James Gosling (Java)



Figure sources: https://herbsutter.com/2011/10/13/2000-interview-dennis-ritchie-bjarne-stroustrup-and-james-gosling/

, http://www.catb.org/~esr/jargon/html/U/Unix.html

C/C++ programming language II

Introduction to C and C++

Bocico

C/C++ programming language

Synta

ata type

Variables and constants

Pointe

Statement

Functions

Why C/C++?:

- widely used, both in industry and in education;
- is a high level programming language;
- C++ is a hybrid (multi-paradigm) programming language, implements all the concepts needed for object oriented programming;
- after 40 years from its creation, C++ is still one of the most popular and powerful languages in the world;

C/C++ programming language III

Introduction to C and C++

Bocicor

C/C++ programming language

Syntax

Data type

Variables and

Pointe

Statement

Function

Summa

- many of the critical back-end components of Youtube, Google, Facebook, Amazon, Twitter, Microsoft applications, Adobe applications, database systems, physical systems (cars, robots, rockets) are written in C++;
- many programming languages are based on C/C++ (Java, C#). Knowing C++ makes learning other programming languages easier.

C/C++ programming language IV

Introduction to C and C++

Bocicor

C/C++ programming language

Synta:

Data type

Variables and constants

Pointe

Statement

Functions

C/C++ programs are generally faster than programs written in other programming languages;

- C/C++ allows writing programs for any type of processor or operating system (very suitable for system-level programming);
- C++ is an evolving language;
- C++ is highly standardized;
- C++ gets compiled into processor instructions (no interpretation engine needed).

Integrated Development Environment for C/C++

Introduction to C and C++

Bocico

C/C++ programming language

Synta

ata type

Variables an constants

Pointe

Statement

c

Microsoft Visual Studio 2020 Community (or Professional/Express/Premium)

- download from https://www.visualstudio.com/download
- offers both an IDE and a compiler.

CLion

- download from: https://www.jetbrains.com/clion/
- works with Micosoft, macOS and Linux compile toolchains

Other options:

- Visual Studio Code
- Eclipse CDT

Hello World Demo

Introduction to C and C++

Iuliana Bocicor

C/C++ programming language

Syntax

ata type

Variables and

constants

Eunstions

Summar

DEMO

Hello World! (HelloWorldC.c, HelloWorld.cpp).

The compilation process I

Introduction to C and C++

Iuliana Bocicor

C/C++ programming language

Synta:

Data typ

Variables and constants


Pointe

Statement

Functions

Summa

The compiler translates source code into machine code.



The compilation process II

Introduction to C and C++

Bocico

C/C++ programming language

Synta:

ata type

Variables and constants

Pointe

Statement

Functions

Summa

- All these steps are performed before you start running a program. This is one of the reasons C/C++ code runs far faster than code in many more recent languages.
- **?** Are source code files sufficient for someone to execute your program? In which conditions?
- **?**What is the advantage of a compiled language?

The compilation process III

Introduction to C and C++

Bocico

C/C++ programming language

Synta:

)ata typ∈

Variables and

Pointe

Statement

Function:

Summar




Figure source: https://xkcd.com/303/

Structure of a simple C/C++ program

Introduction to C and C++

Iuliana Bocico

C/C++ programming language

Syntax

Data type

Variables and constants

Pointe

Statements

Function:

Summa

• Preprocessor directives - e.g. for using libraries;

```
#include <stdio.h>
#include <iostream>
```

 main - special function that is called by the OS to run the program;

```
int main()
{
     //...
    return 0;
}
```

Every statement must end with a semicolon.

Debugging

Introduction to C and C++

DOCICO

C/C++ programming language

Synta

Data type

Variables and constants

Pointors

Statement

Function

Summar

- Allows us to step through the code, as it is running;
- Execution can be paused at certain points;
- The effects of individual statements can be seen;
- Allows inspecting the current state of the program (values of variables, call stack);
- Breakpoints stop the program when reaching the breakpoint.

Lexical elements I

Introduction to C and C++

Iuliana Bocico

C/C++
programming

Syntax

Data type

Variables and constants

Pointe

Statement

Function:

Summa

C/C++ is case sensitive.

Identifier:

- Sequence of letters and digits, start with a letter or _ (underline);
- Names of things that are not built into the language;
- E.g.: i, myFunction, res, _nameOfVariable.

Keywords (reserved words):

- Identifier with a special purpose;
- Words with special meaning to the compiler;
- E.g.: int, for, typedef, struct.

Lexical elements II

Introduction to C and C++

/C . . .

C/C++ programming language

 ${\sf Syntax}$

Data type

Variables and constants

Pointe

Statement

Function

Summa

Literals:

- Basic constant values whose value is specified directly in the source code;
- E.g.: "Hello", 72, 4.6, 'c'.

Operators:

- Mathematical: e.g. +, -, *;
- Logical: e.g. !, &&.

Separators:

Punctuation defining the structure of a program: e.g. ";",
 "{ }", "()".

Lexical elements III

Introduction to C and C++

Iuliana Bocicoi

C/C++
programming
language

Syntax

Data type

Variables and constants

Pointe

Statements

Function:

Summa

Whitespace: Spaces of various sorts, ignored by the compiler: space, tab, new line.

Comments: ignored by the compiler.

```
// This is a single line comment.
/*
This is
a multiline
comment.
*/
```

Data types

Introduction to C and C++

Bocico

/C++ rogrammin

programmin language

Synta:

Data types

Variables and constants

Pointe

Statement

Function:

Summa

A **type** is a domain of values and a set of operations defined on these values.

C/C++ are strongly typed languages.

Fundamental data types in C:

- char (1 byte)
- int (4 bytes)
- unsigned int (4 bytes)
- long int/long (4 bytes)
- float (4 bytes)
- double (8 bytes)
- long double (8 bytes)

Data types in C++: https://msdn.microsoft.com/en-us/library/s3f49ktz.aspx.

Casting

Introduction to C and C++

Iuliana Bocicor

C/C++ programmin language

Syntax

Data types

Variables and

Pointe

Statements

Functions

Summa

- implicit casting;
- static_cast.

DEMO

Type casting (Casting.cpp).

Arrays

Introduction to C and C++

Data types

If T is an arbitrary basic type:

- T arr[n] is an array of length n with elements of type T;
- indexes are from 0 to n-1:
- indexing operator: [];
- compare 2 arrays by comparing the elements;
- multidimensional arrays: arr[n][m].

DEMO

Arrays (Arrays.c).

C String

Introduction to C and C++

Bocicor

C/C++ programming language

Synta:

Data types

Variables and constants

Pointe

Statement

Functions

 Represented as char arrays, the last character is '\0' (marks the end of the string);

- Handled as any ordinary array;
- Standard library for string manipulation in C (string.h);
 - strlen Returns the number of chars in a C string.
 - strcpy Copies the characters from the source string to the destination string.
 - **Obs.** The assignment operator will not copy the string (or any array).

C String

Introduction to C and C++

Bocicor

C/C++ programming language

Syntax

Data types

Variables and constants

Pointer

Statement

Functions

Summa

- Standard library for string manipulation in C (string.h);
 - strcmp Compares two strings and returns: zero, if a = b; negative, if a < b; positive, if a > b.

Obs. Using ==, <, >operators on C strings (or any array) compares memory addresses.

 strcat - Appends the characters from the source string to the end of destination string.

Obs. None of these string routines allocate memory or check that the passed in memory is the right size.

DEMO

CStrings (CStrings.c).

Record - composite type

Introduction to C and C++

Iuliana Bocicor

C/C++ programming language

Syntax

Data types

Variables and constants

Pointe

Statement

Functions

Summa

- is a collection of items of different types;
- group various data types into a structure.
- declared using struct.

typedef - Introduce a new name for an existing type.

DEMO

Records (StructExample.c).

Variables

Introduction to C and C++

Bocicor

C/C++ programming language

Synta

Data type

Variables and constants

Pointers

Statement

Functions

Summa

- A variable is a named location in memory;
- Memory is allocated according to the type of the variable;
- The types tell the compiler how much memory to reserve for it and what kinds of operations may be performed on it;
- The value of the variable is undefined until the variable is initialized;
- It is recommended to initialise the variables (with meaningful values) at declaration;
- Use suggestive names for variables.

Constants

```
Introduction to C and C++
```

Bocicor

C/C++ programming language

Syntax

Data type

Variables and constants

Pointe

Statements

Functions

Summa

```
    Can be defined using the #define preprocessor directive, or
the const keyword;
```

- Can be:
 - integer

```
#define LENGTH 10
const int LENGTH = 10;
```

floating

```
#define PI 3.14
```

string literal

```
const char* pc = "Hello";
```

enumeration constant

```
\begin{array}{lll} \textbf{enum} & \textbf{colors} & \{\text{RED, YELLOW, GREEN, BLUE}\}; \end{array}
```

 More about const at http://duramecho.com/ComputerInfo WhyHowCppConst.html

Pointers I

Introduction to C and C++

/C++

programming language

Synta

ata type

Variables and constants

Pointers

Statement

Functions

Every variable is a named memory location;

 A pointer is a variable whose value is a memory location (can be the address of another variable).

Declaration: same as declaring a normal variable, except an asterisk (*) must be added in front of the variable's identifier.

```
int* x;
char* str;
```

Operators

- address of operator & take the address of a variable;
- dereferencing operator * get the value at the memory address pointed to.

DEMO

Pointers (Pointers.c).

Pointers II

Introduction to C and C++

Iuliana Bocico

C/C++

programming language

Syntax

ata type


Variables and

Pointers

Stateme

Functions

Summa



*a pointer = 10

a_variable = 10

 $&a_variable = 0x0018f8c4$

Pointers III

Introduction to C and C++

Iuliana Bocico

C/C++ programmin

Synta

Data typ

Variables and

Pointers

Statomor

Function

Summan



Statements

Introduction to C and C++

Bocicor

C/C++ programming language

Synta:

Data type

Variables and constants

Pointe

Statements

Functions

Summa

- A statement is a unit of code that does something a basic building block of a program.
- Except for the compound statement, in C and C++ every statement is ended by ";".

Statements in C and C++:

- Empty statement;
- Compound statement;
- Conditional statement: if, if-else, else if, switch-case;
- Loops: while, do-while, for.

DEMO

Statements (Statements.c).

Read/Write from/to console

Introduction to C and C++

Iuliana Bocicor

C/C++ programming language

Syntax

ata type

Variables and constants

Pointe

Statements

Function

Summa

- scanf read from the command line
 - http://www.cplusplus.com/reference/cstdio/scanf/
- printf print to the console (standard output)
 - http://www.cplusplus.com/reference/cstdio/printf/

DEMO

Read and Write (*ReadWrite.c*).

Functions

Introduction to C and C++

/C | |

C/C++ programming language

Synta

ata typo

Variables and constants

Pointe

Statement

Functions

A function is a group of related instructions (statements) which together perform a particular task. The name of the function is how we refer to these statements.
 The main function is the starting point for every C/C++

• The *main* function is the starting point for every C/C++ program.

Declaration (Function prototype)

```
<result type> name (<parameter list>);
```

```
/*
Computes the greatest common divisor of two
positive integers.
Input: a, b integers, a, b > 0
Output: returns the the greatest common
divisor of a and b.
*/
int gcd(int a, int b);
```

Functions

Introduction to C and C++

Iuliana Bocicor

C/C++
programmin

Synta

Data type

Variables and constants

Pointe

Functions

C

Definition

- return <exp> the result of the function will be the expression value and the function is unconditionally exited.
- A function that returns a result (not void) must include at least one return statement.
- The declaration needs to match the function definition.

Specification

Introduction to C and C++

/C++

C/C++ programming language

Synta

Data typ

Variables and constants

Pointers

Statement

Functions

Summa

- meaningful name for the function;
- short description of the function (the problem solved by the function);
- meaning of each input parameter;
- conditions imposed over the input parameters (precondition);
- meaning of each output parameter;
- conditions imposed over the output parameters (post condition).

Function invocation

Introduction to C and C++

Iuliana Bocicor

C/C++ programmin language

Synta:

Data type

Variables and constants

Pointe

Statements

Functions

Summa

<name>(<parameter list>);

- All argument expressions are evaluated before the call is attempted.
- The list of actual parameters need to match the list of formal parameters (types).
- Function declaration needs to occur before invocation.

Variable scope and lifetime I

Introduction to C and C++

Bocicor

C/C++ programming language

Synta

Data type

Variables and constants

Pointe

Statement

Functions

Scope: the place where a variable was declared determines where it can be accessed from.

Local variables

- Functions have their own scopes: variables defined inside the function will be visible only in the function, and destroyed after the function call.
- Loops and if/else statements also have their own scopes.
- Cannot access variables that are out of scope (compiler will signal an error).
- A variable lifetime begins when it is declared and ends when it goes out of scope (destroyed).

Variable scope and lifetime II

Introduction to C and C++

Iuliana Bocicor

C/C++ programmin language

Synta:

Data type

Variables and constants

Pointer

Functions

S...mmai

Global variables

- Variables defined outside of any function are global variables. Can be accessed from any function.
- The scope is the entire application.
- Do not use global variables unless you have a very good reason to do so (usually you can find better alternatives).

Function parameters I

Introduction to C and C++

Bocicor

C/C++ programming language

Synta

Data type

Variables and constants

Pointe

Statement

Functions

Summa

Pass by value

E.g.

void byValue(int a)

- Default parameter passing mechanism in C/C++.
- On function call C/C++ makes a copy of the actual parameter.
- The original variable is not affected by the change made inside the function.

Function parameters II

Introduction to C and C++

Bocico

C/C++ programmin language

Syntax

Data type

Variables and constants

Pointers

Statements

Functions

Summar

Pass by reference

In C:

- there is no pass by reference;
- it is simulated with pointers;
- pointers are passed by value.

E.g.

C

```
void byRefC(int* a)
```

C++

void byRef(int& a)

Function parameters III

Introduction to C and C++

Bocicor

C/C++ programming language

Synta

Data type

Variables and constants

Pointers

Statements

Functions

Summa

 The memory address of the parameter is passed to the function.

- Changes made to the parameter will be reflected in the invoker.
- Arrays are passed "by reference".

DEMO

Functions (*Functions.cpp*).

Test functions

Introduction to C and C++

Bocicor

C/C++ programming language

Synta

Data typ

Variables and constants

Statement

Functions

Summa

Assert

```
#include <assert.h>
void assert(int expression);
```

- if expression is evaluated to 0, a message is written to the standard error device and the execution will stop.
- the message includes: the expression whose assertion failed, the name of the source file, and the line number where it happened.

Function design guidelines

Introduction to C and C++

Bocicor

C/C++ programming language

Synta:

ata type

Variables and constants

Pointe

Statement

Functions

Summa

- Single responsability principle.
- Use meaningful names (function name, parameters, variables).
- Use naming conventions (add_rational, addRational, CON-STANT), be consistent.
- Specify and test functions.
- Include comments in the source code.
- Avoid functions with side effects (if possible).

Summary

Introduction to C and C++

BOCICOR /C__

C/C++ programming language

Synta

Data type

Variables and constants

Pointe

Statemen⁻

Function

Summary

- Both C and C++ are compiled languages.
- All C/C++ programs must contain a *main* function.
- All variables must have types and are recommended to be initialised.
- A variable lifetime begins when it is declared and ends when it goes out of scope (destroyed).
- C/C++ allow the use of pointers.
- Function parameters can be passed by value or by reference (C++).