NoSQL assignment :-

1. Create a new database named CDAC and connect to it.

```
test> use CDAC;
switched to db CDAC
CDAC>
```

2. Display the list of collections in the CDAC database.

```
CDAC> db.createCollection('courses');
{ ok: 1 }
CDAC> db.createCollection('centers');
{ ok: 1 }
CDAC> db.createCollection('students');
{ ok: 1 }
CDAC> db.createCollection('results');
{ ok: 1 }
CDAC> db.createCollection('allocations');
{ ok: 1 }
CDAC> show collections;
allocations
centers
courses
results
students
CDAC>
```

3. Create a collection named LIBRARY.

```
CDAC> db.createCollection('library');
{ ok: 1 }
CDAC>
```

4. Insert a document into LIBRARY with: title: MongoDB programming, author: Amit, likes: 100

```
CDAC> db.library.insertOne({title: 'MongoDB Programming', author: 'Amit', likes: 100});
{
  acknowledged: true,
  insertedId: ObjectId('69b9416b4467ad8112628ca2')
}
CDAC>
```

5. Display the inserted document and note the _id field.

```
CDAC> db.library.find();
[
  {
    _id: ObjectId('69b9416b4467ad8112628ca2'),
    title: 'MongoDB Programming',
    author: 'Amit',
    likes: 100
  }
]
CDAC>
```

6. Insert another document into LIBRARY with: title: MySQL programming, authors: [Jack, Jill], likes: 200

```
CDAC> db.library.insertOne({title: 'MySQL Programming', author: ['Jack','Jill'], likes: 200});
{
  acknowledged: true,
  insertedId: ObjectId('69b942ee4467ad8112628ca3')
}
CDAC>
```

7. Display all documents in the LIBRARY collection.

```
CDAC> db.library.find();
[
  {
    _id: ObjectId('69b9416b4467ad8112628ca2'),
    title: 'MongoDB Programming',
    author: 'Amit',
    likes: 100
  },
  {
    _id: ObjectId('69b942ee4467ad8112628ca3'),
    title: 'MySQL Programming',
    author: [ 'Jack', 'Jill' ],
    likes: 200
  }
]
```

8. Display only the first inserted document.

```
CDAC> db.library.find().limit(1);
[
  {
    _id: ObjectId('69b9416b4467ad8112628ca2'),
    title: 'MongoDB Programming',
    author: 'Amit',
    likes: 100
  }
]
CDAC>
```

9. Display documents using the pretty() method.

```
CDAC> db.library.find().pretty();
[
  {
    _id: ObjectId('69b9416b4467ad8112628ca2'),
    title: 'MongoDB Programming',
    author: 'Amit',
    likes: 100
  },
  {
    _id: ObjectId('69b942ee4467ad8112628ca3'),
    title: 'MySQL Programming',
    author: [ 'Jack', 'Jill' ],
    likes: 200
  }
]
```

10. Update the document where author = Amit to Amit Sharma.

```
CDAC> db.library.updateOne({author : 'Amit'}, {$set: {author : 'Amit Sharma'
}});
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
CDAC> db.library.find({author : 'Amit Sharma'});
[
  {
    _id: ObjectId('69b9416b4467ad8112628ca2'),
    title: 'MongoDB Programming',
    author: 'Amit Sharma',
    likes: 100
  }
]
CDAC>
```

11. Delete all documents with likes = 100.

```
CDAC> db.library.deleteMany({likes: 100});
{ acknowledged: true, deletedCount: 1 }
CDAC> db.library.find();
[
  {
    _id: ObjectId('69b942ee4467ad8112628ca3'),
    title: 'MySQL Programming',
    author: [ 'Jack', 'Jill' ],
    likes: 200
  }
]
CDAC> |
```

12. Drop the LIBRARY collection.

```
CDAC> db.library.drop();
true
CDAC> |
```

13. Drop the CDAC database.

```
CDAC> db.dropDatabase();
{ ok: 1, dropped: 'CDAC' }
CDAC> |
```