Disaster Response Coordination Hub (DRCH): Requirements and Agile Planning Report

Sources: Final SRS (Revised), DRCH User Stories workbook v5, DRCH Sprint Plan (5 sprints, 10 weeks).

1. Project overview and approach

The Disaster Response Coordination Hub (DRCH) is a role-based web platform that connects citizens, authorised disaster-management staff and application administrators, and this report records how its requirements became a 119-story backlog, 16 epics and 5 sprints. The Final SRS (Revised) is the baseline; the user stories workbook v5 and the 5-sprint plan are derived from it and have been checked against it.

Item	Decision in the SRS and plan
Supported scenarios	Cyclone, Industrial Fire, Urban Flooding (closed list, validated on the server)
Roles	Exactly three: Normal User, Disaster Management, Application Management
Permissions inside Disaster Management	Publisher/Approver, moderator, closer, supervisor (not extra roles)
AI	Advisory only; an authorised human decides
External agencies	Integration only; no login; staff record acknowledgements
Contributions	Money and physical aid can start without filing an incident
Method	Agile (Scrum): 5 sprints of 2 weeks (10 weeks), 10-person team (roles assumed)
Backlog	119 user stories (N 36, D 41, A 32, X 10), each with a front and back of card

Item	Decision in the SRS and plan
Plan	16 epics; 107 stories scheduled in S1 to S5; 12 Optional stories held as conditional

In scope: citizen reporting and contributions; moderation, verification, AI-assisted triage, prioritisation, mapping, resources, dispatch and agency messaging; closure; safety content, campaigns and verified public updates; abuse controls; administration, security, monitoring, audit, backup and recovery; payment and notification integration.

Out of scope (SRS exclusions): extra roles, other disaster types, anonymous reporting, agency login accounts, autonomous dispatch, unverified claims shown as official, uncontrolled payment handling, and AI-only decisions.

Project step	Where it is covered
1. Stakeholders and end users	Section 2
2. Elicitation techniques	Section 3
3. Applying the techniques (functional, non-functional, domain)	Section 4
4. User stories (product backlog)	Section 5
5. Epics grouped into sprints	Section 6
6. Conflicts and their resolution	Section 7

2. Stakeholders and end users

DRCH has three end-user groups, one external party group with no accounts, and several providers and decision-makers who shape or are affected by the system.

#	Stakeholder	Type	Stake and responsibilities	Authority boundary
S1	Normal User (citizen reporter, donor, aid contributor)	Primary end user	Register, report incidents in one of three scenarios, add location and evidence, track reports, answer information requests, withdraw or correct reports, receive alerts and safety guidance, donate money, give physical aid	Own records and contributions only; no verification, dispatch or admin authority
S2	Disaster Management staff	Primary end user	Moderate evidence, verify, review duplicates, use AI triage, prioritise, map, coordinate resources, dispatch, record agency responses, close incidents, manage campaigns and safety content, publish updates, oversee donations and aid	Authorised operational decisions; critical actions are attributable to a named person
S2a	Staff with Publisher/Approver, moderator, closer or supervisor permission	Primary end user (permission holders)	Approve public content, moderate evidence, close incidents, receive escalations	Permissions inside Disaster Management, not separate roles

#	Stakeholder	Type	Stake and responsibilities	Authority boundary
S3	Application Management administrators	Primary end user (admin)	Accounts and permissions, configuration, abuse and rate-limit controls, moderation policy, monitoring, audit, data, security, backup and recovery, notification and payment monitoring	Platform administration; every change controlled and auditable
S4	External agencies (emergency and partner organisations)	Third party	Receive dispatch and coordination messages; acknowledge, decline, report progress or delivery; send late acknowledgements	No account; staff record their responses or a trusted integration reports them
S5	Payment gateway provider	Third-party integration	Hosts card entry, returns signed callbacks with transaction status	Card details never stored in the application
S6	Map service provider	Third-party integration	Supplies map data for incidents, resources and routes	Advisory display; outage must not corrupt records
S7	AI classification service	Third-party integration	Suggests scenario, urgency factors and duplicates with confidence	Advisory only; never finalises a decision
S8	Notification channel providers	Third-party integration	Deliver alerts and updates; failures retry with an in-app fallback	No operational authority
S9	Upload scanning provider (provider to be chosen)	Third-party integration	Scans evidence files before staff or others see them	Cannot approve content

#	Stakeholder	Type	Stake and responsibilities	Authority boundary
S10	Public readers of verified updates and safety content	Affected party	Read approved updates and safety guidance without logging in	Read-only; sees approved, versioned content only
S11	Donors who choose limited identity visibility	Affected party (subset of S1)	Control how their identity appears	Privacy rules apply to staff views and analytics
S12	Business owner and named approver	Governance	Approve numeric targets, keep or skip optional items	Decides items marked [named approver] in the SRS
S13	SRS owner / product owner	Governance	Resolve open requirement questions and conflicts	Owns the requirement baseline
S14	Development, QA and DevOps team (10 people, roles assumed)	Delivery	Build, test, deploy and operate the sprints	Delivers to the accepted backlog and definition of done
S15	Compliance obligations (data protection, payment, accessibility, retention, security)	Indirect	Constrain deployment and data handling	Named in the compliance story A27

3. Elicitation techniques by stakeholder

Each technique is chosen for how the stakeholder can be reached and what kind of knowledge they hold: large and dispersed groups get surveys, experts get interviews and workshops, and systems and rules get document analysis.

Stakeholder	Technique(s)	Why it fits	What it should confirm
S1 Normal User	Survey; observation of report-form use under time pressure; prototype walkthrough; short interviews with a sample	Many users on different devices and skill levels; a survey reaches them cheaply, observation shows where a stressed user fails, prototypes expose confusing states	Report fields, three-scenario choice, status wording, donation and aid steps, alert preferences, accessibility needs
S2 Disaster Management staff	Structured interviews; scenario workshops; observation of current coordination work; brainstorming of escalation rules	Few domain experts with tacit procedure knowledge; workshops test the verify, prioritise, dispatch and closure flow end to end	Verification states, priority rationale, dispatch timeouts, escalation, closure reasons, dashboard content
S2a Permission holders	Interviews; role-play of approval and moderation	Approval and moderation rules depend on who may act and when	Publisher/Approver, moderator, closer and supervisor boundaries
S3 Application Management	Interviews; document analysis of security and operations policies; configuration questionnaire	Admins hold knowledge of controls and limits that are written down or configured	Account rules, config versioning, rate limits, backup and recovery, monitoring, audit retention
S4 External agencies	Interviews; joint integration workshop; document analysis of agency procedures	Agencies have no accounts, so the message and acknowledgement path must be agreed with them	Message content, acknowledgement and decline channel, late responses, delivery reports

Stakeholder	Technique(s)	Why it fits	What it should confirm
S5 to S9 Providers	Document analysis of API and sandbox documentation; technical workshop	Behaviour is defined by interface contracts, not by opinion	Callback signing, outage behaviour, data formats, retry and idempotency
S10 Public readers	Survey; usability test of the updates page	Readers are anonymous and many; clarity of content is what matters	Readability, timestamp and area display, safety guidance
S11 Donors with privacy needs	Survey; focus group	Preferences are personal and varied	Identity visibility options and receipts
S12 Business owner and approver	Facilitated decision workshop	Open items need an accountable decision, not a consensus poll	Approver name, numeric targets, optional items
S13 SRS owner	Requirements review (inspection) workshop; document analysis of the SRS and stories	Conflicts and gaps are found by reading across documents	Consistency of SRS, stories, epics and sprint plan
S14 Delivery team	Brainstorming; backlog refinement; sprint planning	The team owns estimates, sequencing and feasibility	Velocity, dependencies, definition of done
S15 Compliance obligations	Document analysis; expert review	Obligations are set by regulations and standards	Data protection, payment, accessibility, retention and security controls

4. Applying the elicitation techniques

The requirements in this report come from document analysis and cross-document review, which were carried out; the interviews, surveys, observation and workshops in Section 3 are prepared as session guides but their outcomes are not recorded here,

because those sessions need real stakeholders. The team should enter the findings of each session against the requirement IDs below and raise any change through the conflict process in Section 7.

4.1 What has been applied

Technique	Status	Evidence
Document analysis of the Final SRS (Revised)	Applied	49 functional requirements, 47 non-functional requirements and 26 error cases extracted and linked (122 items)
Cross-document review (SRS, stories, epics, sprint plan)	Applied	68 conflicts and inconsistencies logged as CR-01 to CR-68; 54 resolved
Interviews, surveys, observation, workshops, prototype walkthroughs	Session guides ready (below); sessions to be run by the team	Outcomes to be recorded against requirement IDs

4.2 Functional requirements (49)

NU = Normal User, DM = Disaster Management, AM = Application Management. Seven are Optional (marked), and 42 are core.

ID	Requirement	ID	Requirement
NU-FR-01	Registration and Login	DM-FR-11	Verified Public Updates
NU-FR-02	Profile Management	DM-FR-12	Donation and Aid Oversight
NU-FR-03	Incident Reporting	DM-FR-13	Aid Allocation
NU-FR-04	Location and Details	DM-FR-14	Analytics

ID	Requirement	ID	Requirement
NU-FR-05	Evidence Upload	DM-FR-15	Incident Closure
NU-FR-06	Report Tracking, History and Receipts	DM-FR-16	Campaign Management
NU-FR-07	Alerts and Notifications	DM-FR-17	Safety Content Authoring and Approval
NU-FR-08	Safety Information	DM-FR-18	Evidence and Content Moderation
NU-FR-09	Monetary Donations	DM-FR-19	Needs Management (Optional)
NU-FR-10	Physical Aid Contribution	DM-FR-20	Agency Directory (Optional)
NU-FR-11	Respond to Information Requests	AM-FR-01	Administrator Login
NU-FR-12	Withdraw or Update Own Report	AM-FR-02	Account and Role Management
NU-FR-13	Browser Draft and Safe Retry (Optional)	AM-FR-03	Configuration Management
NU-FR-14	Data Export and Deletion Request (Optional)	AM-FR-04	System Monitoring
NU-FR-15	Flag Published or Shared Content (Optional)	AM-FR-05	Logging and Audit
DM-FR-01	Staff Login	AM-FR-06	Data Management
DM-FR-02	Incident Dashboard	AM-FR-07	Security Management
DM-FR-03	Review and Verification	AM-FR-08	Backup and Recovery
DM-FR-04	Duplicate Detection	AM-FR-09	Notification Configuration

ID	Requirement	ID	Requirement
DM-FR-05	AI Classification and Triage	AM-FR-10	Payment Integration Monitoring
DM-FR-06	Prioritisation	AM-FR-11	Abuse and Rate-Limit Controls
DM-FR-07	Mapping	AM-FR-12	Moderation Configuration
DM-FR-08	Resource Coordination	AM-FR-13	Data-Request Oversight (Optional)
DM-FR-09	Dispatch	AM-FR-14	Configuration Approval (Optional)
DM-FR-10	Inter-Agency Communication		

4.3 Non-functional requirements (47)

Five are Optional: NU-NFR-14, NU-NFR-15, DM-NFR-16, AM-NFR-15 and AM-NFR-16.

Group	Requirements
Normal User (15)	01 Usability; 02 Accessibility; 03 Performance; 04 Availability; 05 Privacy; 06 Compatibility; 07 Payment security; 08 Transaction reliability; 09 Transparency; 10 Donor privacy; 11 Timeliness; 12 Abuse resistance; 13 Content safety; 14 Offline draft (Optional); 15 Data retention and user rights (Optional)
Disaster Management (16)	01 Usability; 02 Accessibility; 03 Performance; 04 Availability; 05 Role-based access; 06 Auditability; 07 Interoperability; 08 Resilience; 09 AI explainability; 10 Human oversight; 11 Data integrity; 12 Analytics transparency; 13 Dispatch timeliness and escalation; 14 Abuse and moderation handling; 15 Content authority; 16 Operational continuity (Optional)

Group	Requirements
Application Management (16)	01 Maintainability; 02 Scalability; 03 Monitoring; 04 Data integrity; 05 Backup and recovery; 06 Security; 07 Payment integration monitoring; 08 Notification reliability; 09 Auditability; 10 Compatibility and interoperability; 11 Compliance; 12 Resilience; 13 Abuse resistance; 14 Configuration governance; 15 Traceability (Optional); 16 Data lifecycle (Optional)

Numeric performance, availability and recovery targets are proposed targets until the named approver confirms them (open decision CR-25); tests report them as TBD, not passed.

4.4 Domain requirements

The SRS states these as rules of the disaster-response domain that apply across the functional and non-functional requirements.

ID	Domain requirement	SRS basis	Main stories
DR-01	Only Cyclone, Industrial Fire and Urban Flooding are supported; the scenario is a closed list validated on the server; anything else is Out of Scope	s.1, NU-FR-03	N04, N05
DR-02	Exactly three roles exist; moderation, approval, closure and supervision are permissions inside Disaster Management	s.1, s.2	A03, A04, D30
DR-03	AI is advisory; an authorised human accepts, modifies or rejects every recommendation	s.3 principle: human oversight	D06, D07, D35
DR-04	Explicit states are used throughout, from Submitted to Closed	s.3 principle: state transparency	N30, D03, D11

ID	Domain requirement	SRS basis	Main stories
DR-05	No false success: payment, dispatch, notification and delivery need the relevant confirmation event	s.3 principle	N13, D13, D17, D33
DR-06	Agencies are external parties with no login; staff or a trusted integration record their responses	s.1, s.2	X01 to X04, D13
DR-07	Only verified, approved, versioned content is public; unverified claims are never shown as official	s.1, DM-FR-11, DM-FR-17	D15, D21, D40
DR-08	Evidence is scanned and moderated before it is shown	s.2 assumptions, DM-FR-18	N34, D22
DR-09	Card details never sit in the application; donations use a secure gateway with signed callbacks	s.1, NU-NFR-07	N28, X05
DR-10	Donations and physical aid can start without filing an incident	s.1, NU-FR-09, NU-FR-10	N12, N14
DR-11	Every incident ends in a resolved operational state or as Closed with a recorded reason	s.14	D19
DR-12	Critical actions record actor, time, record, action and result; important decisions record a rationale	s.3 principle: auditability	A07, A25, D31
DR-13	Deployment follows data-protection, payment, accessibility, retention and security obligations	AM-NFR-11	A27, N23, A08

4.5 Session guides for the elicitation still to be run

Stakeholder	Questions to ask	Requirements the answers feed
Normal User	What would you need to report an incident in under two minutes on a phone? What do you expect to see after submitting? What would make you trust a donation receipt?	NU-FR-03 to NU-FR-09, NU-NFR-01 to 04
Disaster Management staff	What must be verified before dispatch? How long before an unacknowledged dispatch escalates, and to whom? What must a closure record contain?	DM-FR-03, DM-FR-09, DM-FR-15, DM-NFR-13
Application Management	Which settings change often and who approves them? What must the audit log never lose? What recovery time is acceptable?	AM-FR-03, AM-FR-05, AM-FR-08, AM-NFR-05
External agencies	How do you want to receive a dispatch and how will you confirm or decline it? What if you reply after escalation?	DM-FR-10, DM-FR-09
Business owner and approver	Who is the named approver? Which numeric targets do you approve? Keep or skip the optional items?	Open decisions CR-25 to CR-28, CR-50

5. Product backlog (user stories)

The product backlog holds 119 user stories (Normal User 36, Disaster Management 41, Application Management 32, External Parties 10). Each has a front of card (role, goal, benefit) and a back of card (acceptance criteria). The story IDs below omit the prefix US-; the links from each story to its FR, NFR and error cases are in the workbook v5, and the Epic and Sprint columns match Section 6. Stories marked Cond are Optional and held back until the open decisions are made.

5.1 Normal User stories (36)

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N01	E01	S1	As a Normal User, I want to register an account, so that I can report incidents, donate and contribute aid	Public sign-up creates a Normal User account only; Duplicate or invalid registration is rejected with a clear message; The dashboard is shown only after authentication; Consent is captured as part of the registration input.
N02	E01	S1	As a Normal User, I want to log in and log out securely, so that my account and reports stay protected	Valid credentials create a secure session; Failed login shows a generic message that does not reveal whether the account exists; Repeated failures trigger the configured rate limit or lockout; I can request a password reset; the response is the same whether or not the account exists.
N03	E04	S2	As a Normal User, I want to view and update my profile, so that my personal details stay current	I can view and edit permitted profile fields; Invalid fields are rejected; I cannot change my own role.
N04	E04	S2	As a Normal User, I want to report an incident by choosing one of the three supported scenarios (Cyclone, Industrial Fire, Urban Flooding) and entering description, urgency and people affected, so that authorities learn about the emergency	Scenario is chosen from a closed list of three and validated again on the server; A unique incident ID and Submitted status are shown; The system never claims the report is verified or dispatched.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N05	E04	S2	As a Normal User, I want to be told clearly when my situation is outside the three supported scenarios, so that I know to contact local emergency services instead	An unsupported scenario value is rejected with a clear message; The site shows a pointer to local emergency services; No incident is created for an unsupported scenario.
N06	E04	S2	As a Normal User, I want to give the incident location by GPS, map point or manual address and add relevant details, so that responders can find the incident	GPS or map point or manual address is accepted; A map or address preview is shown and can be corrected; If GPS or the map service is unavailable I can enter the location manually.
N07	E04	S2	As a Normal User, I want to attach photos or other permitted evidence to my report, so that staff can verify what is happening	Only allowed types and sizes are accepted; Each file shows its own state such as Pending Moderation; Unsafe or corrupt files are rejected and unchecked content is never displayed; I can remove my own evidence until it has been verified.
N08	E04	S2	As a Normal User, I want to track the status, timeline, verified updates and closure reason of my own reports, so that I always know where my report stands	Only my own reports are shown; The timeline shows each state change; The closure reason is shown once the incident is closed; A report that is not mine is answered as not found, so its existence is not revealed.
N09	E09	S4	As a Normal User, I want to view my contribution history and retrieve receipts for confirmed donations, so that I have proof of what I contributed	History lists my donations and aid contributions; A receipt is available only for confirmed transactions; Pending or failed donations show no receipt.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N10	E13	S3	As a Normal User, I want to receive official alerts and updates about my reports and transactions, so that I stay informed	In-app status is always available as the source of truth; Queued, sent, delivered and failed states are visible; Transient delivery failures are retried; opt-out is honoured where offered.
N11	E11	S4	As a Normal User, I want to read approved safety guidance for each of the three scenarios, so that I can protect myself and others	Only approved, versioned content is shown; Official status, source and last-update time are visible; Stale or unapproved content is withheld.
N12	E09	S4	As a Normal User, I want to donate money to an active campaign without having to file an incident, so that I can support relief efforts	Donation is possible independently of incident reporting; I choose an active approved campaign, amount and payment method; Retrying does not charge me twice.
N13	E09	S4	As a Normal User, I want to see the exact state of my donation (Pending, Confirmed or Failed), so that I am never told it succeeded when it did not	Success is shown only after gateway confirmation with callback and reference validation; A timeout keeps the donation Pending and prevents duplicate charging; A receipt is issued only after confirmation.
N14	E10	S4	As a Normal User, I want to register physical aid (type, quantity, condition, location, contact) without filing an incident, so that goods reach people in need	Aid can be registered independently of incident reporting; Invalid or unavailable aid gets a non-success state with a next action; No delivery success is shown without confirmation; Retrying a registration with the same idempotency key creates one contribution only.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N15	E10	S4	As a Normal User, I want to see each stage of my aid contribution (Registered / Pending Verification, Verified or Rejected, Allocated, In Transit, Delivered or Failed) separately, so that I can follow it to delivery	Each stage is shown separately; A failed delivery keeps the non-success state with the reason; I can modify, withdraw or wait for reallocation.
N16	E04	S2	As a Normal User, I want to answer a staff request for more information on my report, so that staff can verify it and act	I can add text, evidence or a corrected location; The response is stored with my identity and time; The incident returns to the review queue; I cannot answer for another user or a closed incident; A response is accepted only while the incident is in the Needs Information state; a response after the response window has expired is refused with a clear message.
N17	E04	S2	As a Normal User, I want to correct or withdraw my own report before an operational action depends on it, so that wrong or resolved reports do not waste resources	I can update or withdraw only my own report; Withdrawal is blocked once dispatch has started; Original values are kept in history and staff are informed.
N18	E04	Cond	As a Normal User, I want to save an unsent report as a draft in my browser (Optional), so that I do not lose my work when something fails	A draft is clearly marked Not yet sent; The draft is restored when I return; If local storage is unavailable I am told.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N19	E04	S2	As a Normal User, I want to retry a failed submission safely, so that my report is never duplicated	Retrying uses an idempotency key; Submitting twice creates one incident only; A duplicate submission is blocked with a clear message; After a server failure the retry checks the report status first, so no duplicate is created and no false success is shown.
N20	E16	Cond	As a Normal User, I want to request an export or deletion of my personal data (Optional), so that I control my data	I must verify my identity; I am shown what can and cannot be removed and why; A deletion that did not happen is never reported as done.
N21	E11	Cond	As a Normal User, I want to flag published or shared content that looks unsafe, abusive or incorrect (Optional), so that moderators can review it	I choose the content and give a reason; Flagging is rate-limited; I get confirmation without seeing the moderation outcome.
N22	E15	S5	As a Normal User, I want to use forms and status screens that are clear, consistent and easy to learn, so that I can report quickly under stress	The report form explains the three scenarios so I can tell if mine fits; Scenario-based task tests pass.
N23	E15	S5	As a Normal User, I want to use the website with keyboard, assistive technology and readable contrast, so that accessibility barriers do not stop me from getting help	Labels, focus order and status messages are accessible; An accessibility audit finds no blocking issues.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N24	E15	S5	As a Normal User, I want to get timely feedback on common actions, so that I know my action worked	Common actions respond within the approved target; Targets are proposed after workload analysis and remain proposed until approved by the named approver.
N25	E14	S5	As a Normal User, I want to keep using core functions when a dependency fails, so that outages elsewhere do not block me	Core pages degrade gracefully when a dependency is down; Dependency-outage tests pass.
N26	E04	S2	As a Normal User, I want to have my profile, location, evidence and contact data visible only to authorised staff, so that my privacy is protected	Agencies receive only what staff choose to share; RBAC and privacy tests pass.
N27	E15	S5	As a Normal User, I want to use the platform on supported desktop and mobile browsers, so that I can reach it on any device I have	Supported browsers are documented; The compatibility matrix is tested.
N28	E09	S4	As a Normal User, I want to pay through a secure gateway so card details never sit in the application, so that my payment data is safe	Sensitive payment credentials are handled by the gateway; Security review and penetration tests pass.
N29	E09	S4	As a Normal User, I want to be sure retries, callbacks and timeouts keep my donation state correct, so that I am not double charged or misled	Duplicate attempts do not create duplicate charges; Fault-injection and reconciliation tests pass; Companion to US-N13: the functional donation-state behaviour is specified there; this story verifies it under retries and callbacks.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N30	E04	S2	As a Normal User, I want to tell submitted, moderated, verified, pending, confirmed, closed and out-of-scope states apart, so that I understand what has really happened	Each state has a distinct label; State-transition and UI tests pass.
N31	E09	S4	As a Normal User, I want to control how my identity appears when I donate, so that my donor privacy is respected	Donor identity visibility follows approved privacy rules; Access is least-privilege.
N32	E08	S3	As a Normal User, I want to receive rapid acknowledgement and updates for my incident, so that I know help is being considered	Acknowledgement is shown immediately after submission; End-to-end timing tests meet approved targets.
N33	E03	S2	As a Normal User, I want to be able to report during spam or bot traffic, so that genuine emergencies are never blocked	Abuse controls contain bots without blocking genuine reports; False-positive tests pass; When a limit is reached I see a clear message that does not reveal the threshold, with a pointer to an alternative route for a genuine emergency.
N34	E03	S2	As a Normal User, I want to be protected from unsafe text and files, so that I am not harmed by what others upload	User text and files are never rendered unsafely; Evidence is moderated before wider visibility.
N35	E04	Cond	As a Normal User, I want to see a draft saved in my browser in a clear Not yet sent state (Optional), so that I never think an unsent draft was submitted	Draft state label is visible; Browser-storage and retry tests pass; Companion to US-N18: the draft behaviour is specified there; this story verifies the label.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
N36	E16	Cond	As a Normal User, I want to exercise my data rights within retention limits (Optional), so that my data can be exported or deleted lawfully	Requests are resolved within retention limits: completed, or refused with a recorded reason; A deletion that did not happen is never reported as done; Companion to US-N20: the request behaviour is specified there; this story verifies retention limits.

5.2 Disaster Management stories (41)

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D01	E01	S1	As a Disaster Management staff member, I want to log in with MFA, so that only authorised staff access operational tools	Valid credentials plus MFA give a secure session with my permission set; Suspended or expired accounts and failed MFA are refused; The dashboard loads only after authentication.
D02	E05	S2	As a Disaster Management staff member, I want to see a consolidated dashboard of incidents, priorities, map, moderation queue and pending actions, so that I focus on what is urgent	Filters narrow the data; Overdue and escalated dispatches are surfaced; Status and last-updated time are shown.
D03	E05	S2	As a Disaster Management staff member, I want to review evidence and set a verification state with a rationale, so that only confirmed incidents are acted upon	Decision, actor and time are saved; The reporter is notified where appropriate; Concurrent updates are detected and refused.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D04	E05	S2	As a Disaster Management staff member, I want to request more information from the reporter when evidence is insufficient, so that I can verify without dispatching on a guess	The incident moves to Needs Information with a specific question for the reporter; The report is not dispatched while unverified; The reporter response returns it to the review queue.
D05	E05	S2	As a Disaster Management staff member, I want to see likely duplicate reports with the reason for the match, so that I avoid duplicate effort	Candidates are shown, never auto-deleted; I decide to link, merge or keep them; Originals are preserved.
D06	E06	S3	As a Disaster Management staff member, I want to see an AI suggestion of scenario, urgency factors and triage evidence with confidence and uncertainty, so that I can triage faster and judge it	AI output is clearly labelled advisory; Factors, uncertainty and version metadata are shown where feasible; A suggestion outside the three scenarios is flagged Out of Scope.
D07	E06	S3	As a Disaster Management staff member, I want to accept, modify or reject the AI recommendation and record my decision, so that a human always makes the final call	The AI recommendation is stored separately from my decision; AI alone cannot finalise a critical decision; If AI is unavailable I triage manually.
D08	E06	S3	As a Disaster Management staff member, I want to assign an operational priority with a recorded rationale, so that the right incidents are handled first	Priority combines rules and my judgement; The rationale is saved; Queue, map and resource planning update.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D09	E07	S3	As a Disaster Management staff member, I want to see incidents, resources, routes and areas on an operational map, so that I understand where help is needed	Pins show status and data freshness; Coordinates are validated; If the map service is down I still see list data.
D10	E07	S3	As a Disaster Management staff member, I want to track and assign teams, vehicles, supplies and support resources, so that I know what is available	Availability is checked before assignment; Conflicting or stale assignments are blocked; Availability and conflicts are visible; A reservation can be released, which makes the resource available again.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D11	E08	S3	As a Disaster Management staff member, I want to create and track a dispatch for a verified, prioritised incident with a resource, so that help reaches the scene	Prerequisites are checked before creation; States Requested, Acknowledged, Dispatched, Completed, Rejected, Failed or Escalated are shown; Escalated marks a dispatch that is still unacknowledged and is never shown as Acknowledged or Dispatched without a recorded confirmation; Until an acknowledgement is recorded the dispatch shows Requested / Waiting; it becomes Acknowledged and then Dispatched only after a recorded confirmation; If transmission fails or the team rejects the request, a failure or waiting state is shown and a safe retry or reassignment is allowed; A false success is never displayed; Dispatch completion is set only by a Disaster Management operator or a trusted integration, never inferred.
D12	E08	S3	As a Disaster Management staff member with the supervisor permission, I want to be notified when a dispatch is not acknowledged within the configured window, so that unacknowledged dispatches never wait indefinitely	The dispatch remains unacknowledged (Requested) and is marked Escalated; it is never shown as Acknowledged or Dispatched without a recorded confirmation; I can resend, reassign or escalate; The timeout comes from configuration.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D13	E08	S3	As a Disaster Management staff member, I want to record an agency's acknowledgement or rejection with the time and my name, so that the dispatch state is accurate and accountable	The recorder and timestamp are stored; A rejection shows its reason and never a dispatch success; A late or conflicting acknowledgement keeps both events and flags the conflict; If the agency messaging or dispatch integration is unavailable I can record the acknowledgement manually; the dispatch advances only on a recorded confirmation.
D14	E08	S3	As a Disaster Management staff member, I want to send coordination messages to external agency contacts, so that agencies get the information they need and nothing more	Recipient authority is checked; Sent, acknowledged, rejected or failed state and recorder are shown; Only the information I choose to share is sent.
D15	E11	S4	As a Disaster Management staff member with the Publisher/Approver permission, I want to publish verified public updates with an affected area, so that the public receives trusted information	Updates are versioned and timestamped; Staff without Publisher/Approver permission cannot publish; Notification failure does not block the update; Published updates appear on the public updates page and landing page with their timestamp, without requiring login.
D16	E09	S4	As a Disaster Management staff member, I want to monitor confirmed donations and verified aid, so that I know what resources are really available	Pending, confirmed and verified states are distinct; The view is reconciled with traceability; A gateway delay is not counted as confirmed.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D17	E10	S4	As a Disaster Management staff member, I want to allocate verified aid to an approved need and track delivery, so that aid reaches the right place	Compatibility and quantity are checked; Allocated, In Transit, Delivered or Failed states are tracked; A failed delivery can be rescheduled or reallocated; I can verify or reject registered aid before allocating it; Delivered is recorded only on an authorised receipt confirmation; The need comes from needs management (Optional DM-FR-19) where adopted; otherwise I enter it directly here.
D18	E12	S5	As a Disaster Management staff member, I want to view operational and contribution analytics filtered by time, scenario and region, so that I can plan and report	Definitions and data freshness are shown; Unknown and pending records are separated; Out of Scope records are counted separately.
D19	E12	S5	As a Disaster Management staff member with the closer permission, I want to close an incident with a recorded reason and optional public summary, so that every incident ends in a clear final state	Closure is refused while dispatches or allocations are open unless I give an explicit override rationale; Edits are frozen but the record stays readable; The reason and time are shown to staff and to the reporter; Reopening a closed incident requires the same closer permission and is itself audited.
D20	E09	S4	As a Disaster Management staff member, I want to create and manage donation campaigns for the three scenarios, so that donors can give to approved purposes	Campaign scenario accepts only the three supported values; Only active, approved campaigns are offered to donors; A closed campaign still referenced is handled.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D21	E11	S4	As a Disaster Management staff member with the Publisher/Approver permission, I want to author, review, approve and publish versioned safety content per scenario, so that citizens read only approved guidance	Draft goes through review and approval before publish; Every version is kept and attributable; An unapproved draft is never served; The previous approved version stays live until the new version is approved; both versions are retained.
D22	E03	S2	As a Disaster Management staff member with the moderator permission, I want to review uploaded evidence and flagged text and set Approved, Quarantined or Removed, so that unsafe content is never shown publicly	Decision, actor, time and reason are recorded; Quarantined content shows a placeholder to staff only; Pending items are never auto-approved when the backlog grows; If the scanner is unavailable, items stay Pending and are never treated as Approved; Content found unsafe is quarantined immediately, never rendered, and an alert is raised to moderators and Application Management; Removing an item leaves the incident open with its remaining evidence.
D23	E10	Cond	As a Disaster Management staff member, I want to record, prioritise and close operational needs that aid can be allocated against (Optional), so that aid matches real demand	Open, partially met and met needs are shown; Duplicate or over-allocated needs are blocked.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D24	E08	Cond	As a Disaster Management staff member, I want to maintain a directory of external agency contacts and assign them to incidents (Optional), so that dispatch messages reach the right people	Contacts are validated; no login is created; The directory is the recipient list for messaging; Invalid or duplicate contacts are rejected.
D25	E03	S2	As a Disaster Management staff member with the moderator permission, I want to triage flagged and rate-limited submissions and see the backlog, so that abuse is handled without delaying genuine reports	Flagged items appear in a queue; A backlog beyond threshold raises an alert; Genuine reports are never silently discarded; Near-identical bulk submissions are surfaced for human review and never auto-deleted.
D26	E05	S2	As a Disaster Management staff member, I want to use dashboards that foreground urgent and pending actions, so that I do not miss critical work	Moderation queue and overdue dispatches are prominent; Expert review and task tests pass.
D27	E15	S5	As a Disaster Management staff member, I want to use operational screens that meet the accessibility baseline, so that all staff can operate them	Accessibility audit passes where applicable.
D28	E14	S5	As a Disaster Management staff member, I want to have search, dashboard and map stay responsive under operational load, so that I can work during a surge	Load and stress tests pass at approved load.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D29	E14	S5	As a Disaster Management staff member, I want to keep core operations running when non-critical integrations fail, so that a failure in one service does not stop response	Core operations degrade safely; Outage and failover tests pass.
D30	E01	S1	As a Disaster Management staff member, I want to be limited to actions my permissions allow, so that no one can act beyond their authority	Only three roles exist; moderator, closer, Publisher/Approver and supervisor are permissions; Self-escalation is impossible; RBAC and penetration tests pass; A page requested without the matching role redirects to login if I am not signed in, or shows an access-denied page if I am.
D31	E02	S2	As a Disaster Management staff member, I want to have critical decisions attributable to me with time and rationale, so that decisions are accountable	Closures and moderation outcomes record actor, time and rationale; Audit completeness tests pass.
D32	E08	S3	As a Disaster Management staff member, I want to have dispatch, map and notification integrations use documented interfaces and state mappings, so that agency states map reliably to dispatch states	Acknowledge, reject and progress states map to internal states; API contract tests pass.
D33	E14	S4	As a Disaster Management staff member, I want to be sure loss of AI, map, notification or agency services never corrupts records or falsely advances state, so that I can trust the system after a failure	No state advances without confirmation; Chaos and fault-injection tests pass.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D34	E06	S3	As a Disaster Management staff member, I want to see AI factors, uncertainty and version metadata, so that I can judge whether to trust a recommendation	Factors are understandable; Out-of-scope suggestions are flagged.
D35	E06	S3	As a Disaster Management staff member, I want to be sure critical decisions cannot be finalised by AI alone, so that a human stays accountable	Workflow blocks AI-only finalisation; Negative tests pass.
D36	E14	S5	As a Disaster Management staff member, I want to have concurrent updates preserve incident, dispatch, resource and aid consistency, so that two staff cannot corrupt data	Conflicting updates are refused with a clear message; Concurrency and transaction tests pass.
D37	E12	S5	As a Disaster Management staff member, I want to see metric definitions, freshness and how pending and unknown records are treated, so that analytics can be trusted	Only the three scenarios are analysed; Out-of-scope and unknown records are counted separately and never mixed into scenario metrics.
D38	E08	S3	As a Disaster Management staff member with the supervisor permission, I want to have an unacknowledged dispatch escalate to me at the configured timeout, so that dispatches never stall	Escalation notifies a supervisor-permission holder; Timeout, escalation and notification tests pass; Companion to US-D12: the functional behaviour is specified there; this story verifies it.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
D39	E03	S2	As a Disaster Management staff member with the moderator permission, I want to keep the moderation backlog within its configured threshold, so that flagged content is reviewed promptly	Backlog alerts fire at the threshold; Queue-load tests pass.
D40	E11	S4	As a Disaster Management staff member with the Publisher/Approver permission, I want to publish only approved, versioned content attributable to its author and approver, so that the public receives authoritative information	Every published item records author and approver; Publishing-permission and version-integrity tests pass; Companion to US-D15 and US-D21: the functional behaviour is specified there; this story verifies attribution and version integrity.
D41	E14	Cond	As a Disaster Management staff member, I want to follow documented manual fallbacks during a long integration outage (Optional), so that verification, dispatch recording and closure continue	Manual procedures are documented; Tabletop and degraded-mode drills pass.

5.3 Application Management stories (32)

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A01	E01	S1	As an Application Management administrator, I want to log in with MFA, so that platform administration is protected	Valid credentials plus MFA give an admin session; Invalid or disabled accounts and MFA failure are refused; The console loads only after authentication.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A02	E01	S1	As an Application Management administrator, I want to create, suspend and reactivate staff, admin and user accounts, so that only vetted people have access	Staff and admin accounts are created only by me; Only the three roles can be assigned; Before and after states are audited.
A03	E01	S1	As an Application Management administrator, I want to grant Publisher/Approver, moderator, closer and supervisor permissions inside Disaster Management, so that staff only get the authority they need	Permissions are granted and revoked individually; No fourth role can be created; Changes take effect immediately and are audited.
A04	E01	S1	As an Application Management administrator, I want to be prevented from removing the last active administrator or escalating my own privileges, so that the platform is never left without control	Removing the last admin is refused; Self-escalation is refused and logged.
A05	E02	S1	As an Application Management administrator, I want to manage scenario, notification, timeout, escalation and duplicate-detection settings, so that behaviour can change safely	Settings are versioned and audited; The scenario setting can enable or disable only the three scenarios; Attempts to add a scenario or role are refused.
A06	E14	S5	As an Application Management administrator, I want to monitor services, queues, storage, integrations and the moderation backlog, so that I detect problems early	A health dashboard shows current or last-known state; Alerts are raised for failures and backlog; Monitoring gaps are visible.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A07	E02	S1	As an Application Management administrator, I want to search and filter protected audit records of security and operational events, so that I can investigate and prove what happened	Moderation decisions, closures and staff-recorded agency acknowledgements are included; Logs are protected from alteration; Access to logs is controlled.
A08	E16	S4	As an Application Management administrator, I want to validate, correct and manage the lifecycle and retention of data, so that data quality stays high	Corrections preserve traceability; Unauthorised bulk changes are refused.
A09	E02	S1	As an Application Management administrator, I want to manage security controls, secrets and security incidents, so that the platform resists attacks	Secrets are protected and rotated; Every change is audited; Actionable alerts are shown.
A10	E14	S3	As an Application Management administrator, I want to create, validate and restore backups, so that data can be recovered after a failure	Backups are protected and integrity-checked; Backup age, status and restore verification are shown; Corrupt backups are detected.
A11	E13	S1	As an Application Management administrator, I want to configure notification channels, templates, routing and retry including the in-app fallback, so that notifications are reliable	Configuration is validated, versioned and tested before activation; The in-app channel is the fallback.
A12	E09	S4	As an Application Management administrator, I want to monitor the payment gateway, callbacks and reconciliation, so that donations are accurate and safe	Pending, Confirmed, Failed and mismatches are shown separately; Timeouts and mismatches are flagged; Invalid callbacks are rejected.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A13	E03	S1	As an Application Management administrator, I want to configure per-account, per-IP and per-endpoint rate limits and block or allow lists, so that spam and bots are contained	Limits apply to sign-up, login, reporting, uploads, flags and donations; Every action is logged; Legitimate reports are never silently discarded and thresholds are not revealed; A source that keeps exceeding limits is throttled and then blocked, Application Management is alerted, and other users' reports continue to be accepted; A block can be lifted after review; If the abuse-control service itself fails, it fails safe and an alert is raised.
A14	E03	S1	As an Application Management administrator, I want to configure the moderation policy (allowed types, scan settings, auto-quarantine rules, backlog thresholds), so that moderators enforce a consistent policy	Policy is versioned and audited; Moderators see the effective policy and version; A backlog above threshold raises an alert.
A15	E16	Cond	As an Application Management administrator, I want to oversee user export and deletion requests (Optional), so that privacy requests are handled lawfully	Identity checks and retention rules are applied; Outcome and reason are recorded; Retention conflicts lead to refusal with reason.
A16	E02	Cond	As an Application Management administrator, I want to require a second administrator to approve critical configuration and role changes (Optional), so that no single person can make risky changes	Changes stay pending until a different admin approves; Self-approval is refused; Both actors are audited; A change that is not approved (approval timeout, or no second administrator available) stays unapplied and is shown as pending.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A17	E02	S1	As an Application Management administrator, I want to work with modular, documented and testable services and configuration, so that the system is easy to change	Configuration covers scenarios, notifications, timeouts, escalation, duplicate detection, abuse thresholds and moderation policy; Architecture and change-impact reviews pass.
A18	E14	S5	As an Application Management administrator, I want to have the platform scale with users, incidents, evidence and contributions, so that growth does not force a redesign	Capacity and load tests pass on approved assumptions.
A19	E14	S5	As an Application Management administrator, I want to receive actionable telemetry and alerts from critical services and integrations, so that I can respond before users are affected	Moderation backlog and agency/dispatch integration emit telemetry; Monitoring coverage and alert simulations pass.
A20	E02	S1	As an Application Management administrator, I want to make administrative changes with validation, controlled transactions and audit records, so that data stays consistent	Failed changes roll back; Mutation and rollback tests pass.
A21	E14	S5	As an Application Management administrator, I want to restore from protected, verifiable backups under an approved recovery plan, so that I can recover from disaster	Restore drills succeed; Integrity tests pass.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A22	E01	S1	As an Application Management administrator, I want to have admin interfaces use strong authentication, least privilege and protected secrets, so that the admin surface is hard to attack	Staff and admin accounts require MFA; Role and scenario lists change only through a formal change; Security and secret-scanning tests pass.
A23	E09	S5	As an Application Management administrator, I want to observe gateway health, callback authenticity, mismatches and pending transactions, so that payment issues are caught quickly	Outage, callback and reconciliation simulations pass; Companion to US-A12: the monitoring behaviour is specified there; this story verifies simulations.
A24	E13	S5	As an Application Management administrator, I want to have failed notifications retry safely and stay visible without duplicate spam, so that messages are reliable	In-app status is the fallback source of truth; Provider-outage and duplicate-prevention tests pass; Companion to US-A11: the configuration behaviour is specified there; this story verifies safe retry and duplicate prevention.
A25	E02	S1	As an Application Management administrator, I want to have admin, security and configuration actions retained and protected from alteration, so that the audit trail is trustworthy	Staff-recorded agency acknowledgements are included; Audit access and integrity tests pass.
A26	E14	S5	As an Application Management administrator, I want to have supported platform and interface versions documented including agency integration contract terms, so that integrations stay compatible	Contract tests pass.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A27	E02	S1	As an Application Management administrator, I want to have deployment follow data-protection, payment, accessibility, retention and security obligations, so that the platform stays compliant	A compliance evidence checklist is completed.
A28	E14	S5	As an Application Management administrator, I want to have component failures cause safe degradation, recovery or operator escalation, so that there is no silent data loss	Failure-injection and recovery tests pass.
A29	E03	S5	As an Application Management administrator, I want to have rate limits and abuse controls hold under load without blocking genuine emergency traffic, so that the platform stays usable during attacks	Attack simulation shows low false positives.
A30	E02	S1	As an Application Management administrator, I want to have scenario, account role and permission assignments, timeout and moderation settings versioned, attributable and reversible, so that configuration changes can be audited and rolled back	Configuration audit, rollback and approval tests pass; The role list is fixed (AM-NFR-06): only which of the three roles and permissions an account holds is versioned and reversible; a rollback can never create or restore a role outside the three.
A31	E02	Cond	As an Application Management administrator, I want to trace every FR and NFR to a design component and a test case (Optional), so that nothing is left untested	Traceability matrix is reviewed.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
A32	E16	Cond	As an Application Management administrator, I want to have retention, archival and deletion schedules defined and enforced per data class (Optional), so that data is not kept longer than allowed	Retention-policy and deletion-job tests pass.

5.4 External party stories (10)

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
X01	E08	S3	As an external agency contact, I want to receive a dispatch or coordination message from the Hub, so that I can act on it without needing an account	Agencies hold no accounts or login; Only information staff chose to share is sent.
X02	E08	S3	As an external agency contact, I want to have my acknowledgement or progress recorded against the dispatch, so that the Hub shows the true dispatch state	Staff or a trusted integration records the acknowledgement with timestamp and recorder; Agency states map to internal dispatch states.
X03	E08	S3	As an external agency contact, I want to decline a dispatch and give a reason, so that the Hub can reassign help quickly	The dispatch shows Rejected with reason and recorder; Success is never shown.
X04	E08	S3	As an external agency contact, I want to send a late acknowledgement after escalation without breaking the record, so that history stays accurate	Both events are kept in history; The conflict is flagged for staff; The late acknowledgement is recorded by staff or a trusted integration with the recorder stored; the agency has no login.

ID	Epic	Sprint	Front of card (role, goal, benefit)	Back of card (acceptance criteria)
X05	E09	S4	As the payment gateway, I want to return a signed callback with transaction status to the Hub, so that donations are confirmed only when genuine	Callback authenticity is verified; Invalid or mismatched callbacks are flagged.
X06	E09	S4	As the payment gateway, I want to remain unavailable without causing false donation success, so that donors are not misled	Hub shows temporary unavailability; Monitoring raises an alert.
X07	E08	S3	As a notification provider, I want to report delivery success or failure for each message, so that the Hub can retry or fall back to in-app status	Provider result is recorded; Retries follow policy without duplicates.
X08	E07	S1	As the map service, I want to return map data for incident and resource display, so that staff can see locations	Outage falls back to list and manual location; Records are never corrupted by a map failure.
X09	E06	S3	As the AI triage service, I want to provide advisory classification with confidence, so that staff can triage faster	Low confidence or outage is marked uncertain; Manual triage continues when AI is unavailable.
X10	E01	S1	As the identity service, I want to authenticate users and staff, so that only valid people sign in	Identity-service failure shows a safe error; No session is created on failure.

6. Epics grouped into sprints

The 119 stories form 16 epics, and the epics generate five two-week sprints: 22, 22, 22, 20 and 21 stories, with 12 Optional stories held as conditional. Each story sits in exactly one epic (workbook v5, sheet Epics).

6.1 Epics

Epic	Name and goal	Stories	S1	S2	S3	S4	S5	Cond.
E01	Identity, Authentication & Access Control: three-role sign-up, MFA, server-side RBAC, account and permission administration	10	10					
E02	Audit, Configuration & Security Governance: protected audit trail, versioned configuration with rollback, security controls	11	8	1				2
E03	Abuse Protection & Content Safety: rate limits, moderation policy, evidence scanning, moderation queue	8	2	5			1	
E04	Incident Reporting, Tracking & Reporter Privacy: profile, three-scenario report, evidence, retry, status, reply, withdrawal	13		11				2
E05	Verification & Staff Dashboard: dashboard, evidence review, verify, reject or request information, duplicates	5		5				
E06	AI-Assisted Triage & Prioritisation: advisory AI, human accept, modify or reject, recorded priority	6			6			
E07	Resources & Operational Map: map, resource tracking, reservation and release	3	1		2			
E08	Dispatch & Agency Coordination: dispatch lifecycle, acknowledgement, timeout and escalation, agency messaging	13			12			1
E09	Donations & Payments: campaigns, gateway, signed callbacks, states, receipts, donor privacy, payment monitoring	12				11	1	
E10	Physical Aid Contributions: registration, verification, allocation, delivery confirmation	4				3		1
E11	Public Communication & Safety Content: versioned approval and publication of updates and guidance	5				4		1
E12	Incident Closure & Analytics: closure with dependency checks, analytics, metric definitions	3					3	

Epic	Name and goal	Stories	S1	S2	S3	S4	S5	Cond.
E13	Notifications & Alerts: channels and routing, alerts, safe retry without duplicate spam	3	1		1		1	
E14	Resilience, Performance & Operations: backups and restore, monitoring, degradation, concurrency, scalability, integration-failure safety	13			1	1	10	1
E15	Usability, Accessibility & Compatibility: clear forms, accessibility baseline, feedback timing, supported browsers	5					5	
E16	Data Lifecycle & Privacy Rights: data validation, retention, export and deletion rights	5				1		4
	Total	**119**	**22**	**22**	**22**	**20**	**21**	**12**

6.2 Sprints generated from the epics

Sprint	Weeks	Theme	Epics (stories)	Milestone	Done when
S1	1-2	Identity, RBAC, audit, config, abuse	E01 (10), E02 (8), E03 (2), E07 (1), E13 (1) = 22	Three roles log in; platform governed	Each role reaches only its own area, the last admin cannot be removed, audit records cannot be altered, config changes are reversible
S2	3-4	Intake, moderation, verification	E04 (11), E03 (5), E05 (5), E02 (1) = 22	Reports moderated and verified	No unapproved evidence is visible beyond reviewing staff; a Submitted incident reaches Verified, Rejected or Needs Information with a rationale
S3	5-6	AI triage, resources, dispatch	E08 (12), E06 (6), E07 (2), E13 (1), E14 (1) = 22	Dispatch through escalation	AI never finalises a decision, state advances only on a recorded confirmation, no false success is shown

Sprint	Weeks	Theme	Epics (stories)	Milestone	Done when
S4	7-8	Payments, public comms, aid	E09 (11), E11 (4), E10 (3), E14 (1), E16 (1) = 20	Donations and updates live	No false receipt, no double charge, unapproved content is never public, Delivered needs an authorised confirmation
S5	9-10	Closure, analytics, resilience, release	E14 (10), E15 (5), E12 (3), E03 (1), E09 (1), E13 (1) = 21, plus 12 conditional	Release candidate	The full workflow runs end to end, exit criteria pass, any target that is not approved is reported as TBD, not as passed

The conditional stories (N18, N20, N21, N35, N36, D23, D24, D41, A15, A16, A31, A32) are built only if the decisions CR-26 to CR-28 and CR-50 approve them and capacity remains; otherwise they move to the post-release backlog.

6.3 Sequencing inside and across sprints

- **In-sprint order:** S1 auth and RBAC first, then config, then abuse and policy; S2 D25 before D39 and N07 before D22; S3 D08 and D10 before D11; S4 D20 before N12 and N14 before D17.
- **Two-part stories:** where a story needs a feature built later, the part that works now is delivered in its own sprint and the rest is completed when the dependency lands (for example the S2 dashboard gains dispatch panels in S3, and closure content from D19 appears in S5).
- **Load:** 20 to 22 stories per sprint is high for ten people with velocity still unknown, so S1 is the calibration sprint and the plan is re-baselined after it. If velocity falls short, the non-critical NFR stories N22, N23, N27, D27 and A26 move after release.

6.4 Scenario tests by sprint

Sprint	Scenarios tested
S2	13.7, 13.9, 13.11, 13.12; 13.6 (idempotent retry); 13.2 (duplicate candidates)
S3	13.2 (AI uncertainty), 13.5, 13.8; 13.1 up to dispatch; 13.6 (agency outage)

Sprint	Scenarios tested
S4	13.3, 13.4, 13.13; 13.6 (gateway); 13.1 end to end including the public update
S5	13.10, plus full regression, security, accessibility, concurrency and performance

7. Conflicts across stakeholders and epics

Checking the SRS, the stories, the epics and the sprint plan against each other found 68 conflicts and inconsistencies (CR-01 to CR-68): 54 are resolved and 14 need a decision from a named owner. The full register, with severity and exact wording, is in the workbook v5.

7.1 How conflicts were found and resolved

1. **SRS against stories:** every FR, NFR and error case must be linked to at least one story, and each story's criteria must match the SRS rule.
2. **Story against story:** overlapping or duplicate stories and contradictory criteria were compared across the three roles and the external parties.
3. **Epic against epic:** dependencies between sprints, shared mechanisms, privacy across epics and data rules were checked.
4. **Plan against workbook:** counts, scheduling and test coverage were compared.

The resolution rule is: the SRS wins; where the SRS itself is ambiguous, the stories build on the documented text, the interpretation is recorded, and the question goes to its owner. No story was changed to hide an SRS conflict.

7.2 Story-level conflicts (CR-01 to CR-56)

Type	Count	How resolved
Missing acceptance criterion	21	Criterion added from the SRS rule
Duplicate or overlapping stories	7	Kept both, cross-referenced as companion stories, IDs preserved
Traceability gap or unsupported link	5	Link added or removed so each requirement maps to real stories

Type	Count	How resolved
Inconsistent criteria, business-rule or priority conflict	7	Criteria reworded to the SRS rule; core retry safety anchored in SRS s.15.1
Terminology or state mismatch	2	Names and state lists aligned (for example the four permission names)
SRS-level ambiguity, gap or inconsistency	12	Stories keep the documented text; each item logged for the SRS owner
Stale review text or count mismatch	2	Notes, Summary and the Optional-story count corrected

7.3 Epic-level conflicts (CR-57 to CR-68)

ID	Epics and stories	Conflict	Resolution	Status
CR-57	E05 (D02, D26, S2) and E06/E07/E08 (S3)	The S2 dashboard must show priorities, map and overdue or escalated dispatches that are built in S3	Two-part delivery: S2 shows incidents, moderation queue and verification; S3 adds priority, map and dispatch panels	Resolved
CR-58	E04 (N17, S2) and E08 (D11, S3)	Withdrawal is blocked once dispatch has started, but dispatch does not exist until S3	Withdrawal works in S2; the lock is switched on when D11 lands and is tested then	Resolved
CR-59	E04/E05 (N08, N30, D31, S2) and E12 (D19, S5)	Closure reason, Closed state and closure audit appear in S2 stories but closure is built in S5	Staged: states and timeline in S2; closure content completed with D19 in S5	Resolved
CR-60	E02 (A07, A25, S1) and E03, E08, E12	The audit log must record events from features built in later sprints	Event types are registered as each epic lands; each epic tests its own audit events	Resolved

ID	Epics and stories	Conflict	Resolution	Status
CR-61	E03 (A13, S1) and E04, E09	Rate limits are configured in S1 but must also cover uploads, flags and donations built later	S1 covers sign-up, login and reporting; uploads (S2) and donations (S4) are added in those sprints	Resolved
CR-62	E03 (D22, D25, S2) and E11 (N21, Optional)	Flagged text comes from N21, an Optional story outside S1 to S5	D22 and D25 work without N21; flagged text is added only if N21 is adopted	Resolved
CR-63	E05 (D03, S2) and E14 (D36, S5)	D03 refuses concurrent updates in S2 but full concurrency control is built in S5	Basic stale-update refusal in S2; full concurrency verification in S5	Resolved
CR-64	E13 (N10, S3) and E09 (S4)	Alerts about transactions are in S3 but transactions exist only from S4	S3 delivers alerts for reports; transaction alerts are added in S4	Resolved
CR-65	E04 (N19, S2) and E09 (N29, S4)	Both stories need idempotent retry and could be built twice with different behaviour	One shared idempotency component built in S2 and reused in S4; payment adds signed-callback and reference validation	Resolved
CR-66	E01 (A03, S1) and E08 (D11, D13, D14, S3)	Four permissions are defined, but dispatch actions may need a fifth "dispatch" permission (see CR-46)	Build on the four documented permissions until the SRS owner decides	Open
CR-67	E09 (D16, A12, S4), E12 (D18, S5) and N31	Monitoring and analytics could expose donors who chose limited identity visibility	Design rule: analytics report aggregates only and monitoring follows N31; the S5 privacy test checks it	Resolved

ID	Epics and stories	Conflict	Resolution	Status
CR-68	E14 (A10, A21) and E16 (A08, N20, N36, A32)	Backups may hold records that retention or deletion rules require removing; the backup retention period is undefined	The restore drill reapplies retention and deletion; the retention period stays TBD until decided	Open

8. Open decisions and risks

Fourteen items stay open because each needs a decision the project team cannot make alone; until they are decided the stories and plan build on the documented SRS text, and compliance with the SRS is not claimed.

8.1 Open decisions

Decision	CR	Owner	Needed by	Build assumption until decided
Name the approver and approve numeric targets (affects N24, N32, D28, A18; recovery plan for A21)	CR-25	Business owner	Before S3 (N32); before S5 (N24, A18, A21, D28)	Tests report these targets as TBD, not passed
Keep or skip needs management (DM-FR-19)	CR-26	Business owner	Before S5	Staff enter needs directly in D17
Keep or skip the optional data-request set	CR-27	Business owner	Before S5	N20, N36, A15, A32 stay conditional
Keep or skip the browser draft	CR-28	Business owner	Before S5	N18, N35 stay conditional

Decision	CR	Owner	Needed by	Build assumption until decided
Does a fifth "dispatch" permission exist?	CR-46, CR-66	SRS owner	Before S1	Four documented permissions
Meaning of "role settings" in AM-NFR-14	CR-23	SRS owner	Before S1	Only an account's role and permission assignment is versioned; the role list is fixed
Error-code mapping in s.15.7	CR-47	SRS owner	Before S1	Cite error cases by their Section 11 meaning
Meaning of Escalated; Completed and Failed missing from DM-FR-09	CR-22, CR-24	SRS owner	Before S2 ends	Escalated marks a still-unacknowledged dispatch; Completed and Failed taken from SRS 7.5
Scenarios 13.12 and 13.13 labelled Optional; idempotency rule cites Optional NU-FR-13	CR-48, CR-49	SRS owner	Before S2	Treat both scenarios as core; build N19 to SRS s.15.1
Keep or skip five further Optional items (NU-FR-15, DM-FR-20, AM-FR-14, DM-NFR-16, AM-NFR-15)	CR-50	SRS owner	Before S5	N21, D24, A16, D41, A31 stay conditional
Backup retention period against data deletion	CR-68	Business owner and SRS owner	Before S5	Restore drill reapplies retention and deletion

8.2 Delivery risks

Risk	Mitigation	Needed by
20 to 22 stories per sprint is a very high load; velocity is unknown	Treat S1 as calibration and re-baseline; move N22, N23, N27, D27 and A26 after release if velocity falls short	End of S1
External providers undecided (payment, map, AI, agency, notification, scanner)	Use sandboxes and stubs; confirm vendors early	Before S1 (notification, map); S3 (AI, agency); S4 (payment)
Stories depend on features from other sprints	Sequence the dependent story second; deliver cross-sprint stories in two parts	Sprint planning
Single DB1, INT1 and DO1 are bottlenecks	Cross-train BE3 as backup	Ongoing
The ten team roles are assumed, and story points, tech stack, environments and start date are TBD	Confirm roles and re-baseline after S1	Before S1