Probability	Accuracy	Precision	Recall	F1.Score	AUC
Lysis	73.01	48.91	76.27	59.6	77.68
Infection	73.01	48.91	76.27	59.6	78.43
Inf. virions	73.01	48.91	76.27	59.6	78.59
Probability	Accuracy	Precision	Recall	F1.Score	AUC
Lysis	95.13	96.69	96.05	96.37	98.03
Infection	95.13	96.69	96.05	96.37	98.03
Inf. virions	95.13	96.69	96.05	96.37	98.02
Probability	Accuracy	Precision	Recall	F1.Score	AUC
Probability Lysis	Accuracy 50.44	Precision 100	Recall 48.15	F1.Score 65	<i>AUC</i> 68.77
•					
Lysis	50.44	100	48.15	65	68.77
Lysis Infection	50.44 50.44 50.44	100 100 100	48.15 48.15 48.15	65 65	68.77 68.77
Lysis Infection Inf. virions	50.44 50.44 50.44	100 100 100	48.15 48.15 48.15	65 65 65	68.77 68.77 68.77
Lysis Infection Inf. virions Probability	50.44 50.44 50.44 Accuracy	100 100 100 Precision	48.15 48.15 48.15 <i>Recall</i>	65 65 65 <i>F1.Score</i>	68.77 68.77 68.77 <i>AUC</i>