Assignment – 14

Entering, Deleting, and Changing Field Values.

1) Write a command that puts the following values, in their given order, into the salespeople table: city – San Jose, name – Blanco, comm – NULL, cnum – 1100.

Query: insert into salespeople (city, sname, comm, snum) values ('San Jose', 'Blanco', NULL, 1100);

)3_93068	3_Pankaj>se		salespeople;
Snum	Sname	City	Comm
1001 1002 1004 1007 1003 1100	Peel Serres Motika Rifkin Axelrod Blanco	london San Jose London Barcelona New York San Jose	0.12 0.13 0.11 0.15 0.10 NULL
rows :	in set (0.0	00 sec)	++

2) Write a command that removes all orders from customer Clemens from the Orders table.

Query: delete from orders where cnum = (select cnum from customers where cname = 'Clemens');

```
D3_93068_Pankaj>select * from orders
   ->
                   Odate
                                Cnum
                                        Snum
Onum
        Amt
          18.69
 3001
                   1990-10-03
                                 2008
                                         1007
3003
         767.19
                   1990-10-03
                                 2001
                                         1001
        1900.10
3002
                   1990-10-03
                                 2007
                                         1004
        5160.45
3005
                   1990-10-03
                                 2003
                                         1002
        1098.16
3006
                   1990-10-03
                                 2008
                                         1007
3009
        1713.23
                   1990-10-04
                                 2002
                                         1003
          75.75
                   1990-10-04
3007
                                 2004
                                         1002
3010
        1309.95
                   1990-10-06
                                 2004
                                         1002
rows in set (0.00 sec)
```

3) Write a command that increases the rating of all customers in Rome by 100.

Query: update customer set rating = rating+100 where city = 'Rome';

```
D3_93068_Pankaj>select * from customer;
                     City
                                 Rating
 Cnum
        Cname
                                          Snum
        Hoffman
2001
                     London
                                    100
                                          1001
        Giovanni
2002
                     Rome
                                    300
                                          1003
 2003
        LIU
                     San Jose
                                    200
                                          1002
 2004
                     Berlin
                                    300
                                          1002
        Grass
 2006
        Clemens
                     London
                                    100
                                          1001
 2008
        Cisnerous
                     san Jose
                                          1007
                                    300
 2007
        Pereira
                                    250
                                          1004
                     Rome
rows in set (0.00 sec)
```

4) Salesperson Serres has left the company. Assign her customers to Motika.

Query: update customer set snum = (select snum from salespeople where sname = 'Motika') where snum = (select snum from salespeople where sname = 'serres');

Cnum		City	Rating	Snum
2001	Hoffman	London	100	1001
2002	Giovanni	Rome	300	1003
2003	LIU	San Jose	200	1004
2004	Grass	Berlin	300	1004
2006	Clemens	London	100	1001
2008	Cisnerous	san Jose	300	1007
2007	Pereira	Rome	250	1004