## Assignment – 14

## **Entering, Deleting, and Changing Field Values.**

1) Write a command that puts the following values, in their given order, into the salespeople table: city – San Jose, name – Blanco, comm – NULL, cnum – 1100. insert into salespeople (City, Sname, Comm, SNum) values('San Jose', 'Blanco', NULL, '1100');

. ———	<b></b>		
Snum	Sname	City	Comm
1001 1002 1003 1004 1003	Peel Serres Motika Rifkin Axelrod	London   San Jose   London   Barcelona   New York	0.12   0.13   0.11   0.15   0.10
Snum	Sname	City	Comm

Snum	Sname	City	Comm
1001	Peel	London	0.12
1002	Serres	San Jose	0.13
1003	Motika	London	0.11
1004	Rifkin	Barcelona	0.15
1003	Axelrod	New York	0.10
1100	Blanco	San Jose	NULL
++		+	+ <del>-</del> 1

2) Write a command that removes all orders from customer Clemens from the Orders table.

delete from orders

where cnum=(select Cnum from customers

where Cname='Clements');

Onum   Amt	Odate	Cnum	Snum
3001   18.69     3003   767.19     3002   1900.10     3005   5160.45     3006   1098.16     3009   1713.23     3007   75.75     3010   1309.95     3011   9891.88	1990-10-03   1990-10-03   1990-10-03   1990-10-03   1990-10-04   1990-10-04   1990-10-06   1990-10-06	2008   2001   2007   2003   2008   2002   2004   2006	1007   1001   1004   1002   1007   1003   1002   1001

Onum	Amt   Amt	Odate	Cnum	Snum
3001 3003 3002 3005 3006 3009 3007 3010	18.69 767.19 1900.10 5160.45 1098.16 1713.23 75.75	1990-10-03   1990-10-03   1990-10-03   1990-10-04   1990-10-04   1990-10-04   1990-10-06	2008 2001 2007 2003 2008 2002 2004 2004	1007   1001   1004   1002   1007   1003   1002   1002
	+	+	+	

3) Write a command that increases the rating of all customers in Rome by 100.

Update customers

set rating=rating+100

where City='Rome';

Cnum	Cname	City	Rating	Snum
2002 2003 2004	Hoffman Giovanni Liu Grass Clements Cisneros Pereira	London Rome San Jose Berlin	100 100 200 300 100 300	1001   1003   1002   1002   1001   1007   1004
	H	+	<del></del>	++

Cnum	Cname	City	Rating	Snum
2002 2003 2004	Hoffman Giovanni Liu Grass Clements Cisneros Pereira	London Rome San Jose Berlin London San Jose Rome	100 200 200 300 100 300 200	1001   1003   1002   1002   1001   1007   1004

4) Salesperson Serres has left the company. Assign her customers to Motika. select Snum, Sname from salespeople where Sname in('serres','Motika'); update salespeople set snum=1003

where snum=1002;

	+	+	++
Snum	Sname	City	Comm
1001 1002 1003 1004 1003 1100	Peel   Peel   Serres   Motika   Rifkin   Axelrod   Blanco	London San Jose London London Barcelona New York	0.12     0.13     0.11     0.15     0.10     NULL
	+	+	++

Snum		City	Comm
1001	Peel	London	0.12
1003	Serres	San Jose	0.13
1003	Motika	London	0.11
1004	Rifkin	Barcelona	0.15
1003	Axelrod	New York	0.10
1100	Blanco	San Jose	NULL