

Query ID: test1255

Query Text: what are the types of information system application

**Retrieved Documents:**

|   |            |  |
|---|------------|--|
| 1 | doc44318   | Information system. Certain information systems support parts of organizations, others support entire organizations, and still others, support groups of organizations. Recall that each department or f |
| 0 | doc1368584 | Time management. Numerous digital equivalents are now available, including Personal information management (PIM) applications and most PDAs. There are also several web-based task list applications, ma |
| 0 | doc1657844 | Decision support system. One example is the clinical decision support system for medical diagnosis. There are four stages in the evolution of clinical decision support system (CDSS): the primitive ver |
| 0 | doc1657832 | Decision support system. The users themselves are also important components of the architecture.[6][13]  |
| 0 | doc2152788 | Computer architecture. There are other types of computer architecture. The following types are used in bigger companies like Intel, and count for 1% of all of computer architecture                     |
| 0 | doc1368588 | Time management. Many companies use time tracking software to track an employee's working time, billable hours etc., e.g. law practice management software.  |
| 0 | doc2222502 | Expert system. Hayes-Roth divides expert systems applications into 10 categories illustrated in the following table. The example applications were not in the original Hayes-Roth table, and some of the |
| 0 | doc2149084 | Information society. Therefore, through the use of second nature and third nature society is able to use and explore new vectors of possibility where information can be moulded to create new forms of  |
| 0 | doc2536630 | Data center. Technology infrastructure design addresses the telecommunications cabling systems that run throughout data centers. There are cabling systems for all data center environments, including h |
| 0 | doc2152787 | Computer architecture. The discipline of computer architecture has three main subcategories:[13]   |
| 0 | doc563748  | Laboratory information management system. Aside from the key functions of sample management, instrument and application integration, and electronic data exchange, there are numerous additional operati |
| 0 | doc2328103 | Unstructured data. Software that creates machine-processable structure can utilize the linguistic, auditory, and visual structure that exist in all forms of human communication.[13] Algorithms can inf |
| 0 | doc1244566 | Ubuntu (operating system). Ubuntu divides most software into four domains to reflect differences in licensing and the degree of support available.[70] Some unsupported applications receive updates fro |
| 0 | doc763742  | E-government. E-government should enable anyone visiting a city website to communicate and interact with city employees via the Internet with graphical user interfaces (GUI), instant-messaging (IM), I |
| 0 | doc763813  | E-government. State portal www.e-gov.az was established to facilitate citizens in benefiting from e-services provided by government agencies on a single window principle with the combination of serv   |
| 0 | doc73569   | Big data. Lately, the term "big data" tends to refer to the use of predictive analytics, user behavior analytics, or certain other advanced data analytics methods that extract value from data, and sel |
| 0 | doc556081  | IPO model. An organisation with hierarchy, created by humans for a specific purpose. For example: a company, which organises humans together to collaborate and achieve a specific purpose. The result o |
| 0 | doc2173879 | Integrated Services Digital Network. The interface specifies the following network interfaces:   |
| 0 | doc705200  | Open-source software. Open-source software is widely used both as independent applications and as components in non-open-source applications. Many independent software vendors (ISVs), value-added rese |
| 0 | doc1221909 | Data warehouse. In the normalized approach, the data in the data warehouse are stored following, to a  |

|   |            |  |
|---|------------|--|
|   |            | degree, database normalization rules. Tables are grouped together by subject areas that reflect ge   |
| 0 | doc1999661 | Telecommunications Act of 1996. The Act codified the concept of universal service and led to creation of the Universal Service Fund and E-rate. The Act employs the following terms of art: "Information |
| 0 | doc1554095 | Social networking service. There is a variety of social networking services available online. However, most incorporate common features:[7]  |
| 0 | doc1829941 | Software patent. The recent expansion of the Internet and e-commerce has led to many patents being applied for and being granted for business methods implemented in software and the question of whethe |
| 0 | doc681484  | History of free and open-source software. Since the 1990s, the release of major new programming languages in the form of open-source compilers and/or interpreters has been the norm, rather than the ex |
| 0 | doc657488  | Microsoft Office. Microsoft Office 3.0 for Mac was released in 1992 and included Word 5.0, Excel 4.0, PowerPoint 3.0 and Mail Client. Excel 4.0 was the first application to support new AppleScript.[12 |
| 0 | doc1079943 | Day trading. The systems by which stocks are traded have also evolved, the second half of the twentieth century having seen the advent of electronic communication networks (ECNs). These are essentiall |
| 0 | doc93376   | Text messaging. While text messaging is still a growing market, traditional SMS are becoming increasingly challenged by alternative messaging services which are available on smartphones with data conn |
| 0 | doc1026991 | Outsourcing. It is an approach to enterprise identity management in which the identity service interacts directly or through some technical footprint with an organization's Information Technology (IT) |
| 0 | doc411606  | Retail. Most modern retailers typically make a variety of strategic level decisions including the type of store, the market to be served, the optimal product assortment, customer service, supporting s |
| 0 | doc5120    | Pokemon Trading Card Game. A simplified type system was adopted from the video games for use in the trading card game. Instead of 18 types of Pokemon, only eleven exist in the TCG. Seven were introduc |
| 0 | doc2188993 | Digital distribution. A general issue is the large number of incompatible data formats in which content is delivered, possibly restricting the devices that may be used, or making data conversion neces |
| 0 | doc58007   | Transformer types. Other applications are short-circuit-proof extra-low voltage transformers for toys or doorbell installations.   |
| 0 | doc20927   | IBM Notes. Publications such as The Guardian in 2006 have criticized earlier versions of Lotus Notes for having an "unintuitive [user] interface" and cite widespread dissatisfaction with the usability |
| 0 | doc1371159 | Pseudocode. No standard for pseudocode syntax exists, as a program in pseudocode is not an executable program. Pseudocode resembles, but should not be confused with, skeleton programs which can be com |
| 0 | doc1146258 | Location-based service. In order to provide a successful LBS technology the following factors must be met:   |
| 0 | doc1120553 | Online analytical processing. The cube metadata is typically created from a star schema or snowflake schema or fact constellation of tables in a relational database. Measures are derived from the reco |
| 0 | doc1095089 | List of rock types. The following is a list of rock types recognized by petrologists. There is no agreed number of specific types of rocks. Any unique combination of chemical composition, mineralogy,  |
| 0 | doc2029939 | Information and communication technologies for development. Our objectives are for Nigerian women to develop financial independence by: training for ICT-specific jobs, like computer engineer, programm |
| 0 | doc892541  | Business model. Business model design includes the modeling and description of a company's:  |
| 0 | doc1522100 | Dependency injection. It is possible for DI frameworks to have other types of injection beyond those presented above.[30]  |
| 0 | doc2422577 | Data quality. Data QA processes provides following information to Data Quality Control (QC):   |
| 0 | doc1138777 | Process control. The accompanying diagram is a general model which shows functional manufacturing levels in a large process using processor and computer-based control.                                  |

|   |            |  |
|---|------------|--|
| 0 | doc2488015 | Pascal (programming language). Software products (compilers, and Interactive/Rapid Development Environments with compilers, in this category:  |
| 0 | doc1963051 | Telecommunications (Interception and Access) Amendment (Data Retention) Act 2015. Under the previous regime set down under the Telecommunications (Interception and Access) Act 1979 (the TIA Act), enf  |
| 0 | doc985339  | Website. A dynamic website is one that changes or customizes itself frequently and automatically. Server-side dynamic pages are generated "on the fly" by computer code that produces the HTML (CSS are  |
| 0 | doc8614    | History of the Internet. The process of change generally described as "Web 2.0" was itself greatly accelerated and transformed only a short time later by the increasing growth in mobile devices. This  |
| 0 | doc487805  | Computer performance. System designers building real-time computing systems want to guarantee worst-case response. That is easier to do when the CPU has low interrupt latency and when it has determini |
| 0 | doc1248273 | Access control. Although some systems equate subjects with userA IDs, so that all processes started by a user by default have the same authority, this level of control is not fine-grained enough to sa |
| 0 | doc959427  | Graphical user interface. Ivan Sutherland developed Sketchpad in 1963, widely held as the first graphical computer-aided design program. It used a light pen to create and manipulate objects in enginee |
| 0 | doc687920  | ISO 9000. Effectiveness of the ISO system being implemented depends on a number of factors, the most significant of which are:   |
| 0 | doc770473  | Learning management system. In 2000, the University of Zurich revolutionized the concept of digitized learning by introducing the first open-source LMS called OLAT.[18] A year later, the LMS developme |
| 0 | doc1471121 | Organizational theory. The effectiveness of a decision procedure depends upon a number of aspects of the situation:  |
| 0 | doc1568111 | Open system (systems theory). Open systems have a number of consequences. A closed system contains limited energies. The definition of an open system assumes that there are supplies of energy that can |
| 0 | doc606876  | List of original programs distributed by Amazon. TF1/France  |
| 0 | doc73585   | Big data. 2012 studies showed that a multiple-layer architecture is one option to address the issues that big data presents. A distributed parallel architecture distributes data across multiple server |
| 0 | doc629078  | Microsoft Word. Microsoft announced Multi-Tool Word for Xenix[8] and MS-DOS in 1983.[11] Its name was soon simplified to Microsoft Word.[5] Free demonstration copies of the application were bundled wi |
| 0 | doc2286834 | Internet Explorer 10. On Windows 8, it is divided into two editions with different user interfaces: a Metro app that does not support plug-ins and a traditional desktop application that retains plug-i |
| 0 | doc827580  | Wireless. Common examples of wireless equipment include:[5][6]   |
| 0 | doc1792294 | Information privacy law. "Federal work, undertaking or business" means any work, undertaking or business that is within the legislative authority of Parliament. Including:                              |
| 0 | doc1271910 | Business analysis. Master of Professional Business Analysis [9]  |

#### Non-retrieved Relevant Documents: