2566

Executive Order

ORDER OF WITHDRAWAL

With the consent of the Government of the Territory of Hawaii, it is hereby ordered that the following described lands at Aiea, District of Ewa, Island of Oahu, Territory of Hawaii, be, and the same are hereby, withdrawn and set aside for military purposes.

I. Tract No. 1.

Beginning at Station No. 1, situated on the Aiea-Halawa boundary and on the Northern edge of the Honolulu Plantation Company's reservoir, said Station No. 1 being by true azimuth 240° 53′ 00″ and distant 1190.50 feet from an angle in the boundary marked by a large flat rock called "Halawa" (from said rock, Territorial Triangulation Station "Salt Lake" bears by true azimuth 310° 34′ 30″ and is distant 7996.10 feet); from said Station No. 1 the boundary runs by true azimuths and distances:—

240° 53′ 00″, 3699.50 feet along the land of Halawa to Station No. 2, situated on the Western or seaward side of the so-called 500 foot elevation Ditch and Road of the Honolulu Plantation Company (said Station No. 2 bears by true azimuth 60° 53′ 00″ and is distant 300.00 feet from a large rock on the Aiea-Halawa boundary called "Pohakuumeume"); from said Station No. 2

Following along said side of said 500 foot elevation Ditch and Road to Station No. 3, situated at the edge of the Aiea Gulch, the direct azimuth and distance being 155° 33′ 00″, 447.00 feet; thence

153° 02′ 00″, 830.00 feet across Aiea Gulch and Stream to Station No. 4;

Thence along Lot No. 25 of the Aiea Homesteads and along the Eastern or mountain side of the 30 foot right of way for the 450 foot elevation Ditch and Road, hereinafter described, to Station No. 5, the direct azimuth and distance being 105° 45′ 00″, 150.00 feet; from said Station No. 5

138° 17′ 00″, 344.00 feet along Lot No. 25 of the Aiea Homesteads to Station No. 6; thence

149° 13′ 00″, 40.00 feet across the old Aiea Ridge Road to Station No. 7; thence

214° 15′ 00″, 267.00 feet along Lot No. 26 of the Aiea Homesteads to Station No. 8; thence

238° 08′ 00″, 364.80 feet along Lot No. 26 of the Aiea Homesteads to Station No. 9; thence

109° 08′ 00″, 398.00 feet along Lots No. 26 and No. 27 of the Aiea Homesteads to Station No. 10; thence

132° 16′ 00″, 174.00 feet along Lots No. 27 and No. 28 of the Aiea Homesteads to Station No. 11; thence

161° 08′ 00″, 325.00 feet along Lots No. 28 and No. 29 of the Aiea Homesteads to Station No. 12; thence

195° 36′ 00″, 90.60 feet along Lot No. 29 of the Aiea Homesteads to Station No. 13; thence

209° 38′ 00″, 155.80 feet along Lot. No. 29 of the Aiea Homesteads to Station No. 14; thence

127° 44′ 00″, 86.90 feet along Lot No. 29 of the Aiea Homesteads to Station No. 15;

Thence following along the fence, marking the boundary between Lot No. 29 of the Aiea Homesteads and the land of Aiea, to Station No. 16, situated on the Southern side of the Aiea-Kalauao Boundary Road, the direct azimuth and distance being 62° 41′ 00″, 705.10 feet; thence

146° 05′ 00″, 20.00 feet across the Aiea-Kalauao Boundary Road to Station No. 17, situated on the Aiea-Kalauao boundary; thence

56° 05′ 00″, 3965.00 feet along the land of Kalauao to Station No. 18, situated at the Northeast corner of Royal Patent Grant No. 4270 (Mill Tract); thence

325° 20′ 00″, 2120.00 feet along the Eastern boundary of said Grant No. 4270 to Station No. 19, situated at the Southeast corner of said Grant; thence

294° 48′ 00″, 619.50 feet along the land of Aiea to the point of beginning.

Containing an area of 270.00 acres, more or less.

The above described Tract No. 1 of the Aiea Military Reservation is subject to the following described rights of way and easements:

1. To the Honolulu Plantation Company Ditches and Roads.

(*a*) 315 foot elevation Ditch and Road.

Beginning at a point on the Aiea-Halawa boundary, said point being by true azimuth 240° 53′ 00″ and distant 3138.00 feet from an angle in the boundary marked by a large flat rock called "Halawa", previously described; from said point of beginning running by true azimuths and distances along the Eastern or mountain side of the Ditch and Road between points which are located as follows:—

191° 00′, 114.50 feet; thence
118° 15′, 204.00 feet; thence
194° 10′, 610.00 feet; thence
132° 10′, 690.00 feet across Aiea Gulch and Stream; thence
59° 20′, 315.00 feet; thence
81° 25′, 170.00 feet; thence
61° 50′, 380.00 feet; thence
93° 10′, 405.00 feet; thence
116° 30′, 300.00 feet; thence
230° 50′, 485.00 feet; thence
219° 45′, 310.00 feet; thence
207° 15′, 360.00 feet; thence
136° 05′, 237.00 feet; across Little Aiea Gulch and Stream; thence
70° 55′, 410.00 feet; thence
98° 39′, 290.00 feet to the Aiea-Kalauao boundary.

The above described right of way for the Ditch and Road is 30 feet wide and approximately 5400.00 feet long and contains 3.80 acres, more or less.

(*b*) 450 foot elevation Ditch and Road.

Beginning at a point on the Aiea-Halawa boundary, said point being by true azimuth 240° 53′ 00″ and distant 4518.40 feet from an angle in the boundary marked by a large flat rock called "Halawa", previously described; from said point of beginning running by true azimuths and distances along the Western or seaward side of the Ditch and Road between points which are located as follows:—

116° 34′, 99.30 feet; thence
134° 35′, 152.00 feet; thence
119° 50′, 154.00 feet; thence
153° 00′, 84.00 feet; thence
185° 56′, 152.00 feet; thence
213° 38′, 59.00 feet; thence
242° 51′, 190.00 feet; thence
171° 20′, 762.00 feet across Aiea Gulch and Stream; thence
89° 02′, 606.00 feet; thence
115° 40′, 186.00 feet; thence
148° 59′, 286.00 feet; thence
198° 18′, 97.00 feet; thence
239° 20′, 188.00 feet; thence
243° 33′, 373.00 feet; thence
130° 01′, 299.00 feet; thence
153° 53′, 276.00 feet; thence
49° 31′, 274.00 feet; thence
88° 04′, 340.00 feet; thence
93° 48′, 329.00 feet to the Aiea-Kalauao boundary.

The above described right of way for the Ditch and Road is 30 feet wide and approximately 5000.00 feet long and contains 3.51 acres, more or less.

2. To the Territory of Hawaii by right of continued occupancy.

(*a*) Aiea-Halawa Boundary Road.

This right of way is 30 feet wide and 3699.50 feet long and extends along the Aiea-Halawa boundary of the above described Tract No. 1 of the Aiea Military Reservation, the Southern boundary of the road being contiguous with the line between Stations No. 1 and No. 2 of said Tract.

Containing an area of 2.55 acres, more or less.

(*b*) Aiea-Kalauao Boundary Road.

This right of way is 20 feet wide and 3965.00 feet long and extends along the Aiea-Kalauao boundary of the above described Tract No. 1 of the Aiea Military Reservation, the Northern boundary of the road being contiguous with the line between Stations No. 17 and No. 18 of said Tract.

Containing an area of 1.82 acres, more or less.

(*c*) New Aiea Homestead Road.

This right of way is 40 feet wide, half of this width lying on either side of a center line described and indicated on Map No. 2739, dated June 3, 1916, Office of the Department of Public Works, Territory of Hawaii.

The point of beginning of the right of way is situated on the boundary between the above described Tract No. 1 and Royal Patent Grant No. 4270 (Mill Tract), said point of beginning being by true azimuth 325° 20′ and distant 237.00 feet from Station No. 18 of said Tract No. 1.

The point of ending of the right of way is situated on the boundary between the above described Tract No. 1 and the Aiea Homesteads, said point being by true azimuth 214° 15′ and distant 136.80 feet from Station No. 7 of said Tract No. 1.

The above described right of way is approximately 5962.00 feet long and contains 5.47 acres, more or less.

3. The net area of the above described Tract No. 1, exclusive of the rights of way granted to the Honolulu Plantation Company and the Territory of Hawaii is 252.85 acres, more or less.

II. Tract No. 2.

Beginning at Station No. 1, situated on the Aiea-Halawa boundary, which station is marked by an iron pin on the relocated center line of the Oahu Railway & Land Company's 80 foot right of way, said iron pin bearing by true azimuth 71° 10′ 00″ and being distant 375.30 feet from an angle in the boundary called "Aiea"; from said Station No. 1 the boundary runs by true azimuths and distances:—

251° 10′ 00″, 375.30 feet along the land of Halawa to Station No. 2, said station being called "Aiea" and being marked by 3 buried stones, marked respectively "A–H–F", the latter sign pointing to the true North (from said Station No. 2, Territorial Triangulation Station "Salt Lake" bears by true azimuth 292° 16′ 00″ and is distant 9393.00 feet); from said Station No. 2

237° 55′ 00″, 1786.94 feet along the land of Halawa to Station No. 3, situated in the center of the 50 foot right of way of the Government road; thence

237° 55′ 00″, 548.06 feet along the land of Halawa to Station No. 4, said station bearing by true azimuth 57° 55′ 00″ and being distant 757.00 feet from an angle in the boundary marked by a large flat rock called "Halawa" (from said rock, Territorial Triangulation Station "Salt Lake" bears by true azimuth 310° 34′ 30″ and is distant 7996.10 feet); from said Station No. 4

150° 28′ 00″, 198.10 feet along the land of Aiea to Station No. 5, which station is situated on the Southern side of the 40 foot right of way of the Aiea Branch of the Oahu Railway & Land Company; from said Station No. 5

On a curve to the right with a radius of 657.00 feet to Station No. 6, the bearing and distance of the long chord being 67° 13′ 00″, 154.44 feet; thence

73° 58′ 00″, 107.20 feet to Station No. 7; thence

On a curve to the left with a radius of 935.00 feet, crossing the Government Road, to Station No. 8, which Station is situated on the Western or seaward side of the Government Road, the bearing and distance of the long chord being 59° 55′ 40″, 453.90 feet, the above described line between Stations No. 5 to No. 8, inclusive, following the Southern side of the 40 foot right of way of the Aiea Branch of the Oahu Railway & Land Company; from said Station No. 8

123° 01′ 00″, 9.00 feet to Station No. 9; thence

125° 27′ 00″, 139.60 feet to Station No. 10; thence

132° 00′ 00″, 79.00 feet to Station No. 11; thence

140° 25′ 30″, 96.90 feet to Station No. 12, the above described line between Stations No. 8 to No. 12, inclusive, following the Western or seaward side of the Government Road; from said Station No. 12

29° 40′ 00″, 720.00 feet along the land of Aiea to Station No. 13, which station is situated on the Southern side of the Plantation Road; thence

47° 15′ 00″, 390.00 feet to Station No. 14; thence

102° 00′ 00″, 336.35 feet to Station No. 15, which Station is situated on the Eastern or landward side of the 80 foot right of way of the Main Line of the Oahu Railway & Land Company, the above described line between Stations No. 13 to No. 15, inclusive, following the Southern side of the Plantation Road; from said Station No. 15

102° 00′ 00″, 83.66 feet across the above mentioned right of way of the Oahu Railway & Land Company to Station No. 16, which station is situated on the Western or seaward side of said right of way; from said Station No. 16

209° 00′ 00″, 134.08 feet to Station No. 17; thence

On a curve to the left with a radius of 454.14 feet to Station No. 18, the bearing and distance of the long chord being 168° 40′ 00″, 587.84 feet; thence

128° 20′ 00″, 258.78 feet to Station No. 19, which station is on the boundary of Land Commission Award No. 2141, the above described line between Stations No. 16 to No. 19, inclusive, following along the Western or seaward side of the 80 foot right of way of the Oahu Railway & Land Company; from said Station No. 19

19° 00′ 00″, 43.82 feet to Station No. 20; thence

106° 14′ 00″, 211.20 feet to Station No. 21, marked by a pipe in concrete, which station is on the boundary of Land Commission Award No. 7344:1 as defined in Land Court Petition No. 328, the above described line between Stations No. 19 to No. 21, inclusive, following the boundary of Land Commission Award No. 2141; from said Station No. 21

52° 54′ 00″, 21.20 feet to Station No. 22, marked by an iron pipe in concrete; thence

24° 09′ 00″, 36.30 feet to Station No. 23; thence

67° 54′ 00″, 65.00 feet to Station No. 24, marked by an iron pipe in concrete, which station is situated at the highwater mark, the above described line between Stations No. 21 and No. 24, inclusive, following the boundary of Land Commission Award No. 7344:1 as defined in Land Court Petition No. 328; from said Station No. 24

Following along the highwater mark, in a general Southeasterly direction, to Station No. 25, marked by an iron pin, which station is situated at the intersection of the Northern end of the impounding wall of the Kahakupohaku Fish Pond with the shore line, the direct azimuth and distance from Station No. 24 being 346° 13′ 10″, 1152.25 feet; from said Station No. 25

299° 00′ 00″, 97.90 feet to Station No. 26, marked by an iron pin, which station is situated on the Western or seaward side of the 80 foot right of way of the Oahu Railway & Land Company, heretofore mentioned; from said Station No. 26

29° 00′ 00″, 321.10 feet along said side of said right of way to Station No. 27, marked by an iron pin, which station is situated on the Aiea-Halawa boundary; thence

251° 10′ 00″, 59.59 feet along the land of Halawa to the point of beginning.

Containing an area of 22.00 acres, more or less.

The above described Tract No. 2 of the Aiea Military Reservation is subject to the following described rights of way and easements:

1. To the Oahu Railway & Land Company.

(*a*) Relocated right of way of the Oahu Railway & Land Company's main line as transferred by the Authorities of Hawaii and shown on Map No. R25.7, approved December 22, 1909, Office of the Department of Public Works, Territory of Hawaii.

This right of way is 80 feet wide, half of this width lying on either side of the following described center line:—

Beginning at a point on the Aiea-Halawa boundary line, said point being also known as Station No. 1 of the boundary of Tract No. 2 of the Aiea Military Reservation, heretofore described, and running thence by true Azimuths and distances;

209° 00′ 00″, 706.75 feet to a point on the Northern boundary of said Tract No. 2, said point bearing by true azimuth 282° 00′ 00″, and being distant 41.83 feet from Station No. 16 of the boundary of said Tract No. 2.

Containing an area of 1.30 acres, more or less.

(*b*) Deed dated April 29, 1903 to the Oahu Railway & Land Company—Aiea Branch.

"All that portion of the Government land of Aiea, District of Ewa, Oahu, lying within twenty feet on either side of the center line of the Oahu Railway. Being "A", * * * and "B", a strip forty feet wide and 1883 feet long, along the Aiea Branch, containing an area of 3.52 acres, more or less, said center line being described in Liber 249 pages 160 to 167 on file in the Office of Bureau of Conveyances, Territory of Hawaii."

The center line of that portion of the above described right of way of the Aiea Branch that crosses Tract No. 2 of the Aiea Military Reservation is described as follows:—

Beginning at a point on the Aiea-Halawa boundary of said Tract No. 2, said point bearing by true azimuth 237° 55′ 00″ and being distant 1125.73 feet from Station No. 2 of the boundary of said Tract No. 2, heretofore described; from said point of beginning the center line runs by true azimuths and distances;

On a curve to the right with a radius of 955.00 feet, the bearing and distance of the long chord being 208° 03′ 40″, 576.62 feet, to a point on the Northern boundary of said Tract No. 2, said point bearing by true azimuth 125° 27′ 00″ and being distant 11.28 feet from Station No. 9 of said Tract No. 2.

Containing an area of 0.54 acres, more or less.

2. To the Territory of Hawaii by right of continued occupancy.

(*a*) Government Road.

This right of way is 50 feet wide, half of this width lying on either side of the following described center line:—

Beginning at a point on the Aiea-Halawa boundary line, said point being also known as Station No. 3 of the boundary of Tract No. 2 of the Aiea Military Reservation, heretofore described, and running thence by true azimuths and distances;

123° 01′ 00″, 295.20 feet to a point on the Northern boundary of said Tract No. 2, said point bearing by true azimuth 239° 55′ 00″ and being distant 28.00 feet from Station No. 8 of the boundary of said Tract.

Containing an area of 0.34 acres, more or less.

3. The net area of the above described Tract No. 2, exclusive of the rights of way of the Oahu Railway & Land Company and that granted to the Territory of Hawaii is 19.82 acres, more or less.

III. 30 foot right of way connecting Tracts No. 2 and No. 1 of the Aiea Military Reservation, reserved by the United States.

The general description of the Southern boundary of the right of way is as follows:—

Beginning at a point on the Aiea-Halawa boundary line, said point being also known as Station No. 4 of the boundary of Tract No. 2 of the Aiea Military Reservation and running thence in an Easterly direction;

Along the Aiea-Halawa boundary line, approximately 1477.0 feet, to the intersection of said boundary line with the toe of the impounding fill of the Honolulu Plantation Company's reservoir; thence

Around the Northern toe of said fill, approximately 520.0 feet, to Station No. 1 of Tract No. 1 of the Aiea Military Reservation.

The above described right of way is approximately 1997.0 feet long and contains 1.40 acres, more or less.

IV. The net area of the Aiea Military Reservation, exclusive of all rights of way and easements granted is 274.07 acres, more or less.

WOODROW WILSON

THE WHITE HOUSE,
28 March, 1917.

[No. 2566]