2800

Executive Order

I. The revised description, by true azimuths and distances, of the Military Reservation of Schofield Barracks (Waianae-Uka), situated in Waianae-Uka, District of Waianae and in Waikakalaua, District of Ewa, Island of Oahu, Territory of Hawaii, which was declared by Executive Order dated July 20, 1899 (G. O. 147, A. G. O., August 10, 1899), modified by Executive Order dated November 15, 1909 (G. O. 242, W. D., December 4, 1909), and to which was added by Executive Order dated August 23, 1910 (G. O. 172, W. D., September 12, 1910), the tract of public land embraced within what is known as the "Kalena Tract," is hereby announced as follows:

Amended by EO 4274, 5771 65 70

Beginning at a standard concrete monument, No. 1, on the north side of Kawaieli Gulch at the corner of Waianae-Uka, Honouliuli and Crown Pouhala, the azimuth from said monument to territorial triangulation station "Maunauna" being 47° 05′ 54″ and to territorial triangulation station "Maili" 139° 46′ 00″: thence

1. 112° 19′ 14″, 4415.6 feet to standard concrete monument No. 2; thence
2. 93° 02′ 55″, 3356.5 " " " " " " 3; "
3. 60° 52′ 06″, 1671.6 " " " " " " 4; "
4. 27° 07′ 51″, 771.9 " " " " " " 5; "
5. 47° 12′ 42″, 8677.8 " " " pipe " " 6; off the summit of Puu Hapapa; from monument No. 1 to monument No. 6 the line follows the boundary of Honouliuli, described in Award by the Boundary Commissioner of Oahu, dated December 30, 1873; thence, by an irregular line following the crest of the Waianae Mountains to the highest point on Puu Kaala, about 400 feet northwest of standard pipe monument No. 9, direct azimuths and distances through points on said crest being as follows:

6. 129° 06′ 01″, 12346.4 feet to standard pipe monument No. 7, on the summit of Puu Kalena; thence

7. 125° 41′ 58″, 3383.9 feet to standard pipe monument No. 8, in saddle between Puu Kalena and Puu Kaala; thence

8. 175° 07′ 17″, 4601.2 feet to standard pipe monument No. 9; from the highest point on Puu Kaala, described above, the boundary follows by an irregular line the crest of the lateral ridge between Puu Kaala and standard pipe monument No. 11; from monument No. 9, direct azimuths and distances are as follows:

9. 239° 10′ 31″, 3467.4 feet to standard pipe monument No. 10, on highest point of Puu Kamaokanui; thence

10. 256° 55′ 18″, 7095.1 feet to standard pipe monument No. 11, on the summit of Puu Pane; thence, by an irregular line following the crest of a spur of the above described lateral ridge, and beyond the same, direct azimuth and distance being

11. 298° 26′ 39″, 7135.6 feet to monument No. 12, which is a standard brass plate set in a large boulder in the mid-channel of Haleauau Gulch; thence, by an irregular line following mid-channel of Haleauau Gulch, through monuments No. 12 to No. 16, direct azimuths and distances being as follows:

12. 188° 53′ 35″, 1708.6 feet to standard concrete monument No. 13; thence
13. 256° 41′ 54″, 1311.4 feet to monument No. 14, which is a standard brass plate set in a large boulder; thence
14. 204° 13′ 28″, 1484.8 feet to standard concrete monument No. 15; thence
15. 250° 21′ 27″, 2251.8 " " " " " " 16, at the junction of mid-channels of Haleauau and Kaukonahua gulches; thence, by an irregular line following mid-channel of Kaukonahua gulch, through monuments No. 16 to No. 30, direct azimuths and distances being as follows:

16. 329° 10′ 10″, 3053.3 feet to standard concrete monument No. 17; thence
17. 295° 52′ 25″, 812.3 " " " " " " 18; "
18. 4° 38′ 39″, 860.7 " " " " " " 19; "
19. 273° 24′ 25″, 1096.8 " " " " " " 20; "
20. 331° 31′ 31″, 437.1 " " " " " " 21; "
21. 238° 25′ 14″, 810.8 " " " " " " 22; "
22. 293° 16′ 50″, 1259.9 " " " " " " 23; "
23. 224° 10′ 02″, 885.8 " " " " " " 24; "
24. 280° 12′ 58″, 803.9 " " " " " " 25; "
25. 305° 01′ 18″, 1395.3 " " " " " " 26; "

26. 31° 17′ 31″, 595.2 feet to monument No. 27, which is a standard brass plate set in a large boulder; thence

27. 281° 18′ 12″, 1722.5 feet to standard concrete monument No. 28; thence

28. 346° 34′ 06″, 690.7 " " " " " " 29; "

29. 274° 52′ 46″, 321.5 " " " " " " 30; "

departing from the said line of mid-channel,

30. 345° 00′ 47″, 180.4 feet to standard concrete monument No. 31, at south end of bridge over Kaukonahua stream, on main government road between Honolulu and Waialua; thence

31. 329° 16′ 19″, 610.6 feet to standard concrete monument No. 32, on east side of road; thence

32. 261° 09′ 40″, 347.4 " " " " " " 33; thence

33. 354° 19′ 07″, 529.4 " " " " " " 34; "

34. 358° 04′ 19″, 1131.1 " " " " " " 35 on east side of road; thence

35. 312° 45′ 25″, 780.1 " " " " " " 36; thence

36. 285° 14′ 13″, 1789.9 " " " " " " 37, near edge of Wahiawa Water Company reservoir; thence

37. 345° 06′ 12″, 1254.9 feet to standard concrete monument No. 38, on east side of road; thence

38. 299° 26′ 23″, 733.3 " " " " " " 39, which is the territorial triangulation station "Kokoloea" and is on north side of Castner-Wahiawa road, near its junction with Honolulu-Waialua road; thence

39. 252° 50′ 43″, 4313.1 feet to standard concrete monument No. 40, at road intersection at a point known as *Paka;* thence

40. 247° 01′ 58″, 15566.2 feet to standard concrete monument No. 41, at fence corner on south side of road; between monuments No. 31 and No. 41, the line follows the boundary of the "Homesteads" of Wahiawa, described in Boundary Commissioner's Certificate, dated January 28, 1876; thence by an irregular line following the crest of the divide between the north and south forks of the Kaukonahua Gulch, through monuments No. 41 to No. 54, direct azimuths and distances being as follows:

41. 269° 48′ 19″, 626.0 feet to standard concrete monument No. 42; thence

42. 294° 15′ 26″, 515.3 " " " " " " 43; "

43. 284° 36′ 38″, 472.0 " " " " " " 44; "

44. 240° 45′ 55″, 225.4 " " " " " " 45, on summit of small peak; thence

45. 254° 44′ 22″, 266.8 " " " " " " 46, on summit of small peak; thence

46. 265° 49′ 16″, 538.7 " " " pipe " " 47, on summit of small peak; thence

47. 317° 23′ 13″, 347.7 " " " " " " 48; thence

48. 283° 01′ 53″, 964.8 " " " concrete " " 49, on divide at head of small gulch; thence

49. 264° 44′ 51″ 696.7 feet to " " " " " 50; thence

50. 274° 41′ 42″, 1102.1 " " " pipe " " 51, on summit of peak; thence

51. 265° 30′ 15″, 9325.2 feet to standard pipe monument No. 52, on summit of peak; thence

52. 266° 58′ 47″, 5793.5 " " " " " " 53, on " of peak; thence

53. 271° 02′ 23″, 6172.1 feet to standard pipe monument No. 54, on crest of Koolau Mountains; thence, by an irregular line following the crest of Koolau Mountains to monument No. 55, direct azimuth and distance being

54. 322° 34′ 34″, 3314.3 feet to standard pipe monument No. 55, on summit of Puu Kaaumakua; thence by an irregular line following the crest of the lateral ridge between the water sheds of South Kaukonahua and Waipio (Waikakalaua) gulches, through monuments No. 55, to No. 74, direct azimuths and distances being as follows:

55. 74° 34′ 12″, 5540.2 feet to standard pipe monument No. 56, at the triangulation station known as "Jap Camp"; thence

56. 84° 08′ 50″, 11029.8 feet to standard pipe monument No. 57, on summit of peak; thence

57. 69° 42′ 31″, 5084.8 " " " " " " 58; thence

58. 66° 56′ 38″, 910.0 " " " " " " 59; "

59. 39° 39′ 55″, 280.4 " " " " " " 60; "

60. 87° 49′ 18″, 297.3 feet to standard pipe monument No. 61; thence
61. 44° 00′ 35″, 528.8 " " " " " " 62; "
62. 109° 26′ 52″, 770.1 " " " " " " 63; "
63. 63° 34′ 46″, 573.3 " " " " " " 64; "
64. 117° 00′ 47″, 619.8 " " " " " " 65; "
65. 99° 05′ 10″, 550.8 " " " " " " 66; "
66. 74° 50′ 18″, 1091.0 " " " " " " 67; "
67. 104° 25′ 50″, 824.8 " " " " " " 68; "
68. 76° 27′ 21″, 949.6 " " " " " " 69; "
69. 94° 11′ 25″, 679.5 " " " " " " 70; "
70. 122° 38′ 28″, 240.6 " " " " " " 71; "
71. 76° 21′ 28″, 654.5 " " " " " " 72; "
72. 119° 10′ 59″, 540.1 " " " " " " 73; "
73. 82° 38′ 56″, 588.3 " " " concrete " " 74; "
74. 61° 49′ 16″, 1914.3 " " " " " " 75, at corner of pineapple field near edge of Waipio Waikakalaua Gulch; between monuments No. 55 and No. 75, the line follows the boundary of the lands of Waipio, L. C. A. 8241; thence
75. 142° 58′ 28″, 1798.2 feet to standard concrete monument No. 76; thence
76. 64° 00′ 00″, 3024.7 " " " " " " 77; "
77. 69° 06′ 04″, 5793.6 " " " " " " 78, at edge of road; thence
78. 58° 59′ 04″, 1098.2 " " " " " " 79, " of road; thence
79. 351° 53′ 12″, 6109.2 " " " " " " 80, on upstream side of south end of the highway bridge over Waipio (Waikakalaua) stream; between monuments No. 75 and No. 80, the line follows the boundary described in R. P. Grant No. 6, dated December 4, 1846; thence
80. 2° 35′ 30″, 906.3 feet to standard concrete monument No. 81; thence
81. 41° 00′ 33″, 1248.1 " " " " " " 82; "
82. 27° 35′ 43″, 1947.9 " " " " " " 83; "
83. 1° 55′ 33″, 896.7 " " " " " " 84, near edge of gulch, east of Robinson R. R. station and near intake of inverted siphon; between monuments No. 80 and No. 84, the line follows the boundary of the lands of Waipio, L. C. A. 8241; thence, along the boundary of Lower Pouhala, described in Royal Patent No. 4486, (to monument No. 85.)
84. 130° 07′ 59″, 1532.0 feet to standard concrete monument No. 85; thence
85. 177° 33′ 51″, 853.5 " " " " " " 86; "
86. 168° 29′ 21″, 1623.5 " " " " " " 87; "
87. 230° 48′ 57″, 886.9 " " " " " " 88; "
88. 199° 27′ 33″, 492.8 " " " " " " 89; "
89. 138° 49′ 17″, 1279.0 " " " " " " 90; "
90. 77° 55′ 15″, 756.5 " " " " " " 91; "
91. 117° 42′ 09″, 1192.9 " " " " " " 92; "
92. 152° 19′ 09″, 348.1 " " " " " " 93; "
93. 145° 24′ 30″, 1464.7 " " " " " " 94; "
94. 167° 56′ 11″, 1614.3 " " " " " " 95; "
95. 115° 56′ 25″, 1320.9 " " " " " " 96; "
96. 127° 46′ 00″, 1696.7 " " " " " " 97; "
97. 156° 02′ 51″, 1178.8 " " " " " " 98; "
98. 112° 58′ 52″, 836.1 " " " " " " 99; "
99. 93° 48′ 00″, 788.8 " " " " " " 100; "
100. 103° 50′ 59″, 774.4 " " the point of beginning; between monuments No. 85 and No. 1, the line follows the boundary of Crown Pouhala, described in Award by the Commissioner of Boundaries of Oahu, dated April 1, 1874.

The net area of the above described military reservation, exclusive of the Kalena tract, described below, is 14,624 acres, more or less.

All azimuths are true Geodetic and except where otherwise specified the boundary extends in a straight line between monuments.

The standard concrete monument is cast in the form of a truncated pyramid having an upper base 8″ square and a lower base 12″ square. In the center of the upper base is set a brass plate 3″ square.

The standard pipe monument consists of a section of standard galvanized iron pipe 3″ long and 3″ in diameter, filled with concrete and having a brass plate 2½″ square set within the upper end.

II. From the area included within the above described metes and bounds is excepted that parcel of land known as the Kalena Tract which contains 254 acres, more or less, which is bounded and described as follows:—

Beginning at a standard concrete monument herein referred to as monument K1, which monument is located about four fifths (4/5) of a mile northeast of the summit of Puu Kalena and on a ridge south of a small deep gulch, azimuth to monument No. 6, above described, being 327° 28′ 24″ and to territorial triangulation station "Maunauna" being 303° 30′ 21″; thence

1. 265° 20′ 31″, 1670.5 feet to standard concrete monument, K2; thence
2. 257° 39′ 06″, 1678.5 " " " " " K3; "
3. 275° 02′ 13″, 2113.4 " " " " " K4; "
4. 243° 42′ 30″, 1933.5 " " " " " K5; "
5. 257° 27′ 06″, 2267.7 " " " " " K6; "
6. 287° 27′ 53″, 328.5 " " " " " K7; "
7. 294° 28′ 04″, 253.4 " " " " " K8; "
8. 259° 02′ 23″, 198.0 " " " " " K9; "
9. 173° 05′ 03″, 132.5 " " " " " K10; "
10. 257° 39′ 38″, 331.0 " " " " " K11; "
11. 246° 36′ 45″, 311.6 " " " brass plate, K12, set in large boulder; thence
12. 177° 07′ 42″, 335.5 " " " concrete monument, K13; thence
13. 87° 36′ 53″, 3966.5 " " " " " K14; "
14. 66° 19′ 05″, 330.0 " " " " " K15; "
15. 85° 18′ 40″, 6537.0 " " " " " K16; "
16. 355° 17′ 55″, 1325.1 " " the point of beginning.

III. The above described Schofield Barracks (Waianae-Uka) Military Reservation is subject to the following described rights of way and easements:

(a) The right of way granted the Wahiawa Water Company (Limited) by Act of Congress approved February 6, 1909 (H. R. 21957) is the ground occupied by the water of the reservoirs and canals of said company, and their laterals, and fifty (50) feet, measured horizontally, on each side of the marginal limits thereof the mean elevation of the spillway of the impounding dam being at 843.5 feet above sea level, said elevation being referred to bench mark "Kokoloea" (also known as boundary monument No. 39) located at the junction of the Honolulu-Waialua and the Castner-Wahiawa roads and taken as 886.00 feet above sea level, all as shown on map in the office of the Judge Advocate General, file No. 80–340.

(b) Rights of way to the Territory of Hawaii, acquired by right of continued occupancy;

(ba) This right of way is a strip of land forty (40) feet wide, half of this width being on each side of the line which follows the center of the present metalled portion of the Honolulu-Waialua road and runs between stations which are located as follows:

Beginning at station No. 1, which is in the center of the Honolulu-Waialua road at the south edge of a concrete culvert over the Waipio (Waikakalaua) stream, said station bears by true azimuth 2° 38′ 48″ and is distant 6.55 feet from standard concrete monument, No. 80 of the Schofield Barracks (Waianae-Uka) Military Reservation boundary, said monument being located on the east side of the Honolulu-Waialua road at the southeast corner of a concrete culvert and being determined by the following azimuths:

To monument No. 79, 171° 53′ 12″
" " " 81, 2° 35′ 30″

from said station No. 1;

1. 109° 55′ 48″, 444.2 feet to station No. 2; thence
2. 159° 44′ 10″, 183.8 " " " " 3; "
3. 209° 07′ 56″, 208.3 " " " " 4; "
4. 139° 02′ 05″, 414.6 " " " " 5; "
5. 173° 38′ 45″, 325.5 " " " " 6; "
6. 201° 43′ 50″, 505.9 " " " " 7; "
7. 156° 57′ 40″, 435.1 " " " " 8; "
8. 186° 41′ 20″, 477.9 " " " " 9; "
9. 165° 16′ 45″, 345.4 " " " " 10; "
10. 187° 43′ 20″, 1092.1 " " " R1, at the southern intersection of the center of the metalled portion of the Honolulu-Waialua road with the Scofield

Barracks (Waianae-Uka) Military Reservation boundary between monuments No. 79 and No. 80, and being determined by the following azimuths and distances;

To monument No. 79, 351° 53′ 12″—2179.0 feet.
" " " 80, 171° 53′ 12″—3930.2 "

At station R1 the road leaves the Schofield Barracks (Waianae-Uka) Military Reservation and enters it again at station R2, which is in the center of the Honolulu-Waialua road at the northern intersection of the Schofield Barracks (Waianae-Uka) Military Reservation boundary between monuments No. 79 and No. 80, said station being determined by the following azimuths and distances;

To monument No. 79, 351° 53′ 12″—1559.6 feet.
" " " 80, 171° 53′ 12″—4549.6 "

From said station R2;

11. 136° 39′ 05″, 1039.5 feet to station No. 11; thence
12. 136° 53′ 17″, 1230.1 " " " " 12; "
13. 130° 57′ 23″, 4992.9 " " " " 13, in the center of the Honolulu-Waialua road at the west end of the Castner-Wahiawa road and being determined by the following azimuth and distance;

To Kokoloea triangulation station (also known as boundary monument No. 39), 66° 25′ 05″—168.8 feet;

From said station No. 13;

14. 129° 16′ 35″, 3963.3 feet to station No. 14; thence
15. 148° 23′ 30″, 210.9 " " " " 15; "
16. 167° 00′ 33″, 1069.0 " " " " 16; "
17. 163° 35′ 30″, 385.5 " " " " 17; "
18. 153° 15′ 20″, 152.7 " " " " 18, in the center of the road on the prolongation of the line between reservation boundary monuments No. 33 and No. 32 and being determined by the following azimuth and distance;

To monument No. 32, 261° 10′ 29″—58.6 feet.

From said station No. 18;

19. 127° 37′ 45″, 581.3 feet to station No. 19; thence
20. 163° 33′ 30″, 92.3 " " " " 20; at the intersection of the center line of the Honolulu-Waialua road with the Schofield Barracks (Waianae-Uka) Military Reservation boundary between monuments No. 30 and No. 31 and being determined by the following azimuths and distances;

To monument No. 30, 248° 42′ 27″—151.7 feet.
" " " 31, 68° 42′ 27″—249.8 "

All azimuths are true and all distances direct.

(bb) This right of way is a strip of land forty (40) feet wide, half of this width being on each side of a line which runs straight between stations determined as follows:

Beginning at station "A" in the center of the Castner-Wahiawa road at the point of its intersection with the north edge of the present metalled portion of the Honolulu-Waialua road, said station bears by true azimuth 62° 26′ 26″ and is distant 134.9 feet from standard concrete monument No. 39 (Kokoloea) of the Schofield Barracks (Waianae-Uka) Military Reservation boundary, said monument No. 39 being located on the north side of the Castner-Wahiawa road near its junction with the Honolulu-Waialua road and being determined by the following azimuths;

To monument No. 38, 299° 27′ 46″.
" " " 40 (Paka), 72° 51′ 31″.

From said station "A";

1. 252° 50′ 15″, 4442.8 feet to station "B", near the junction of the Castner-Wahiawa and the Wahiawa-Waikakalaua roads and being determined by the following azimuth and distance;

To monument No. 40 (Paka), 350° 14′ 06″—22.9 feet.

From said station "B";

2. 350° 21′ 33″, 4769.2 feet to station "C", said station being determined by the following azimuths and distances;

To monument No. 78, 59° 30′ 07″—1122.1 feet.
" " " 79, 82° 49′ 35″— 25.7 "

From said station "C";

3. 352° 14′ 39″, 1465.7 feet to station "D", in center of the Wahiawa-Waikakalaua road at its intersection with the north edge of the present metalled

portion of the Honolulu-Waialua road and being determined by the following azimuths;

To monument No. 78, 20° 49′ 37″.
" " " 79, 353° 14′ 14″.

All azimuths are true and all distances direct.

III. Executive Order No. 2694, dated August 30, 1917, is hereby revoked.

WOODROW WILSON

THE WHITE HOUSE,
4 February, 1918.

[No. 2800.]