Executive Order.

With the consent of the Government of the Territory of Hawaii, it is hereby ordered that the following described right-of-way for military road and three tracts of land on Keaau Ridge, Kaena Point, and Puu-O-Hulu, Oahu Island, in the Territory of Hawaii, be and the same are hereby withdrawn and set aside for military purposes:

Amended

Right-of-Way for Military Road No. 280, in Land of Lualualei Forest Reserve, Lualualei, Waianae, Oahu, T. H.

Beginning at a point on the crest line of the Waianae Mountains in Kolekole Pass marked by a tack in a 2" x 2" wooden hub set flush with the surface of the ground, said point being 55.01 feet in true azimuth 292° 01' 56" (measured clockwise from the South) from point "B", marked by the center of an iron pin set in a concrete monument on the crest line of the Waianae Mountains, said point of beginning being 55.01 feet in true azimuth 112° 01' 56" from point "A", marked by the center of an iron pin set in a concrete monument on the crest line of the Waianae Mountains, (said point of beginning is by true azimuth and distance to Government Survey Trig. Station "Maili" 202° 59' 23.4" 18,641.3 feet and to Government Survey Trig. Station "Maunauna" is 283° 56' 51.4" 12,923.82 feet), the line running thence 64.03 feet in azimuth 11° 01' 56", the right-of-way extending 54 feet on each side, the easterly side line terminating at monument "A" hereinbefore described, and the westerly side line being extended to its intersection with the crest line of the Waianae Mountains at Monument "B" hereinbefore described, the line running thence by true azimuths and distances as follows:

1. On a curve to the left for a distance of 67.56 feet, having a radius of 100.72 feet, central angle being 38° 32', the right-of way extending 40 feet on the westerly side and 45 feet on the easterly side.
2. On a curve to the left for a distance of 26.67 feet, having a radius of 100.72 feet, central angle being 15° 13', the right-of-way extending 25 feet on the southwesterly side and 45 feet on the northeasterly side.
3. On a curve to the left for a distance of 55.03 feet, having a radius of 100.72 feet, central angle being 30° 15', the right-of-way extending 85 feet on the southwesterly side and 35 feet on the northeasterly side.
4. On a curve to the left for a distance of 34.64 feet, having a radius of 100.72 feet, central angle being 19° 45' 39", the right-of-way extending 85 feet on the southerly side and 30 feet on the northerly side.
5. 267° 16' 17"—35 feet, the right-of-way extending 40 feet each side.
6. 267° 16' 17"—75 feet, the right-of-way extending 145 feet on the southerly side and 40 feet on the northerly side.
7. 267° 16' 17"—75 feet, the right-of-way extending 45 feet on each side.
8. 267° 16' 17"—36.96 feet, the right-of-way extending 80 feet on the southerly side and 35 feet on the northerly side.
9. On a curve to the right for a distance of 144.71 feet, having a radius of 110.704 feet, central angle being 75° 02' 58", the right-of-way extending 110.704 feet on the southwesterly side and 35 feet on the northeasterly side.
10. 342° 19' 15"—178.88 feet, the right-of-way extending 45 feet on each side.
11. On a curve to the left for a distance of 133.60 feet, having a radius of 130.615 feet, central angle being 58° 41' 57", the right-of-way extending 40 feet on each side.
12. On a curve to the right for a distance of 100.00 feet, having a radius of 56.403 feet, central angle being 102° 25' 41", the right-of-way extending 56.403 feet on each side.

13. On a curve to the right for a distance of 184.50 feet, having a radius of 56.403 feet, central angle being 86° 33′ 06″, the right-of-way extending 56.403 feet on the northwesterly side and 25 feet on the southeasterly side.

14. On a curve to the right for a distance of 150.72 feet, having a radius of 199.999 feet, central angle being 43° 11′ 52″, the right-of-way on the northeasterly side extending to easterly and southeasterly right-of-way lines of courses 12 and 11 hereinbefore described and extending 95 feet on the southwesterly side.

15. 155° 47′ 57″—135 feet, the right-of-way on the easterly side extending to the westerly right-of-way lines of courses 11 and 10 hereinbefore described and extending 200 feet on the westerly side.

16. On a curve to the left for a distance of 137.20 feet, having a radius of 100.720 feet, central angle being 78° 15′ 19″, the right-of-way on the northerly side extending to the westerly and southerly right-of-way lines of courses 10, 9, 8 and 7 hereinbefore described and extending 100.72 feet on the southerly side.

17. 77° 32′ 38″—130 feet, the right-of-way on the northerly side extending to the southerly right-of-way lines of courses 7, 6 and 5 hereinbefore described and extending 55 feet on the southerly side.

18. 77° 32′ 38″—37 feet, the right-of-way extending 35 feet on the northerly side and 140 feet on the southerly side.

19. On a curve to the right for a distance of 61.60 feet, having a radius of 100.720 feet, central angle being 35° 07′ 39″, the right-of-way extending 35 feet on the northerly side and 215 feet on the southerly side.

20. On a curve to the left for a distance of 152.28 feet, having a radius of 110.000 feet, central angle being 79° 29′ 39″, the right-of-way extending 35 feet on the northerly side and 110.00 feet on the southerly side.

21. On a curve to the right for a distance of 50.00 feet, having a radius of 99.993 feet, central angle being 28° 43′ 20″, the right-of-way extending 45 feet on the northerly side and 125 feet on the southerly side, except that it does not extend beyond the easterly right-of-way line course 19 hereinbefore described.

22. On a curve to the right for a distance of 67.34 feet, having a radius of 99.993 feet, central angle being 38° 41′ 00″, the right-of-way extending 45 feet on the northerly side and 50 feet on the southerly side.

23. On a curve to the left for a distance of 110.48 feet, having a radius of 99.993 feet, central angle being 63° 28′ 40″, the right-of-way extending 45 feet on the northerly side and 99.993 feet on the southerly side.

24. On a curve to the right for a distance of 146.58 feet, having a radius of 99.993 feet, central angle being 84° 12′ 20″, the right-of-way extending 55 feet on the northerly side and 35 feet on the southerly side.

25. On a curve to the left for a distance of 101.90 feet, having a radius of 124.991 feet, central angle being 46° 47′ 37″, the right-of-way extending 40 feet on the northerly side and 124.991 feet on the southerly side.

26. On a curve to the right for a distance of 80.00 feet, having a radius of 99.993 feet, central angle being 45° 57′ 30″, the right-of-way extending 40 feet on the northerly side and 25 feet on the southerly side.

27. On a curve to the right for a distance of 45.66 feet, having a radius of 99.993 feet, central angle being 26° 13′ 50″, the right-of-way extending 40 feet on the northeasterly side and 145 feet on the southwesterly side.

28. On a curve to the left for a distance of 224.90 feet, having a radius of 149.967 feet, central angle being 86° 01′ 34″, the right-of-way extending 30 feet on the northerly side and 149.967 feet on the southerly side.

29. On a curve to the right for a distance of 30 feet, having a radius of 104.867 feet, central angle being 16° 25′ 46″, the right-of-way extending 30 feet on the northerly side and 90 feet on the southerly side.

30. On a curve to the right for a distance of 109.09 feet, having a radius of 104.867 feet, central angle being 59° 44′ 34″, the right-of-way extending 50 feet on the northerly side and 35 feet on the southerly side.

31. 136° 51′ 07″—70 feet, the right-of-way extending 50 feet on the northeasterly side and 130 feet on the southwesterly side.

32. 136° 51′ 07″—91 feet, the right-of-way extending 50 feet on the northeasterly side and 25 feet on the southwesterly side.

33. On a curve to the right for a distance of 53.82 feet, having a radius of 149.271 feet, central angle being 20° 40′ 43″, the right-of-way extending 60 feet on the northeasterly side and 110 feet on the southwesterly side.

34. On a curve to the left for a distance of 144.00 feet, having a radius of 100.720 feet, central angle being 82° 07′ 56″, the right-of-way extending 40 feet on the northerly side and 100.720 feet on the southerly side.

35. 75° 23′ 54″—190 feet, the right-of-way extending 40 feet on the northerly side and 35 feet on the southerly side.

36. 75° 23′ 54″—50 feet, the right-of-way extending 35 feet on the northerly side and 80 feet on the southerly side.

37. 75° 23′ 54″—66.8 feet, the right-of-way extending 40 feet on each side.

38. On a curve to the left for a distance of 166.25 feet, having a radius of 100.720 feet, central angle being 94° 49′ 25″, the right-of-way extending 45 feet on the northwesterly side and 100.720 feet on the southeasterly side.

39. On a curve to the right for a distance of 78.81 feet, having a radius of 100.720 feet, central angle being 44° 56′ 33″, the right-of-way extending 40 feet on the westerly side and 35 feet on the easterly side.

40. 25° 31′ 02″—90 feet, the right-of-way extending 40 feet on each side.

41. On a curve to the right for a distance of 62.04 feet, having a radius of 100.720 feet, central angle being 35° 22′ 43″, the right-of-way extending 40 feet on each side.

42. On a curve to the left for a distance of 62.13 feet, having a radius of 100.720 feet, central angle being 35° 26′ 03″, the right-of-way extending 40 feet on each side.

43. On a curve to the right for a distance of 206.50 feet, having a radius of 224.952 feet, central angle being 52° 37′ 14″, the right-of-way extending 35 feet on each side.

44. On a curve to the left for a distance of 60.40 feet, having a radius of 80.016 feet, central angle being 43° 26′ 05″, the right-of-way extending 100 feet on the northerly side and 80.016 feet on the southerly side.

45. On a curve to the left for a distance of 72.44 feet, having a radius of 100.720 feet, central angle being 41° 19′ 13″, the right-of-way extending 200 feet on the westerly side and 100.720 feet on the easterly side.

46. On a curve to the left for a distance of 100.00 feet, having a radius of 80.016 feet, central angle being 71° 54′ 10″, the right-of-way extending 250 feet on the easterly side and 80.016 feet on the westerly side.

47. On a curve to the left for a distance of 128.60 feet, having a radius of 80.016 feet, central angle being 92° 28′ 01″, the right-of-way extending 50 feet on the southerly side and 80.016 feet on the northerly side.

48. 188° 57′ 27″—42.02 feet, the right-of-way on the westerly side extending to the easterly right-of-way line of course 45 and 44 hereinbefore described and extending 75 feet on the easterly side.

49. On a curve to the right for a distance of 88.08 feet, having a radius of 100.720 feet, central angle being 50° 13′ 47″, the right-of-way on the northwesterly side extending to the easterly and southerly right-of-way lines of courses 44 and 43 hereinbefore described and extending 55 feet on the southeasterly side.

50. 239° 11′ 14″—41.25 feet, the right-of-way on the northwesterly side extending to the southeasterly right-of-way line of course 43 hereinbefore described and extending 25 feet on the southwesterly side.

51. On a curve to the left for a distance of 66.46 feet, having a radius of 99.993 feet, central angle being 38° 11′ 19″, the right-of-way on the westerly side extending to the easterly right-of-way lines of course 43 hereinbefore described and extending 25 feet on the easterly side.

52. On a curve to the right for a distance of 36.67 feet, having a radius of 99.993 feet, central angle being 21° 03′ 41″, the right-of-way on the northwesterly side extending to the southeasterly right-of-way lines of courses 43 and 42 hereinbefore described and extending 99.993 feet on the southeasterly side.

53. 222° 03′ 36″—30 feet, the right-of-way on the northwesterly side extending to the easterly and southeasterly right-of-way lines of courses 42 and 41 hereinbefore described and extending 90 feet on the southeasterly side.

54. 222° 03′ 36″—158.2 feet, the right-of-way on the northwesterly side extending to the southeasterly right-of-way lines of courses 41, 40 and 39 hereinbefore described and extending 25 feet on the southeasterly side.

55. On a curve to the left for a distance of 31.42 feet, having a radius of 99.993 feet, central angle being 18° 03′ 23″, the right-of-way on the northwesterly side extending to the southeasterly right-of-way line of course 39 hereinbefore described and extending 25 feet on the southeasterly side.

56. On a curve to the right for a distance of 81.32 feet, having a radius of 94.849, central angle being 49° 15′ 38″, the right-of-way extending 25 feet on the southeasterly side and 45 feet on the northwesterly side.

57. 253° 15′ 51″—130.39 feet, the right-of-way extending 45 feet on each side.

58. On a curve to the right for a distance of 175 feet, having a radius of 54.996 feet, central angle being 183° 54′ 59″, the right-of-way extending 54.996 feet on the inside of the curve and 50 feet on the outside of the curve.

59. On a curve to the right for a distance of 32.79 feet, having a radius of 54.996 feet, central angle being 34° 27′ 39″, the right-of-way extending 54.996 feet on the northerly side and 80 feet on the southerly side.

60. 111° 38′ 29″—3.63 feet, the right-of-way extending 40 feet on the northerly side and 60 feet on the southerly side.

61. On a curve to the left for a distance of 170.83 feet, having a radius of 96.161 feet, central angle being 102° 04′ 50″, the right-of-way extending 40 feet on the northerly side and 50 feet on the southerly side.

62. On a curve to the right for a distance of 75.89 feet, having a radius of 99.993 feet, central angle being 43° 35′ 41″, the right-of-way extending 40 feet on each side.

63. On a curve to the left for a distance of 113.84 feet, having a radius of 99.993 feet, central angle being 65° 24′ 19″, the right-of-way extending 40 feet on each side.

64. On a curve to the right for a distance of 99.62 feet, having a radius of 99.993 feet, central angle being 57° 13′ 41″, the right-of-way extending 40 feet on each side.

65. On a curve to the left for a distance of 103.54 feet, having a radius of 99.993 feet, central angle being 59° 29′ 19″, the right-of-way extending 30 feet on each side.

66. 345° 29′ 23″—110.96 feet, the right-of-way extending 30 feet on each side.

67. On a curve to the left for a distance of 40.04 feet, having a radius of 99.993 feet, central angle being 23° 00′ 19″, the right-of-way extending 30 feet on each side.

68. 322° 29′ 04″—150.56 feet, the right-of-way extending 40 feet on each side.

69. On a curve to the right for a distance of 95.10 feet, having a radius of 99.993 feet, central angle being 54° 37′ 41″, the right-of-way extending 40 feet on the westerly side and 30 feet on the easterly side.

70. On a curve to the left for a distance of 84.02 feet, having a radius of 99.993 feet, central angle being 48° 16′ 19″, the right-of-way extending 40 feet on the westerly side, and 30 feet on the easterly side.

71. On a curve to the right for a distance of 127.27 feet, having a radius of 99.993 feet, central angle being 73° 06′ 41″, the right-of-way extending 35 feet on the westerly side and 30 feet on the easterly side.

72. On a curve to the left for a distance of 115.98 feet, having a radius of 99.993 feet, central angle being 66° 38′ 19″, the right-of-way extending 35 feet on the westerly side and 30 feet on the easterly side.

73. 335° 18′ 48″—211.65 feet, the right-of-way extending 35 feet on the westerly side and 30 feet on the easterly side.

74. On a curve to the right for a distance of 136.87 feet, having a radius of 97.989 feet, central angle being 80° 14′ 40″, the right-of-way extending 35 feet on the westerly side and 30 feet on the easterly side.

75. On a curve to the left for a distance of 88.45 feet, having a radius of 99.993 feet, central angle being 50° 49′ 19″, the right-of-way extending 35 feet on the westerly side and 99.993 feet on the easterly side.

76. 4° 44′ 09″—130.33 feet, the right-of-way extending 45 feet on the westerly side and 30 feet on the easterly side.

77. On the curve to the left for a distance of 29.68 feet, having a radius of 145.110 feet, central angle being 11° 44′ 13″, the right-of-way extending 40 feet on the westerly side and 30 feet on the easterly side.

78. 352° 59′ 56″—197 feet, the right-of-way extending 35 feet on the westerly side and 60 feet on the easterly side.

79. On a curve to the right for a distance of 47.20 feet, having a radius of 149.967 feet, central angle being 18° 02′ 47″, the right-of-way extending 30 feet on the westerly side and 50 feet on the easterly side.

80. 11° 02′ 46″—193 feet, the right-of-way extending 30 feet on each side.

81. On a curve to the right for a distance of 70.50 feet, having a radius of 99.993 feet, central angle being 40° 29′ 41″, the right-of-way extending 30 feet on each side.

82. On a curve to the right for a distance of 210.48 feet, having a radius of 300.065 feet, central angle being 40° 11′ 58″, the right-of-way extending 30 feet on each side.

83. On a curve to the left for a distance of 179.00 feet, having a radius of 59.999 feet, central angle being 172° 12′ 22″, the right-of-way extending 40 feet on the westerly side and 30 feet on the easterly side.

84. On a curve to the left for a distance of 58.44 feet, having a radius of 59.999 feet, central angle being 56° 13′ 19″, the right-of-way extending 110 feet on the southerly side and 35 feet on the northerly side.

85. On a curve to the right for a distance of 205.20 feet, having a radius of 300.065 feet, central angle being 39° 11′ 30″, the right-of-way extending 90 feet on the southeasterly side and 35 feet on the northwesterly side.

86. On a curve to the left for a distance of 182.65 feet, having a radius of 124.991 feet, central angle being 83° 52′ 16″, the right-of-way extending 140 feet on the southeasterly side and 40 feet on the northwesterly side.

87. On a curve to the right for a distance of 106.72 feet, having a radius of 300.065 feet, central angle being 20° 22′ 54″, the right-of-way extending 80 feet on the easterly side and 35 feet on the westerly side.

88. 199° 00′ 49″—247.02 feet, the right-of-way extending 30 feet on the easterly side and 35 feet on the westerly side.

89. 199° 00′ 49″—95.98 feet, the right-of-way extending 55 feet, on the easterly side and 35 feet on the westerly side.

90. On a curve to the left for a distance of 46.45 feet, having a radius of 124.991 feet, central angle being 21° 20′ 16″, the right-of-way extending 30 feet on the easterly side and 35 feet on the westerly side.

91. On a curve to the right for a distance of 195.55 feet, having a radius of 149.967 feet, central angle being 74° 47′ 47″, the right-of-way extending 105 feet on the easterly side and 35 feet on the westerly side.

92. On a curve to the left for a distance of 218.11 feet, having a radius of 124.991 feet, central angle being 100° 08′ 46″, the right-of-way extending 110 feet on the easterly side and 45 feet on the westerly side.

93. On a curve to the right for a distance of 329.65 feet, having a radius of 175.009 feet, central angle being 108° 00′ 49″, the right-of-way extending 70 feet on the southeasterly side and 35 feet on the northwesterly side.

94. On a curve to the left for a distance of 155.75 feet, having a radius of 124.991 feet, central angle being 71° 21′ 16″, the right-of-way extending 30 feet on each side.

95. On a curve to the right for a distance of 165.63 feet, having a radius of 99.993 feet, central angle being 95° 08′ 41″, the right-of-way extending 30 feet on each side.

96. 283° 47′ 48″—188.50 feet, the right-of-way extending 50 feet on the southerly side and 40 feet on the northerly side.

97. On a curve to the right for a distance of 101.53 feet, having a radius of 149.967 feet, central angle being 38° 49′ 47″, the right-of-way extending 35 feet on each side.

98. On a curve to the left for a distance of 131.85 feet, having a radius of 99.993 feet, central angle being 75° 45′ 19″, the right-of-way extending 40 feet on each side.

99. On a curve to the right for a distance of 185.81 feet, having a radius of 99.993 feet, central angle being 106° 44′ 25″, the right-of-way extending [illegible] on the southwesterly side and 30 feet on the northeasterly side.

100. 353° 46′ 41″—164.5 feet, the right-of-way extending 30 feet on each side.

101. On a curve to the left for a distance of 121.15 feet, having a radius of 199.999 feet, central angle being [illegible]″, the right-of-way extending 30 feet on each side.

102. On a curve to the right for a distance of 221.28 feet, having a radius of 129.683 feet, central angle being 97° 54′ 44″, the right-of-way extending 35 feet on the westerly side and 30 feet on the easterly side.

103. On a curve to the left for a distance of 176.25 feet, having a radius of 149.967 feet, central angle being 67° 25′ 01″, the right-of-way extending 30 feet on each side.

104. 349° 32′ 26″—297.22 feet, the right-of-way extending 30 feet on each side.

105. On a curve to the left for a distance of 109.35 feet, having a radius of 191.505 feet, central angle being 32° 44′ 40″, the right-of-way extending 35 feet on the westerly side and 30 feet on the easterly side.

106. On a curve to the right for a distance of 112.89 feet, having a radius of 199.999 feet, central angle being 32° 21′ 32″, the right-of-way extending 30 feet on each side.

107. 349° 09′ 18″—138.00 feet, the right-of-way extending 30 feet on each side.

108. On a curve to the left for a distance of 135.51 feet, having a radius of 300.065 feet, central angle being 25° 53′ 02″, the right-of-way extending 30 feet on each side.

109. 323° 16′ 16″—248.83 feet, the right-of-way extending 30 feet on each side.

110. On a curve to the right for a distance of 97.15 feet, having a radius of 121.947 feet, central angle being 45° 43′ 18″, the right-of-way extending 30 feet on each side.

111. 8° 59′ 34″—388.05 feet, the right-of-way extending 30 feet on each side.

112. 8° 59′ 34″—57.68 feet, the right-of-way extending 40 feet on the westerly side and 30 feet on the easterly side.

113. On a curve to the left for a distance of 125.89 feet, having a radius of 124.991 feet, central angle being 57° 48′ 16″, the right-of-way extending 40 feet on the westerly side and 30 feet on the easterly side.

114. On a curve to the right for a distance of 271.007 feet, having a radius of 149.967 feet, central angle being 103° 40′ 51″, the right-of-way extending 45 feet on the westerly side and 30 feet on the easterly side.

115. On a curve to the left for a distance of 193.08 feet, having a radius of 212.190 feet, central angle being 52° 10′ 05″, the right-of-way extending 30 feet on each side.

116. 2° 42′ 04″—397.55 feet, the right-of-way extending 35 feet, on the westerly side and 30 feet on the easterly side.

117. On a curve to the right for a distance of 90.49 feet, having a radius of 300.065 feet, central angle being 17° 16′ 54″, the right-of-way extending 30 feet on each side.

118. On a curve to the left for a distance of 101.92 feet, having a radius of 300.065 feet, central angle being 19° 28′ 06″, the right-of-way extending 30 feet on each side.

119. 00° 30′ 52″—234.67 feet, the right-of-way extending 30 feet on each side.

120. On a curve to the right for a distance of 107.94 feet, having a radius of 300.065 feet, central angle being 20° 36′ 54″, the right-of-way extending 30 feet on each side.

121. On a curve to the left for a distance of 139.00 feet, having a radius of 300.065 feet, central angle being 26° 33′ 02″, the right-of-way extending 30 feet on each side.

122. 354° 34′ 44′—746.63 feet, the right-of-way extending 30 feet on each side.

123. On a curve to the right for a distance of 24.70 feet, having a radius of 300.372 feet, to a point marked by a tack in a 2″ x 2″ wooden hub set flush with the surface of the ground, said point being 325.21 feet in true azimuth 139° 00′ 01″ from a point marked by a cross on a stone monument, said monument being intersection of courses 7 and 8 of the Hawaii

Territorial Survey of the Lualualei Forest Reserve, the right-of-way extending 30 feet on each side.

The parcel of land above described lying in the Lualualei Forest Reserve, Island of Oahu, Territory of Hawaii, and containing 31.05 acres, more or less.

Land at Keaau Ridge, Kcaau, Waianae, Oahu.

Beginning at Trig. Station "Kepuhi New" (USA Engineer's Station) on ridge between the lands of Keaau and Makaha, said Trig. Station is by true azimuths and distances to the following Government Survey Trig. Stations:

"Mauna Lahilahi" 338° 50′ 9826 feet;
"Makaha First" 306° 18′ 12693 feet;

as shown on Government Survey Registered Map No. 2408, and running by true azimuths:

Along top of ridge along L. C. A. 10613 Apana 5, to A. Paki, on the following direct azimuths and distances:

1. 20° 04′ 50.7 feet;
2. 62° 09′ 99.4 feet,
3. 172° 21′ 119.1 feet along government land;
4. 281° 12′ 12.6 feet along same to the point of beginning, containing 20/100 acres. more or less.

Land at Kaena Point, Portions of Government Lands of Kuaokala and Kaena, Waialua, Oahu

Beginning at a 3/4 inch iron pipe on ridge at the South corner of this parcel, said pipe is by true azimuths and distances to the following Government Survey Trig. Stations:

"Kaena" 99° 37′ 2960 feet;
"Keaau" 324° 40′ 30825 feet;

as shown on Government Survey Registered Map No. 1784, and running by true azimuths:

1. 102° 22′ 155.0 feet along government land;
2. 177° 33′ 62.1 feet along same;
3. 275° 49′ 186.4 feet along same;
4. 22° 22′ 82.5 feet along same to the point of beginning, containing 28/100 acres, more or less.

Land at Puu-O-Hulu, Lualualei, Waianae, Oahu.

Beginning at Government Survey Trig. Station "Puu-O-Hulu Makai" marked by an iron bar about two feet above the ground, as shown on Government Survey Registered Map No. 2165, and running by true azimuths:

1. Along top of ridge along Grant 4751 to H. M. von Holt, the direct azimuth and distance being 281° 12′ 140.3 feet;
2. 346° 31′ 38.6 feet along government land;
3. 102° 46′ 174.9 feet along same;
4. 165° 02′ 64.7 feet along same;
5. 272° 40′ 33.0 feet along same;
6. 347° 33′ 35.8 feet along Grant 4751 to H. M. von Holt to the point of beginning, containing 15/100 acres more or less.

WARREN G HARDING

THE WHITE HOUSE,
July 27, 1923.

[No. 3885.]

GOVERNMENT PRINTING OFFICE