Executive Order

ALASKA

It is hereby ordered that 53 parcels of land and islands situated in Alaska represented upon 45 U. S. Coast and Geodetic Survey charts and made a part of this order described as follows be and the same are hereby reserved for lighthouse purposes subject to any existing valid rights thereto, viz:

1. ALTHORP ROCK, Port Althorp, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8304—Sheet No. 1.

   A small rock about 15 feet high, near middle of Port Althorp.

   (Approx. Long. 136° 21½′ W. Lat. 58° 10′ N.)

2. AMELIUS ISLAND, Sumner Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8200—Sheet No. 2.

   Small island about 400 yards in diameter 1¾ nautical miles 147° true from Point Amelius.

   (Approx. Long. 133° 52′ W. Lat. 56° 10½′ N.)

3. BELKOFSKI, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8703—Sheet No. 3.

   Southern part of point located 1¼ nautical miles southwesterly from the village of Belkofski; all of that part of the point which lies on the south side of a true east and west line drawn across the point at a distance of 600 feet north true from high water line at the southernmost part of the point.

   (Approx. Long. 162° 03½′ W. Lat. 55° 04½′ N.)

4. BLOCK ISLAND, Tlevak Narrows, Alaska, shown on U. S. Coast and Geodetic Chart No. 8151—Sheet No. 4.

   Island at Tlevak Narrows, between Prince of Wales Island and Dall Island.

   (Approx. Long. 133° 07′ W. Lat. 55° 16′ N.)

5. BLUFF ISLAND, Clarence Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 5.

   Island about ¾ mile long, one of easterly islands of Kashevarof group.

   (Approx. Long. 132° 53′ W. Lat. 56° 10′ N.)

6. CAAMANO POINT, Cleveland Peninsula, Clarence Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8102—Sheet No. 6.

   All that part of the extreme south end of Cleveland Peninsula lying on the south side of a true east and west line drawn across the point at a distance of 800 feet north true from the southernmost point of the low water line; including offlying rocks and islets not covered at low water.

   3,589 a

   (Approx. Long. 131° 59′ W. Lat. 55° 30′ N.)

7. CHIGNIK SPIT, Anchorage Bay, Alaska Peninsula, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8822—Sheet No. 7.

   Outer part of spit located on east side of Anchorage Bay, about 1 nautical mile northeasterly from the head of the bay, all that part of the spit lying on west side of a true north and south line drawn across the same at a distance of 760 feet east true from the most westerly part of the high water line at the point.

   (Approx. Long. 158° 23′ W. Lat. 56° 17½′ N.)

8. CLIFF POINT, Portland Canal, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8051—Sheet No. 8.

   Beginning at a point on low water line, west shore of Portland Canal, 1520 feet in a direct line, southerly, from the center of the concrete slab forming the foundation of Cliff Point Light, thence, west true 1520 feet, thence north,

true, 3040 feet, thence east true 760 feet, more or less, to an intersection with the low water line, thence southeasterly and southerly, following the windings of the low water line to point of beginning.

(Approx. Long. 130° 07½′ W. Lat. 55° 41′ N.)

9. EAST POINT, Kupreanof Island, entrance to Portage Bay, shown on U. S. Coast and Geodetic Survey Chart No. 8210—Sheet No. 9.

All of that part of the point lying on the west side of a true north and south line drawn across the point at a distance of 600 feet east true from the most westerly part of the low water line at the point.

(Approx. Long. 133° 19′ W. Lat. 57° 00′ N.)

10. EVANS BAY, Evans Island, Prince William Sound, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8523—Sheet No. 10.

Northern part of peninsula on east side of southern part of Evans Bay; all that part of the peninsula lying north of a true east and west line drawn across the same at a distance of 600 feet south true from the most northerly part of the low water line; including offlying rocks not covered at low water.

(Approx. Long. 148° 02½′ W. Lat. 60° 03′ N.)

11. FALSE POINT PYBUS, Admiralty Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8224, sheet No. 11.

Beginning at a point 1285 feet northwest true from the center of False Point Beacon, a slatted tripod located on the point about one nautical mile southerly from False Point Pybus, thence east true 1170 feet, more or less, to an intersection with the low water line, thence southerly and westerly, following the windings and indentations of the low water line to a point from which point of beginning bears north true, thence north true, 1000 feet, more or less, to point of beginning.

(Approx. Long. 133° 52½′ W. Lat. 57° 21′ N.)

12. FALSE POINT RETREAT, Lynn Canal, Admiralty Island, shown on U. S. Coast and Geodetic Survey Chart No. 8302—Sheet No. 12.

Beginning at a point near the west shore of Mansfield Peninsula about 2½ nautical miles southerly from Pt. Retreat, from which the center of False Point Retreat Beacon, a slatted tripod anchored to concrete piers, bears west true, distant 900 feet, thence southwest true 900 feet, more or less, to and intersection with the low water line thence northwesterly, northerly and northeasterly, following the windings of the low water line, to a point from which point of beginning bears southeast true, thence southeast true 600 feet, more or less, to point of beginning.

(Approx. Long. 134° 58′ W. Lat. 58° 22′ N.)

13. FANNIE ISLAND, Port Snettisham, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8227—Sheet No. 13.

Island off Prospect Point, about ¼ nautical mile long by about 150 yards wide.

(Approx. Long. 133° 47′ W. Lat. 58° 02½′ N.)

14. GOAT ISLAND, Tlevak Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8151—Sheet No. 14.

All that part of the southeastern extremity of Goat Island lying south of a true east and west line drawn across the point at a distance of 1200 feet north of the southernmost extremity of the island.

(Approx. Long. 132° 53′ W. Lat. 55° 10′ N.)

15. GRAND ISLAND, Stephens Passage, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8300—Sheet No. 15.

Beginning at a point on low water line, east shore of Grand Island, 1520 feet in a direct line, southerly, from the center of Grand Island Beacon, a slatted tripod anchored to concrete piers, thence west true 1520 feet, thence north true 1824 feet more or less, to an intersection with low water line, thence

southeasterly and southerly, following the windings of the low water line to point of beginning.

(Approx. Long. 134° 06′ W. Lat. 58° 06′ N.)

16. GRANTLEY HARBOR, Port Clarence, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 9385—Sheet No. 16.

All that part of the sand spit on north side of the entrance to Grantley Harbor which lies on the south side of a true east and west line drawn across the spit at a distance of 3040 feet north true from the most southerly part of the low water line at the end of the spit.

(Approx. Long. 166° 20′ W. Lat. 65° 17′ N.)

17. GUIDE ISLAND, Tlevak Strait, Alaska, shown on U. S. Coast and Geodetic Survey No. 8151—Sheet No. 4 (same as for Block Island)

Island in northerly part of Tlevak Strait, between Prince of Wales Island and Dall Island.

(Approx. Long. 133° 04′ W. Lat. 55° 13′ N.)

18. HALIBUT COVE, Kachemak Bay, Cook Inlet, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8554—Sheet No. 17.

All of Ismailof Island.

(Approx. Long. 151° 14′ W. Lat. 59° 35½′ N.)

19. HIGH POINT, Woronkofski Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160—sheet No. 18.

Beginning at a point on low water line at the head of the first bight easterly of the point and about ⅛ nautical mile distant therefrom, thence south true 1520 feet, thence west true 1100 feet, more or less to an intersection with the low waterline, thence northerly and easterly, following the windings of the low water line to point of the beginning.

(Approx. Long. 132° 33′ W. Lat. 56° 24′ N.)

20. KABUCH POINT, Alaska Peninsula, east side of south end of Isanotski Strait, shown on U. S. Coast and Geodetic Survey Chart No. 8822—Sheet No. 19.

All that part of the point lying on the southwest side of a true southeast and northwest line drawn across the point at a distance of 760 feet northeast true from the center of the concrete slab upon which Kabuch Point Light is constructed; including adjacent rock and reefs not covered at low water.

(Approx. Long. 163° 21′ W. Lat. 54° 49′ N.)

21. KAKUL NARROWS, Peril Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8282—Sheet No. 20.

Two islets about 150 yards and 100 yards long, respectively, on east side of Kakul Narrows, and all of offlying group of rocks to northward named on the Chart Channel Islets, including all adjacent rocks and reefs not covered at low water.

(Approx. Long. 135° 41′ W. Lat. 57° 22′ N.)

22. KASAAN BAY, Clarence Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8084—Sheet No. 21.

Unnamed island about 840 yards long by 340 yards wide located near the head of Kasaan Bay 1⅜ nautical miles 66° true from Mound Point.

(Approx. Long. 132° 31¼′ W. Lat. 55° 35′ N.)

23. LOW POINT, Zarembo Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 22.

Beginning at a point on low water line 760 feet distant in a direct line, easterly, from the center of Low Point Beacon, located on point of shoreline about one mile easterly from Low Point, thence S. 35° W true 760 feet, thence N. 800 W. 760 feet, more or less, to an intersection with the low water line, thence northeasterly and easterly following the windings of the low water line, to point of beginning.

(Approx. Long. 132° 55½′ W. Lat. 56° 27½′ N.)

24. KIKTAK ISLAND, Gulf of Alaska, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8513—sheet No. 23.

Island about one mile off Point Martin, west side of Katalla Bay.

(Approx. Long. 144° 36½′ W. Lat. 60° 10′ N.)

25. MCFARLAND ISLAND, Tlevak Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8148—Sheet No. 24.

Southern part of one of westerly islands of the group about 2 nautical miles long; all that part of the island lying south of a true east and west line drawn across the island at a distance of 3040 feet north true from the southernmost part of the high water line at the south end of island; including small islet near southeast side.

(Approx. Long. 132° 55′ W. Lat. 55° 03′ N.)

26. MCNAMARA POINT, Zarembo Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 25.

Beginning at a point on low water line 1520 feet in a direct line northerly from McNamara Point Beacon, a slatted tripod structure, thence east true 1520 feet, thence south true 2500 feet, more or less, to an intersection with the low water line, thence northwesterly and northerly following the windings of the low water line to point of beginning.

(Approx. Long. 133° 04′ W. Lat. 56° 20′ N.)

27. MEYERS CHUCK, Clarence Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8124—Sheet No. 26.

Small island about 150 yards diameter located about 200 yards northwest of Meyers Island.

(Approx. Long. 132° 16′ W. Lat. 55° 44½′ N.)

28. MOUNTAIN POINT, Wrangell Narrows, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8170—sheet No. 27.

Beginning at a point on low water line southerly from the center of Mountain Point Beacon and distant therefrom 1520 feet in a direct line, thence west true 1520 feet, thence north true 3480 feet, more or less, to an intersection with the low water line, thence southeasterly and southerly following the windings of low water line, to point of beginning.

(Approx. Long. 132° 57½′ W. Lat. 56° 44′ N.)

29. NIBLACK POINT, Cleveland Peninsula, Clarence Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8102—Sheet No. 6 (Same as for Caamano Point)

Beginning at a point on low water line from which Niblack Point Beacon, a tripod anchored to three concrete piers, bears southeasterly, distant 1520 feet in a direct line, thence northeast true 1520 feet thence southeast true 3040 feet, thence southwest true 600 feet, more or less, to an intersection with low water line, thence northwesterly following the windings of the low water line, to point of beginning.

(Approx. Long. 132° 07′ W. Lat. 55° 33′ N.)

30. PEEP ROCK, Karheen Passage, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8171—Sheet No. 28.

Small islet located ¾ nautical mile 306° true from the cannery wharf at Karheen.

(Approx. Long. 133° 20′ W. Lat. 55° 49′ N.)

31. POINT ST. MARY, Lynn Canal, north side of entrance to Berners Bay, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8302—Sheet No. 29.

All that part of the point lying south of a true east and west line drawn across the same at a distance of 3040 feet north true from the high water line at the southernmost part of the point; including offlying rocks not covered at low water.

(Approx. Long. 135° 01′ W. Lat. 58° 44′ N.)

32. POINT STYLEMAN, Stephens Passage, north side of entrance to Port Snettisham, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8227—Sheet No. 30.

All that part of the point lying south of a true east and west line drawn across the point at a distance of 700 feet north true from the southernmost part of high water line; including adjacent rocks and reefs not covered at low water.

(Approx. Long. 133° 53½′ W. Lat. 57° 58½′ N.)

33. POVOROTNI ISLAND, Peril Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8282—Sheet No. 31.

Island about 200 yards long, off Pogibshi Point, including adjacent rocks and reefs not covered at low water.

(Approx. Long. 135° 33′ W. Lat. 57° 30½′ N.)

34. PROKODA ISLET, Narrow Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8570—Sheet No. 32.

Islet in western part of Narrow Strait between Kodiak and Spruce Islands, including rock awash at high tide close to west side of islet.

(Approx. Long. 152° 30½′ W. Lat. 57° 54½′ N.)

35. PUFFIN ISLAND, Chiniak Bay, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8570—Sheet No. 33.

Island about 2 nautical miles 206° true from the town of Kodiak; including adjacent rocks and reefs not covered at low water.

(Approx. Long. 152° 26½′ W. Lat. 57° 45′ N.)

36. RANGE ISLAND, Popof Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8700—Sheet No. 34.

Island near east side of northern part of Popof Strait.

(Approx. Long. 160° 30½′ W. Lat. 55° 21½′ N.)

37. REEF ISLAND, Portland Canal, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8051—Sheet No. 35.

Island about 150 yards wide and about 550 yards long near west shore in southern part of Portland Canal.

(Approx. Long. 130° 12′ W. Lat. 55° 05′ N.)

38. ROUND ISLAND, Cordova Bay, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8145—Sheet No. 36.

Southwestern island of the group about 700 yards long, including offlying rocks and reefs not covered at low water.

(Approx. Long 132° 30½′ W. Lat. 54° 46½′ N.)

39. ROUND POINT, Southeastern shore of Zarembo Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 37.

All that part of the point lying on southeasterly side of a true northeast and southwest line drawn across the point at a distance of 608 feet northwest true from the southeasternmost part of the low water line.

(Approx. Long. 132° 39½′ W. Lat. 56° 16½′ N.)

40. ROUND ROCK, Frederick Sound, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8200—Sheet No. 38.

A barren rock about 40 feet high located 3 nautical miles 254° true from the south end of West Brother Island.

(Approx. Long. 133° 56′ W. Lat. 57° 15½′ N.)

41. SAND POINT, Popof Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8700—Sheet No. 34. (See sheet for Range Island)

All that portion of the extreme western part of Popof Island lying on west side of a true north and south line drawn across the point at a distance of

760 feet east true from the most westerly part of the high water line at the point.

(Approx. Long. 160° 31½′ W. Lat. 55° 19′ N.)

42. SLEDGE ISLAND, Bering Sea, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 9380—sheet No. 39.

Island 20½ nautical miles westerly from the town of Nome, Alaska.

(Approx. Long. 166° 13′ W. Lat. 64° 29′ N.)

43. SNIPE ROCK, Ogden Passage, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8280—Sheet No. 40.

Small barren rock occupied by structure of Snipe Rock Light, located 340 yards 147° true from south point of Herbert Graves Island.

(Approx. Long. 136° 10½′ W. Lat. 57° 38′ N.)

44. SOUTH CRAIG POINT, Zarembo Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 41.

All that part of the point lying on the easterly side of a true north and south line drawn across the point at a distance of 800 feet west true from the most easterly projection of the low water line.

(Approx. Long 132° 37½′ W. Lat. 56° 23′ N.)

45. SPASSKAIA ISLAND, Icy Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8302—Sheet No. 42.

Two small islets about 30 feet high located about 7¾ nautical miles southwesterly from Point Couverden; including adjacent rocks and reefs not covered at low water.

(Approx. Long. 135° 16′ W. Lat. 58° 07½′ N.)

46. SUKOI ISLETS, Frederick Sound, Alaska, shown on section of U. S. Coast and Geodetic Survey Chart No. 8200—Sheet No. 43.

Western Island of group.

(Approx. Long. 132° 56′ W. Lat. 56° 54′ N.)

47. THE SISTERS, Icy Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8302. See sheet for Spasskaia Island. No. 42.

Island about 6½ nautical miles westerly from Point Couverden, about ½ mile long and 150 feet high; including adjacent rocks and islets not covered at low water, and Sisters Reef, located 1 mile to westward.

(Approx. Long. 135° 15½′ W. Lat. 58° 11′ N.)

48. THREE HILL ISLAND, Cross Sound, Alaska, entrance to Port Althorp, shown on U. S. Coast and Geodetic Survey Chart No. 8304. See sheet for Althorp Rock No. 1.

Pinnacle rock about 32 feet high on north shore of Three Hill Island occupied by Three Hill Island Light.

(Approx. Long. 136° 24′ W. Lat. 58° 11′ N.)

49. TURN POINT, Portland Canal, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8051—Sheet No. 44.

Beginning at a point on low water line, west shore of Portland Canal, 3040 feet in a direct line, southerly from the center of Turn Point Beacon, a tripod anchored to concrete piers, thence west true 1520 feet, thence north true, 5050 feet, more or less, to an intersection with the low line, thence southeasterly and southerly following the windings of low water line to point of beginning.

(Approx. Long. 130° 03½′ W. Lat. 55° 26½′ N.)

50. TURN ROCK, Tlevak Strait, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8151—See sheet for Goat Island No. 14.

Small rock, awash at highest tide, located near south shore Goat Island and occupied by Turn Rock Beacon, a spindle and concrete pier.

(Approx. Long. 132° 55′ W. Lat. 55° 10′ N.)

51. VALDEZ NARROWS, Prince William Sound, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8519—Sheet No. 45.

Beginning at a point on low water line on southeast shore of Valdez Narrows, from which Middle Rock Light bears N. 40° W. true, distant about 5/8 nautical mile, thence S. 35° W true, 6525 feet more or less to an intersection with the low water line on south side of entrance to Narrows, thence northerly and northeasterly, following the windings of the low water line to point of beginning.

(Approx. Long. 146° 39′ W. Lat. 61° 04′ N.)

52. WEST POINT, Kupreanof Island, entrance to Portage Bay, shown on U. S. Coast and Geodetic Survey Chart No. 8210. See sheet for East Point, No. 9.

All that part of the point lying east of a true north and south line drawn across the point at a distance of 600 feet west of the most easterly part of the low water line at the point.

(Approx. Long. 133° 20′ W. Lat. 57° 00′ N.)

53. WORONKOFSKI POINT, Woronkofski Island, Alaska, shown on U. S. Coast and Geodetic Survey Chart No. 8160. See sheet for High Point, No. 18.

Beginning at a point from which Woronkofski Beacon, a white slatted tripod, bears west true, distant 1520 feet, thence south true 1100 feet, thence west true 1824 feet, more or less, to an intersection with low water line, thence northeasterly and easterly, following the windings of the low water line, to a point from which point of beginning bears south true, thence south true, 420 feet, more or less, to point of beginning.

(Approx. Long. 132° 30′ W. Lat. 56° 26′ N.)

CALVIN COOLIDGE

THE WHITE HOUSE,
June 27, 1925.

[No. 4257]

DEPARTMENT OF STATE.

A true copy. July 21, 1925

Tyler Dennett

Chief, Division of Publications.

