Executive Order

I. Pursuant to the Act of Congress approved January 31, 1922 (42 Stat. 360), entitled "An Act to provide for the Exchange of Government lands for privately owned lands in the Territory of Hawaii", the following described parcels of land situated at Diamond Head, on the Island of Oahu, Territory of Hawaii, and adjacent to Fort Ruger Military Reservation as described in Executive Order No. 1767, dated April 28, 1913, have been acquired by the United States of America, and it is hereby ordered that said parcels of land be and the same are hereby set aside for military purposes and made a part of the Fort Ruger Military Reservation:—

1. Parcel of land acquired by warranty deed, dated August 25, 1923, from John Henry Magoon, et al., Trustees of the Magoon Trust Estate, to the United States of America, recorded in Liber 715, pages 298 to 303, Bureau of Conveyances, Territory of Hawaii:

(a) All that certain piece or parcel of land situate at Kapahulu, Waikiki, Island of Oahu, in said Territory, and designated as Lot 13, Block 56, on a map or diagram of the "Kaimuki Tract" on record in the said office, in Liber 178, pages 294–295, and being the same lot conveyed by F. E. Hime to the said trustees by deed dated May 12, 1923, and recorded in the said office in Book 686, pages 132–133.

(b) All those certain pieces or parcels of land, situate at Kapahulu, and designated as Lots 9, 10, 11, 12, 14 and 15, of Block 56, on the said map and being the same lots conveyed by W. O. Smith, et al., trustees, to the said J. Alfred Magoon, dated December 22, 1905 and recorded in the said office in Liber 277, pages 439–440.

(c) All that certain piece or parcel of land situate at said Kapahulu, and designated as Lot 9, of Block 57, on the said map, and being the same conveyed by Mary E. Low, to the said J. Alfred Magoon by deed dated July 29, 1911, and recorded in the said office in Liber 355, pages 145–146.

(d) All those certain pieces or parcels of land, situate at said Kapahulu, and designated as Lots 11 and 13, of Block 57, on the said map and being the same lots conveyed by the said Mary E. Low to the said J. Alfred Magoon, by deed dated March 2, 1910, and recorded in the said office in Liber 328, pages 300–301.

Containing a total area of 3.791 acres, more or less, and consisting of two tracts, 2.735 acres and 1.056 acres, respectively, separated from each other and from the Fort Ruger Military Reservation by public streets.

2. Parcel of land acquired from Iwalani A. Robinson and husband by warranty deed, dated November 5, 1924, to the United States of America, recorded in Liber 785, pages 328 to 330, Bureau of Conveyances, Territory of Hawaii:

All that certain piece or parcel of land, situate, lying and being at WAIKIKI, District of Honolulu, Island of Oahu, Territory of Hawaii, being LOT NUMBER TEN (10) of "DIAMOND HEAD TERRACE" as laid out and designated on a certain map entitled "Map of Diamond Terrace", filed in the Registrar's Office, April 21, 1921, as Registered Map No. 214, and being the same land conveyed to Iwalani A. Robinson by the Pacific Trust Company, Limited, under deed dated October 31, 1924, and recorded in the office of the Registrar of Conveyances in Honolulu, in Liber 747, pages 421–424, containing an area of 5,502 square feet, or .126 acres, more or less.

II. Pursuant to the provisions of the Act of Congress referred to in Section I above, the following described parcels of land situate on the Island of Oahu, Territory of Hawaii, have been acquired by deed, dated January 14, 1925, from Walter Francis Dillingham and wife, to United States of America, recorded in Liber 758, pages

469 to 474, Bureau of Conveyances, Territory of Hawaii, and it is hereby ordered that said parcels of land be and the same are hereby set aside for military purposes and declared to be military reservations as follows:

1. *PUPUKEA MILITARY RESERVATION*
TRACT NO. 1

Beginning at a 1″ wooden stake with nail in top and driven flush with ground on East side of road, said wooden stake bearing by true azimuth 03° 43′ 1758.9 feet from a 3″ by 3″ wooden stake which marks the northwest corner of Lot 18, Grant 5186, T. H., and bearing by true azimuth 03° 43′ 600.0′ to a 1–½″ iron pipe in angle of wire fence,

Thence 273° 43′ 196.8′ to a 1″ wooden stake (2)
Thence 183° 43′ 447.6′ to a 1″ wooden stake (3)
Thence 93° 43′ 196.8′ to a 1″ wooden stake (4)
Thence 03° 43′ 447.6′ to the point of beginning (1),
Containing a total area of 2.02 acres, more or less.

The point of beginning of this survey is further described as bearing by true azimuth and distance 8° 12′ 270.45 feet from the 2″ iron pipe which marks the reference station Da (995645.1—2,713,576.8) which reference station is further located by true azimuths as follows:

To Mokuleia	243° 47′ 37″
To Puena	240° 59′ 58″
To Kaupakahale	226° 39′ 02″
To Maile	204° 33′ 26″

TRACT NO. 2

Beginning at a point located by true azimuth 129° 08′ and distant 38.4 feet from an iron pipe which is located by coordinates 261.1 feet North and 2728 feet West from Triangulation Station "Pupukea", and proceeding by true azimuths and distances:

1. 16° 44′ 129.1 feet; thence
2. 286° 37′ 81.1 feet; thence
3. 232° 32′ 101.4 feet; thence
4. 192° 21′ 86.0 feet; thence
5. 90° 30′ 139.4 feet; to the point of beginning.

Containing an area of 0.419 acres, more or less.

2. *WAIALUA MILITARY RESERVATION*

Beginning at a point marked "P" 61.4 feet, 236° 20′ true azimuth from South from a reference point marked "W" thence running by direct distances and azimuths as follows:

1. 77° 16′ 163.8 feet;
2. 327° 40′ 103.7 feet;
3. 260° 22′ 95.3 feet;
4. 185° 30′ 108.3 feet.

The above tract of land contains an approximate area of 0.297 acres, more or less. Reference point "W" is located on round hill just west of Kaukonahua Gulch, above and between two red eroded patches, the West one being in the shape of an "M" as seen from the foot of the hill. This point marked by a three-quarter iron bolt six inches above ground. This point bears true azimuth and distances to triangulation stations as follows:

Maile	325° 11′ 29″	10,710.2 feet
Kaupakuhale	79° 56′ 42″	13,017.8 feet
Ena	184° 44′ 35″	20,862.1 feet.

3. *KAAAWA MILITARY RESERVATION*
TRACT NO. 1

Beginning at a 1″ iron pipe projecting 4″ above ground, said iron pipe bearing by true azimuth 359° 00′, 624.37 feet from a ¾″ iron pipe which marks the starting point of the survey for the City of Honolulu Park Site (Survey by Wright, Harvey and Wright, Honolulu, November 25, 1921) and which bears 284° 00′ 30″ in azimuth and is in distance 3431.0 feet from Kahana Trig. Station,

Thence by true azimuth 280° 00′ 170.0 feet to a point not marked, (1)
Thence 10° 00′ 400.0 feet to a point not marked, (2)

Thence 100° 00′ 400.0 feet to a point not marked, (3)
Thence 190° 00′ 400.0 feet to a point not marked, (4)
Thence 280° 00′ 230.0 feet to the point of beginning, and containing a total area of 3.67 acres, more or less.

In addition to this parcel of land, a 20 foot right-of-way, the East boundary of which is described as follows:

Beginning at a ¾″ iron pipe which bears 284° 00′ 30″ in true azimuth is in distance 3431.0′ from Kahana Trig. Station, thence by true azimuth and 359° 00′, 624.37′ to a 1″ iron pipe in cairn of rocks.

TRACT NO. 2

Beginning at a point not marked (1) but which is 50.0′ due North by true azimuth from Army observation Station L, said observation station being marked by a 1″ iron pipe in cairn of rock, elevation 453 feet above mean low water, on a saddle of spurt on East bank of stream bed which marks the West boundary of Julia Judd Swanzy's property, thence by true azimuths:

70° 00′ 00″ 40.0′ to a point not marked (2)
Thence 340° 00′ 00″ 100.0′ to a point not marked (3)
Thence 250° 00′ 00″ 40.0′ to a point not marked (4)
Thence 160° 00′ 00″ 100.0′ to the starting point (1)

said parcel of land containing a total of 0.0918 acres, more or less. The Army observation station L, mentioned above, is further described as bearing by true azimuth 4° 09′ 00″ 2088.7 feet from a ¾″ iron driven flush with the ground, said iron pipe being the point of beginning of survey for City of Honolulu Park Site (Survey by Wright, Harvey and Wright, Honolulu) and said ¾″ iron pipe being further described as bearing by true azimuth 284° 00′ 30″ 3431.0 feet from Kahana Trig. Station.

In addition to the above, a five-foot right-of-way between Tract 1 and Tract 2, the East boundary of which is described as follows:

Beginning at the point described above as Station No. 2 of Tract 1 thence by true azimuth and distance,

31° 58′ 00″ 597.6′ to a point not marked (A)
314° 57′ 00″ 246.0′ to a point not marked (B)
352° 50′ 00″ 314.7′ to a point not marked (C)
90° 30′ 00″ 155.0′ to a point which is on the East boundary of Tract 2 described above and which bears 340° 00′ 5.0′ from Station No. 1 of said Tract 2.

III. Pursuant to the provisions of the Act of Congress referrred to in Section I above, the following described parcel of land situated at Kealia and Kaena, District of Waialua, Island of Oahu, Territory of Hawaii, has been acquired by the United States of America from Walter Francis Dillingham by Transfer Certificate of Title No. 3633, issued by the Land Court, Territory of Hawaii, on January 15, 1925, recorded in Book 37, Page 129, Office of the Registrar of the Land Court, Territory of Hawaii, and it is hereby ordered that said parcel of land be and the same is hereby set aside for military purposes and is designated as the KAWAIHAPAI MILITARY RESERVATION:

Beginning at 1-½ inch pipe near the Northeast corner of this piece, in sand bank between the sea and railroad track on the West boundary of Grant 338 to Hikiau, the coordinates of said initial point referred to Government Survey Reference Point "Rice" near the Northwest corner of Grant 458 to Wm. H. Rice marked by a + cut in large rock in said bank near sea, being 77.25 feet South and 1344.1 feet East, and from said Reference Point "Rice" the true azimuths and distances to the following points being, Government Survey Trig. Station "Mokuleia" 274° 48½′ 13201 feet; Government Survey Trig. Station "Kaupakuhale" 307° 57′ 24918 feet, W. A. Company's Pump 5 stack, 287° 01′, and running by true azimuths from the above described initial point:

1. 15° 00′ 120.95 feet along the West side of Grant 338 to Hikiau to 1-½ inch pipe on the North side of Oahu Railway and Land Company's right-of-way;
2. 15° 00′ 51.63 feet along same and crossing the center of railroad tract at 20.65 feet to 1-½ inch pipe in the center of a 20 foot reserve for public road;
3. 15° 00′ 1220.82 feet along same to 1-½ inch pipe;
4. 99° 20½′ 1550.8 feet cutting through cane field and along cane field fence to 1-½ inch pipe;

5. 91° 19½′ 1136.5 feet along cane field fence to 1-½ inch pipe;
6. 88° 26′ 470.0 feet along same to 1-½ inch pipe;
7. 93° 22′ 739.0 feet along same to 1-½ inch pipe;
8. 57° 10′ 366.9 feet along same to 1-½ inch pipe;
9. 164° 29′ 310.0 feet along stone wall to the North side of Oahu Railway and Land Company's 40 foot right-of-way marked by 1-½ inch pipe;
10. 71° 50′ 855.6 feet along the North side of said right-of-way;
11. Thence curving to the right, along said right-of-way with a radius of 2864.9 feet to 1-½ inch pipe on the West side of Grant 244 to Pukai, the azimuth and distance of chord being 76° 54′ 502.4 feet;
12. 194° 35′ 328.65 feet along the West side of Grant 244 to Pukai to 1-½ inch pipe in sand bank, the azimuth and distance of said pipe to a cross (+) cut in stone on the West side of Grant 246 to Kahili et al being 89° 47′ 1408.5 feet;
13. 194° 35′ 65.0 feet to high water mark;
14. Thence running along the high water mark to the northeast corner of Grant 353 to Nahoa et al, the direct azimuth and distance being 260° 14′ 5933.5 feet;
15. 15° 00′ 72.0 feet along Grant 338 to Hikiau to the point of beginning, and containing a gross area of 111.93 acres, reserving and excepting therefrom a strip of land 40 feet wide, owned by Oahu Railway and Land Company, and containing 4.32 acres, also a strip of land 20 feet wide to be used for public road and containing 2.15 acres, leaving a net area of 105.46 acres, more or less.

EXCLUSIONS

Description of the center line of a 40 foot right-of-way owned by Oahu Railway and Land Company:

Beginning at a point in the center line of a 40 foot right-of-way the azimuth and distance from Sta. 2 of the above described land being 15° 00′ 20.65 feet, and running by true azimuths:

1. 90° 33′ 1555.17 feet along tangent to point of curve;
2. Thence curving to the left, with a radius of 2864.9 feet, the azimuth and distance of chord being 81° 11½′ 931.7 feet;
3. 71° 50′ 2219.32 feet to a point which is by true azimuth and distance from Sta. 10 of the above described piece, 348° 29′ 20.02 feet, and containing an area of 4.32 acres, more or less.

Description of the center line of a 20 foot reserve for public road:

Beginning at Sta. 3 of the above described land marked by 1-½ inch pipe, and running by true azimuths:

1. 90° 33′ 1547.44 feet along tangent and parallel to the center line of the O. R. & L. Co.'s right-of-way and 30 feet distant therefrom to 1-½ inch pipe;
2. Thence curving to the left, with a radius of 2834.9 feet to 1-½ inch pipe at point of tangent, the azimuth and distance of chord being 81° 11½′ 921.94 feet;
3. 71° 50′ 2220.71 feet to point which is by true azimuth and distance from Sta. 10 of the above described land, 348° 29′ 50.06 feet, and containing an area of 2.15 acres, more or less.

And further excepting and reserving an easement for a right-of-way appurtenant to Lot 2 of the land described in Owner's Duplicate Certificate of Title No. 2881, twenty (20) feet wide along the Eastern boundary of the said military reservation to connect with said public road at a point adjacent to Station 3 as marked upon the map and description with Land Court Application No. 588.

CALVIN COOLIDGE

THE WHITE HOUSE,
June 29, 1927.

[No. 4679]

DEPARTMENT OF STATE.

July 15, 1927 19..

A true copy.

Tyler Dennett

Chief, Division of Publications

RECEIVED
JUL 16 1927