1769

Executive Order.

I. With the consent of the government of the Territory of Hawaii, it is hereby ordered that the following described parcel of ground contiguous to the military reservation of Fort Ruger, situate at Diamond Head, on the Island of Oahu, Territory of Hawaii, as described in Paragraph III of Executive Order dated June 26, 1911, published in General Orders, No. 101, War Department, July 25, 1911, be, and it is hereby, withdrawn and set aside for military purposes, and made a part of said military reservation of Fort Ruger:

That certain piece or parcel of land situate at Kaalawai, Kona, Oahu, Territory of Hawaii, more particularly described as follows:

Beginning at a point S. 87° 18′ W. 32.0 feet distant from a star on a stone at an angle in the Kapahulu-Waialae Nui boundary, as shown on Government Survey Registered Map No. 1502, said star being the initial point of the description of the main reservation of Fort Ruger as contained in Paragraph III of said Executive Order of June 26, 1911, and said star on stone being S. 81° 43′ 04″ E. (true) 6634.82 feet from Government Survey Triangulation Station Leahi (said station being referred to as Diamond Head Station in Paragraph III of said Executive Order of June 26, 1911.) From the above-described point of beginning running by true bearings as follows:

1. S. 22° 58′ E. 129.3 feet along a 30-foot road reservation; thence
2. S. 44° 08′ W. 144.6 feet along J. M. Sewall's lot to a star on rock at the top of the pali, the same marking the northeast corner of Helen S. Carter's lot; thence
3. N. 72° 00′ W. 278.4 feet along the lots owned by Helen S. Carter and A. W. Carter to an iron bolt at the top of the pali; thence
4. N. 59° 59′ W. 213.5 feet along A. W. Carter's lot to an arrow on rock at the top of the pali; thence
5. N. 70° 13′ W. 97.8 feet along E. H. Wodehouse's lot to an arrow on rock at the top of the pali; thence
6. N. 43° 40′ W. 222.2 feet along E. H. Wodehouse's lot to an iron bolt at the top of the pali; thence
7. N. 40° 47′ E. 19.7 feet along E. H. Wodehouse's lot to a stake; thence
8. S. 58° 41′ E. 381.0 feet along the U. S. military reservation to a stake, being course No. 49 of the description given in General Orders, No. 101, War Department, 1911, referred to above; thence
9. N. 87° 18′ E. 407.5 feet along the U. S. military reservation to the point of beginning, being a portion of course No. 50 of the description referred to above. Containing an area of 89,910 square feet, more or less.

II. With the changes indicated in paragraph I above, and with the addition of the Kapahuli tract of 49.73 acres acquired by purchase in 1904, the Fort Ruger military reservation is described as follows:

Commencing at a concrete monument from which Diamond Head or Leahi Trigonometrical Station bears N. 81° 43′ 04″ W., true, and is distant 6,634.8 feet, and running by true bearings as follows:

1. N. 10° 19′ E. 2,174.0 feet along Waialae Nui; thence
2. N. 57° 00′ W. 3,184.0 feet along lot 37; thence

3. N. 28° 30′ E. 1,532.6 feet along 18th Avenue to an iron pin; thence

4. N. 61° 30′ W. 1,420.4 feet along Kilauea Avenue to a concrete monument; thence

5. S. 37° 18′ W. 1,367.0 feet along Makapuu Avenue to a concrete monument; thence

6. S. 31° 43′ W. 53.3 feet across Diamond Head Avenue to a rock marked with a cross, which bears from Diamond Head Station N. 37° 23′ 23″ E. (true), and is distant therefrom 4,794.46 feet; thence

7. S. 84° 39′ W. 1,543.6 feet along lot 33; thence

8. S. 30° 25′ E. 222.4 feet along lot 34; thence

9. S. 63° 08′ W. 1,025.8 feet along lot 34 to a pipe filled with concrete; thence

10. S. 41° 07′ W. 844.5 feet along lot 35; thence

11. S. 44° 30′ W. 937.5 feet along lot 35; thence

12. N. 64° 36′ W. 412.5 feet along lot 35; to a pipe filled with concrete; thence

13. S. 32° 00′ W. 188.0 feet along lot 25; thence

14. S. 17° 42′ W. 284.5 feet along lot 26; thence

15. S. 1° 37′ W. 650.0 feet along lots 27 and 28; thence

16 S. 30° 00′ W. 613.0 feet along lot 29; thence

17 S. 17° 30′ E. 501.0 feet along Grant 3381 to J. Campbell, to an iron pin; thence

18. S. 64° 28′ W. 331.0 feet along Grant 3381 to J. Campbell, to an iron pin marking the old corner of the Kapua, Kapahulu and Kaluahole Grants; thence

19. S. 55° 30′ E. 220.0 feet along Kaluahole Grant 3219; thence

20. N. 40° 14′ E. 592.1 feet along the new territorial reservoir site; thence

21. S. 64° 25′ E. 278.8 feet along same; thence

22. S. 25° 35′ W. 200.0 feet along same; thence

23. S. 64° 25′ E. 222.0 feet along Grant 4081 to S. B. Dole; thence

24. S. 32° 00′ W. 269.0 feet along same; thence

25. S. 33° 10′ W. 200.5 feet along same; thence

26. S. 55° 30′ E. 766.2 feet along Kaluahole Grant 3219; thence

27. N. 78° 11′ E. 156.4 feet along landward side of Diamond Head road; thence

28. Due south 55.5 feet across Diamond Head road; thence

29. S. 86° 02′ E. 255.9 feet along the landward side of the lower road; thence

30. S. 71° 26′ E. 416.6 feet along same; thence

31. N. 56° 02′ E. 131.6 feet along the Light-House reservation; thence

32. S. 73° 05′ E. 130.0 feet along the seaward side of the Diamond Head road and the Light-House reservation; thence

33. S. 87° 06′ E. 119.5 feet along same; thence

34. Due south 290 feet, more or less, to the shore; thence

35. Along the meanderings of the beach in an easterly direction to a point which is due south of, and distant 50 feet, more or less, from, the southwestern corner of Ka-ala-wai lot A; thence

36. Due north 50 feet, more or less, to the southwestern corner of lot A, said corner being N. 87° 32′ 15″ E. 2,308.5 feet from the beginning of course 34 above; thence

37. N. 14° 43′ W. 83.0 feet along lot A; thence

38. N. 75° 24′ E. 347.0 feet along lot A; thence

39. N. 1° 11′ W. 313.2 feet along government land to a point on the seaward side of Diamond Head road; thence

40. S. 78° 31′ E. 88.4 feet along same; thence

41. N. 67° 27′ E. 177.9 feet along same; thence

42. N. 66° 30′ E. 113.0 feet along same; thence
43. N. 40° 00′ E. 97.5 feet along same; thence
44. N. 57° 10′ E. 114.0 feet along same; thence
45. N. 53° 17′ E. 248.6 feet along same; thence
46. N. 76° 37′ E. 447.9 feet along same; thence
47. N. 62° 46′ E. 95.0 feet along same; thence
48. S. 75° 45′ E. 758.9 feet along government land; thence
49. S. 54° 16′ E. 525.0 feet along lot H to a concrete monument; thence;
50. S. 40° 47′ W. 19.7 feet along E. H. Wodehouse's lot to a concrete monument; thence
51. S. 43° 40′ E. 222.2 feet along E. H. Wodehouse's lot to an arrow on rock at the top of pali; thence
52. S. 70° 13′ E. 97.8 feet along same; thence
53. S. 59° 59′ E. 213.5 feet along A. W. Carter's lot to a concrete monument; thence
54. S. 72° 00′ E. 278.4 feet along lots of Helen S. and A. W. Carter to a cross on rock at the top of the pali, the same marking the northeastern corner of Helen S. Carter's lot; thence
55. N. 44° 08′ E. 144.6 feet along J. M. Sewall's lot to a mark on rock; thence
56. N. 22° 58′ W. 129.3 feet along 30-foot road reservation to a concrete monument; thence
57. N. 87° 18′ E. 32.0 feet across road reservation to the point of beginning. Containing an area of 754.48 acres, more or less.

WOODROW WILSON

THE WHITE HOUSE,
April 28, 1913.

[No. 1767.]