3704

Executive Order.

It is hereby ordered that the 168 parcels of land situated in Alaska, represented upon sheets numbered 1 to 122, inclusive, taken from U. S. Coast and Geodetic Survey Charts and made a part of this order, described as follows, be, and the same are hereby reserved for lighthouse purposes, subject to any existing valid rights thereto, viz:

1. LORD ROCK, DIXON ENTRANCE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8051—SHEET NO. 1.

Small bare rock about 10 feet high, lying about ¾ miles S.W. from the south group of Lord Islands.

(Approx. Long. 130° 49′ W. Lat. 54° 44′ N.)

2. BOAT ROCK, DIXON ENTRANCE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8051—SHEET NO. 1.

Small barren rock about 5 feet high, located about 200 yards off shore, about 2 miles northeasterly from Cape Fox, west side of Nakat Bay.

(Approx. Long. 130° 48′ W. Lat. 54° 47′ N.)

3. SURPRISE POINT, NAKAT INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8051—SHEET NO. 1.

All that part of the point lying north of a true east and west line lying 3040 feet south, true, from the northernmost extremity of the point, together with adjacent rocks and islets.

(Approx. Long. 130° 44′ W. Lat. 54° 49′ N.)

4. BLACK ROCK, REVILLAGIGEDO CHANNEL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8075—SHEET NO. 2.

Barren rock about 26 feet high located 3½ nautical miles southwest true, from Kah Shakes Point.

(Approx. Long. 131° 04′ W. Lat. 55° 01′ N.)

5. HOG ROCKS, REVILLAGIGEDO CHANNEL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8075—SHEET NO. 3.

Group of barren rocks 1.6 nautical miles N. 70° E. true from Middy Point, Ham Island.

(Approx. Long. 131° 17′ Lat. 55° 10′ 30″ N.)

6. ANGLE POINT, REVILLAGIGEDO CHANNEL, BOLD ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8075—SHEET NO. 3.

Beginning at a point on low water line abreast of the lighthouse on Angle Point, southwestern extremity of Bold Island; thence easterly along the low water line to a point distant 3040 feet in a straight line from point of beginning; thence N. 30° W. true 3040 feet; thence west true to an intersection with low water line, 3000 feet, more or less; thence southeasterly along the low water line to point of beginning.

(Approx. Long. 131° 26′ W. Lat. 55° 14′ N.)

7. MOUNTAIN POINT, REVILLAGIGEDO CHANNEL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8094—SHEET NO. 4.

W. 5419

Beginning at a point on low water line 900 feet from southernmost extremity of Mountain Point, and bearing approximately N. 70° E. true, therefrom; thence N. 45° W., true, 2100 feet; thence west true, 2400 feet, more or less, to an intersection with low water line; thence along low water line, southeasterly, easterly, and northeasterly to point of beginning.

(Approx. Long. 131° 32′ W. Lat. 55° 17½′ N.)

8. PENINSULA POINT, TONGASS NARROWS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8094—SHEET NO. 5.

Small island about 100 yards S.W. of Peninsula Point.

(Approx. Long. 131° 44′ W. Lat. 55° 23′ N.)

9. CHANNEL ISLAND, TONGASS NARROWS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8094—SHEET NO. 5.

Small island in Tongass Narrows about 1¼ nautical miles N.W. from Peninsula Point.

(Approx. Long. 131° 46′ W. Lat. 55° 23¾′ N)

10. BLUFF POINT, BEHM CANAL, ENTRANCE TO YES BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8105—SHEET NO. 6.

All that part of the point lying east of a true north and south line 570 feet westerly from high water line of the easterly extremity of the Bluff.

(Approx. Long. 131° 45′ W. Lat. 55° 53′ N.)

11. MOIRA ROCK, CLARENCE STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8100—SHEET NO. 7.

Small rock in entrance to Moira Sound about 30 feet high, about 1.6 miles due south true, from Adams Point.

(Approx. Long. 132° 00′ W. Lat. 55° 04′ N.)

12. SKIN ISLAND, CLARENCE STRAITS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8100—SHEET NO. 7.

Small island in entrance to Cholmondeley Sound about 1 mile off the western shore in Clarence Strait.

(Approx. Long. 132° 04′ W. Lat. 55° 18′ N.)

13. HUMP ISLAND, CHOLMONDELEY SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8100—SHEET NO. 7.

Small island in Cholmondeley Sound, about 4½ nautical miles from Chasina Point.

(Approx. Long. 132° 05′ W. Lat. 55° 13½′ N.)

14. LYMAN POINT, CLARENCE STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8076—SHEET NO. 8.

Beginning at a point at low water mark, said point being 300 feet in a direct line easterly from Lyman Point light; thence due south 300 feet; thence due west to low water mark, 400 feet, more or less; thence following the winding of low water mark to place of beginning.

(Approx. Long. 132° 18′ W. Lat. 55° 35′ N.)

15. SHIP ISLAND, CLARENCE STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8100—SHEET NO. 9.

Small island on northeast side of Clarence Strait, about 10 nautical miles northwesterly from Caamano Point and about ¼ mile off the shore of Cleveland Peninsula; including all adjacent islets and rocks not connected to the main shore and not covered at low water.

(Approx. Long. 132° 12′ W. Lat. 55° 36′ N.)

16. NARROW POINT, CLARENCE STRAIT, PRINCE OF WALES ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8100—SHEET NO. 9.

Beginning at a point on low water line about one nautical mile southerly from Narrow Point Light, from which point a left tangent to high water line of an islet about 500 yards in diameter and about 300 yards off shore bears S. 30° E., true; thence N. 30° W., true, 7600 feet; thence N. 60° E., 3200 feet, more or less, to an intersection with low water line; thence southeasterly, southerly and southwesterly, following the winding of the low water line to point of beginning, including all adjacent rocks not covered at low water.

(Approx. Long. 132° 28′ W. Lat. 55° 47½′ N.)

17. RATZ HARBOR, CLARENCE STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8124—SHEET NO. 10.

Outermost small islet northwest side of entrance to Ratz Harbor.

(Approx. Long. 132° 36′ W. Lat. 55° 53½′ N.)

18. BECK ISLAND, KASHEVAROF PASSAGE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8160—SHEET NO. 11.

Island lying ¾ mile N. 36° W., true from Coffman Island.

(Approx. Long. 132° 52′ W. Lat. 56° 03′ N.)

19. KEY REEF, CLARENCE STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8160—SHEET NO. 11.

Reef lying 1¾ miles S. 80° E., true, from Bluff Island, awash at extreme high water; including all adjacent ledges and rocks not covered at low water.

(Approx. Long. 132° 50′ W. Lat. 56° 10′ N.)

20. BUSHY ISLAND, SNOW PASSAGE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8160—SHEET NO. 12.

Beginning at a point on low water line about ¼ nautical mile southwesterly from northeast point of island, from which a left tangent to an island 300 yards in diameter and 100 yards off shore bears N. 60° W., true; thence S. 60° E., true, 2000 feet, more or less, to an intersection with low water line on easterly side of island; thence along the windings of low water line northwesterly and southwesterly to point of beginning, including all adjacent rocks and reefs not covered at low water.

(Approx. Long. 132° 58′ W. Lat. 56° 16½′ N.)

21. POINT COLPOYS, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8160—PRINCE OF WALES ISLAND—SHEET NO. 12.

All that part of the point north of a true east and west line running across the point 1520 feet south, true, from the high water line at the northernmost extremity; including all adjacent rocks and ledges not covered at low water, and including two rocks awash about 1¼ nautical miles east and S. 75° E., respectively, from the point.

(Approx. Long. 133° 12′ W. Lat. 56° 20′ N.)

22. VICHNEFSKI ROCK, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8160—SHEET NO. 12.

Rock awash at extreme high water, located ¾ mile N.W. of Point St. John, Zarembo Island.

(Approx. Long. 133° 01′ W. Lat. 56° 26′ N.)

23. POINT ALEXANDER, WRANGELL STRAIT, MITKOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8170—SHEET NO. 13.

Small rocky ledge lying about 75 yards off shore at Point Alexander, Mitkof Island.

(Approx. Long. 132° 57′ W. Lat. 56° 30½′ N.)

24. MIDWAY ROCK, WRANGELL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8170—SHEET NO. 13.

Rock 400 yards from easterly shore and about 1¼ miles southerly entrance to Strait.

(Approx. Long. 132° 58′ W. Lat. 56° 31¼′ N.)

25. ANCHOR POINT, WRANGELL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8170—SHEET NO. 14.

At south side of Blind Slough. All that part of the point north of a true east and west line lying 300 feet south true from the high water mark at the northern extremity of the point.

(Approx. Long. 132° 55½′ W. Lat. 56° 38¼′ N.)

26. MITKOF ISLAND, WRANGELL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8170—SHEET NO. 15.

Repealed 1940 CFR 109

All that part of the northern extremity of Mitkof Island, at the entrance to Wrangell Strait, north of a true east and west line lying 200 feet south true from the high water mark at the northernmost point of the shoreline.

(Approx. Long. 132° 56′ W. Lat. 56° 49¼′ N.)

27. BEACON POINT, FREDERICK SOUND, KUPREANOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8210—SHEET NO. 16.

Beginning at a point on low water line N. 63° W., true, approximately, 1520 feet from Beacon Point beacon; thence due south true 1520 feet; thence E. true 1800 feet; more or less, to an intersection with low water line; thence following the low water line round the Point to point of beginning.

(Approx. Long. 133° 00′ W. Lat. 56° 56¼′ N.)

28. CAPE STRAIT, FREDERICK SOUND, KUPREANOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8210—SHEET NO. 16.

Beginning at a point on low water line westerly from the lighthouse and distant 1520 feet in a direct line from the center of the concrete pier upon which the light tower is erected; thence S. 45° E., true 1520 feet; thence east true 1520 feet, more or less, to an intersection with the low water line; thence northwesterly and westerly, following the windings of the low water line to the point of beginning.

(Approx. Long. 133° 05′ W. Lat. 57° 00′ N.)

29. CAPE FANSHAW, FREDERICK SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8216—SHEET NO. 17.

All that part of the cape west of a true north and south line drawn 1520 feet due east of the westernmost part of the high water line at the point; including all adjacent rocks and reefs not covered at low water.

(Approx. Long. 133° 34′ 21″ W. Lat. 57° 11′ 02″ N.)

30. DUCK POINT, FANSHAW BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8216—SHEET NO. 17.

Small rock close to shore off Duck Point, Whitney Island, and on which a light is being maintained.

(Approx. Long. 133° 30½′ W. Lat. 57° 12½′ N.)

31. THE BROTHERS ISLAND, STEPHENS PASSAGE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 18.

On Westerly side of the southern end of Stephens Passage. All of the eastern island of group of islands known as The Brothers, being about ½ nautical mile long and ⅓ nautical mile wide and about 232 feet high; including all adjacent islets and rocks not covered at low water.

(Approx. Long. 133° 47′ W. Lat. 57° 17½′ N.)

32. POINT GAMBIER, STEPHENS PASSAGE, ENTRANCE TO GAMBIER BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 18.

All that part of Gambier Island lying southeastward of a true northeast and southwest line drawn across the island and lying 1520 feet distant from the high water mark at the southeastern extremity of the island; including all adjacent rocks and reefs not covered at low water.

(Approx. Long. 133° 50′ W. Lat. 57° 26′ N.)

33. POINT HUGH, STEPHENS PASSAGE, GLASS PENINSULA, ADMIRALTY ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 18.

Beginning at a point on low water line easterly side of Glass Peninsula about 1½ nautical miles northerly from Point Hugh, 1¼ nautical miles in a direct line southerly from the center of a concrete slab four feet square, upon which is erected the structure of Point Hugh Light; thence west true, 1520 feet; thence N. 4° W., true 2¼ nautical miles, more or less, to an intersection with low water line; thence southeasterly and southerly, following the windings of low water line to point of beginning.

(Approx. Long. 133° 52′ W. Lat. 57° 37′ N.)

34. GRAVE POINT, STEPHENS PASSAGE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8229—SHEET NO. 19.

Beginning at a point at low water line on northwesterly side of entrance to Taku Harbor, from which a left tangent to high water line at the northern extremity of Stockade Point, distant about 700 yards, bears S. 75° E., true; thence N. 75° W., true 4000 feet, more or less to an intersection with low water line northward of Grave Point; thence southerly, easterly and northeasterly, following the windings of low water line to point of beginning.

(Approx. Long. 134° 03′ W. Lat. 58° 04′ N.)

35. POINT ARDEN, STEPHENS PASSAGE, ADMIRALTY ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8300—SHEET NO. 20.

Beginning at a point on low water line southward of Point Arden from which the center of a concrete slab upon which Point Arden Light is erected, is distant 3040 feet in a straight line; thence N. 60° W. true, 8000 feet, more or less, to an intersection with low water line; thence northeasterly, southeasterly, easterly and southerly, following the windings of low water line to point of beginning.

(Approx. Long. 134° 10′ W. Lat. 58° 9½′ N.)

36. MARMION ISLAND, GASTINEAU CHANNEL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8235—SHEET NO. 21.

Small island about 200 yards long by 100 yards wide, near Point Tantalus, westerly side of entrance to Gastineau Channel.

(Approx. Long. 134° 15′ W. Lat. 56° 12′ N.)

37. MIDDLE POINT, STEPHENS PASSAGE, DUNGLAS ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8235—SHEET NO. 22.

About 4½ miles northwesterly from Point Hilda. Beginning at a point on low water line from which the center of a concrete slab 4 feet square upon which Middle Point Light is erected, is distant 400 feet in a straight line and bearing southerly; thence east true 900 feet; thence south true 500 feet, more or less, to an intersection with low water line; thence westerly, following the windings of low water line to point of beginning.

(Approx. Long 134° 37′ W. Lat. 58° 15′ N.)

38. SHELTER ISLAND, STEPHENS PASSAGE, SOUTHEASTERN PART OF SHELTER ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8302—SHEET NO. 23.

Beginning at a point on low water line on eastern side of island about 1000 yards northward of extreme southeastern point of island, from which the center of a concrete slab four feet square, upon which Shelter Island Light is erected, is distant 1000 feet in a straight line bearing S. 23° E. approximately; thence S. 65° W. true 600 feet; thence S. 25° E., true, 2000 feet, more or less, to an intersection with low water line; thence northeasterly, northerly and northwesterly, following the windings of the low water line, to point of beginning.

(Approx. Long. 134° 48′ W. Lat. 58° 22½′ N.)

39. CLEAR POINT, LYNN CANAL, ENTRANCE TO FRUNTER BAY, ADMIRALTY ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART, NO. 8302—SHEETS NO. 23 & NO. 24.

Beginning at a point on low water line about 700 feet northerly from the southern extremity of Clear Point, from which a right tangent to high water line, distant about 500 feet bears east true; thence west true, 800 feet, more or less, to an intersection with low water line; thence southerly, etc., following the windings of the low water line around the Point to point of beginning.

(Approx. Long 134° 55′ W. Lat. 58° 15′ N.)

40. NAKED ISLAND, LYNN CANAL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8302—SHEETS NO. 23 & NO. 24.

The small island on the east side of south end of Lynn Canal 1-⅛ mile N. 51° W., true, from Clear Point, and including ledge awash at high water lying immediately on northwest side of island and called North Ledge on the chart.

(Approx. Long 134° 56′ W. Lat. 58° 15½′ N.)

41. LITTLE ISLAND, LYNN CANAL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8302—SHEET NO. 25.

Small island ½ mile N. 16° W. from Ralston Island, including adjacent rocks and ledges not covered at low water.

(Approx. Long. 135° 02′ W. Lat. 56° 32½′ N.)

42. LITTLE CHILKAT ISLAND, CHILKOOT INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8303—SHEET NO. 26.

The most northerly island of the Chilkat group, the same being about 5/8 nautical mile long and located about 1 nautical mile southeast of Seduction Point.

(Approx. Long. 135° 15′ W. Lat. 59° 05′ N.)

43. LOW POINT, CHILKOOT INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8303—SHEET NO. 27.

Beginning at a point on low water line northeasterly from Low Point Light and 900 feet in a direct line from the center of the concrete slab 4 feet square upon which the structure for the light is erected; thence S. 60° E., true, 1560 feet; thence S. 30° W., true, 1000 feet, more or less, to an intersection with the low water line; thence northwesterly and northeasterly, following the windings of the low water line to point of beginning

(Approx. Long. 135° 21′ W. Lat. 59° 16′ N.)

44. BARREN ISLAND, DIXON ENTRANCE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8100—SHEET NO. 28.

The island is bare rock about 20 feet high, and lies off west side of entrance to Revillagigedo Channel, approximately 6½ miles south of the southern extremity of Duke Island.

(Approx. Long. 131° 20′ W. Lat. 54° 45′ N.)

45. CAPE CHACON, DIXON ENTRANCE, PRINCE OF WALES ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8074—SHEET NO. 29.

Beginning at a point at low water mark on the shore line of Dixon Entrance from which the southern extremity of Cape Chacon bears S. 64° E., true, distant approximately ¾ nautical miles; thence N. 45° E., true, about one nautical mile, more or less, to an intersection with low water line on the shore of Clarence Strait; thence southerly, following the meanderings of the low water line of the shore, to and around Cape Chacon, and continuing to point of beginning; and including all adjacent island, islets, rocks and reefs not covered at low water.

(Approx. Long 132° W. Lat. 54° 42′ N.)

46. DEWEY ROCKS, CORDOVA BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8152—SHEET NO. 30.

Small rock about 12 feet high, about 1½ miles S. 5° E., true, from Round Island in entrance to Cordova Bay.

(Approx. Long. 132° 30′ W. Lat. 54° 45′ N.)

47. MELLEN ROCK, CORDOVA BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8152—SHEET NO. 30.

Small rock about 12 feet high, in Cordova Bay, ¾ mile off the eastern shore of Sukkwan Island.

(Approx. Long. 132° 40′ W. Lat. 55° 02′ N.)

48. SUKKWAN NARROWS, SUKKWAN ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8153—SHEET NO. 31.

Beginning at a point on low water line on north end of Sukkwan Island, eastern part of Sukkwan Narrows, from which a rock awash 150 yards off shore bears north true; thence S. 60° W., true, 750 feet, more or less, to an intersec-

tion with the low water line; thence northerly, northeasterly and easterly, following the windings of the low water line to point of beginning; and including adjacent rocks not covered at low water.

(Approx. Long. 132° 50′ 30″ W. Lat. 55° 12′ N.)

49. Rose Inlet, Tlenak Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8152—Sheet No. 32.

All of outer island located in the entrance to Rose Inlet.

(Approx. Long. 132° 56′ W. Lat. 54° 57½′ N.)

50. Klawak Reef, San Alberto Bay, Shown on U. S. Coast and Geodetic Survey Chart No. 8155—Sheet No. 33.

Rock covered at high water and bare at low water, located 800 yards N. 28° W. true, from the northern extremity of Fish Egg Island. The structure supporting the light is erected on a concrete pier.

(Approx. Long. 133° 10½′ W. Lat. 55° 30½′ N.)

51. Point McCartey, Nichols Passage, Shown on U. S. Coast and Geodetic Survey Chart No. 8075—Sheet No. 34.

The southeasternmost islet in Bronaugh Island Group. Islet is on west side of entrance to Nichols Passage, 1½ miles S. 54° E. from Dall Head.

(Approx. Long. 131° 43′ W. Lat. 55° 07′ N.)

52. Warburton Island, Nichols Passage, Shown on U. S. Coast and Geodetic Survey Chart No. 8074—Sheet No. 35.

All of island which is located about 2 miles west of Metlakatla.

(Approx. Long. 131° 38′ W. Lat. 55° 08′ N.)

53. Blank Island, Nichols Passage, Shown on U. S. Coast and Geodetic Survey Chart No. 8075—Sheet No. 36.

The southern island of the group in the north end of Nichols Passage, at the entrance of Blank Inlet, Gravina Island.

(Approx. Long. 131° 38′ W. Lat. 55° 16′ N.)

54. Stikine Strait Island, Stikine Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 37.

Small island about one-half mile N. 16° E., true, from Steamer Point, Elolin Island.

(Approx. Long. 132° 43′ W. Lat. 56° 13′ N.)

55. Vank Island, Stikine Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 38.

All that part of the island lying south of a true east and west line drawn across the island from low water to low water, 760 feet due north from the center of the concrete pier upon which the structure for the light is erected.

(Approx. Long. 132° 35′ W. Lat. 56° 27′ N.)

56. Point Craig, Sumner Strait, Zarembo Island, Shown on U. S. Coast and Geodetic Survey Chart No. 8160—Sheet No. 38.

All that part of Zarembo Island in the vicinity of Point Craig lying on the north side of a true east and west line drawn across the point 750 feet due south of the northernmost extremity of the point.

(Approx. Long. 132° 44′ W. Lat. 56° 27½′ N.)

57. THE EYE OPENER, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 39.

A bare rock in the middle of Sumner Strait, 3 miles due north from Pine Point, Prince of Wales Island.

(Approx. Long. 133° 16′ W. Lat. 56° 23′ N.)

58. STRAIT ISLAND, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 40.

The southeastern island of the group; including adjacent and outlying rocks and reefs not covered at low water.

(Approx. Long. 133° 42′ W. Lat. 56° 24′ N.)

59. BEAUCLERC ISLAND, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 40.

Small island in entrance to Port Beauclerc, located about 4 nautical miles south of Boulder Point.

(Approx. Long. 133° 50½′ W. Lat. 56° 15′ N.)

60. SHAKAN BAY, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8176—SHEET NO. 41.

All of island named Station Island, located ¼ mile northwest of Kosciusko Island and ¼ mile east of Shakan Islands, south side of entrance to Shakan Strait. (Approx. Long. 133° 37′ W. Lat. 56° 09′ N.)

61. SPANISH ISLANDS, SUMNER STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8152—SHEET NO. 42.

The northernmost island in the group, about 1½ miles S. 44° E. from Cape Decision, Kuiu Island.

(Approx. Long. 134° 06′ W. Lat. 55° 59′ N.)

62. TURNABOUT ISLAND, FREDERICK SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8200—SHEET NO. 43.

Small island about ¼ mile long, located 4½ miles N. 22° E. from Cape Bendel, Kupreanof Island, being northwestern island of group.

(Approx. Long. 133° 59′ W. Lat. 57° 07½′ N.)

63. PYBUS BAY, FREDERICK SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8218—SHEET NO. 18.

All of small island in Pybus Bay, located 3-⅜ nautical miles N. 77° W. true from Point Pybus.

(Approx. Long. 134° 04½′ W. Lat. 57° 19′ N.)

64. MURDER COVE, FREDERICK SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8242—SHEET NO. 43a.

Small rocky islet located on east side of Murder Cove, ⅛ nautical mile N. 45° W. true from Walker Point, Admiralty Island.

(Approx. Long. 134° 33′ W. Lat. 57° 01½′ N.)

65. CAPE OMMANEY, CHATHAM STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8250—SHEET NO. 44.

All of Wooden Island, located about ½ mile southeasterly from Cape Ommaney, Baranof Island.

(Approx. Long. 134° 40′ W. Lat. 56° 09½′ N.)

66. POINT CROWLEY, CHATHAM STRAIT, KUIU ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8152—SHEET NO. 45.

All that part of Kuiu Island in the vicinity of Point Crowley lying west of a true north and south line drawn across the point at a distance of 3040 feet east true from the center of the concrete slab 4 feet by 6 feet upon which the structure for Point Crowley Light is erected; and including all adjacent islets and rocks not covered at low water.

(Approx. Long 134° 16′ W. Lat. 56° 07′ N.)

67. POINT ELLIS, CHATHAM STRAIT, BAY OF PILLARS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8241—SHEET NO. 46.

Small island N. 58° W. true ⅜ mile from Pt. Ellis, including adjacent reefs and rocks not covered at low water.

(Approx. Long. 134° 19′ 16″ W. Lat. 56° 33′ 28″ N.)

68. WASHINGTON BAY, CHATHAM STRAIT, KUIU ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8241—SHEET NO. 47.

All that part of the land on the south side of the entrance to Washington Bay lying on northwesterly side of the straight line bearing N. 55° E. and S. 55° W. true drawn across the land from low water line in Chatham Strait to low water line in Washington Bay, said line being distant 300 feet S. 35° E. true from a point on low water line between the two headlands, from which a left tangent to high water line of a small island lying 150 yards off shore in the bight bears N. 35° W. true; and including the aforementioned island.

(Approx. Long. 134° 10′ W. Lat. 56° 40′ N.)

69. KINGSMILL POINT, CHATHAM STRAIT, KUIU ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8214—SHEET NO. 48.

Beginning at a point on low water line southward of the point and distant 1200 feet in a direct line from the center of the concrete slab upon which the structure of Kingsmill Point Light is erected; thence east true 900 feet; thence north true 2300 feet, more or less, to an intersection with low water line northeastward of the point; thence southwesterly and southerly along the windings of low water line to point of beginning.

(Approx. Long. 134° 25′ W. Lat. 56° 50½′ N.)

70. RED BLUFF BAY, BARANOF ISLAND, CHATHAM STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8242—SHEET NO. 49.

The first and most southeasterly island in entrance to Bay.

(Approx. Long. 134° 42½′ W. Lat. 56° 50½′ N.)

71. POINT GARDNER, CHATHAM STRAIT, ADMIRALTY ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8242—SHEET NO. 50.

Beginning at a point on low water line of Chatham Strait northward of the point and distant 1000 feet in a straight line from the center of the concrete slab 4 feet square upon which the structure of Point Gardner Light is erected; thence S. 80° E. true 1200 feet, more or less, to an intersection with the low water line on the shore of Surprise Harbor; thence southerly, westerly and northerly, following the windings of the low water line to point of beginning; and including islets and rocks lying within ⅜ mile southward of the Point.

(Approx. Long. 134° 37′ W Lat. 57° 01′ N.)

72. WARM SPRINGS BAY, CHATHAM STRAIT, BARANOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8243—SHEET NO. 51.

Beginning at a point on low water line south side of entrance to Warm Springs Bay, westerly side of Chatham Strait and distant 400 feet westerly in a direct line from the center of the concrete slab, 4 feet square, upon which the structure of the Warm Springs Bay light is erected; thence south true 400 feet; thence east true 600 feet, more or less, to an intersection with the low water line; thence northerly and westerly, following the windings of the low water line to point of beginning.

(Approx. Long. 134° 46′ 48″ W. Lat. 57° 04¾′ N.)

73. POINT CRAVEN, PERIL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8283—SHEET NO. 52.

Small island about 300 yards S. 52° E. True from Southeastern point of Chichagof Island on west side of entrance to Sitkoh Bay.

(Approx. Long. 134° 51½′ W. Lat. 57° 27′ N.)

74. KILLISNOO HARBOR SOUTHERN ENTRANCE, CHATHAM STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8285—SHEET NO. 53.

Reef off southeastern extremity of Killisnoo Island bare at low water and covered at high water, including all that part of the reef bounded by the low water line and a northeast and southwest true line drawn tangent to high water line of the island. Killisnoo Harbor Southern Entrance Light is located upon a concrete pier on outer part of reef.

(Approx. Long. 134° 34′ W. Lat. 57° 28′ N.)

75. KILLISNOO HARBOR, CHATHAM STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8285—SHEET NO. 53.

Small rock bare at low water and covered at high water, located 80 yards off the shore of Killisnoo Island in Killisnoo Harbor, 300 yards northwesterly from the wharf, and occupied by a concrete pier and superstructure supporting Killisnoo Harbor Light.

(Approx. Long. 134° 33¾′ W. Lat. 57° 28′ N.)

76. DANGER POINT, CHATHAM STRAIT, ADMIRALTY ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8247—SHEET NO. 54.

Beginning at a point on low water line southward of Danger Point and distant 700 feet in a direct line from the center of the concrete slab, 4 feet square, upon which the structure of Danger Point Light is erected; thence northeast true 1000 feet, more or less, to an intersection with low water line eastward of Danger Point; thence westerly, etc., following the windings of the low water line to point of beginning; including rocks and reefs off the point not covered at low water.

(Approx. Long. 134° 36′ W. Lat. 57° 30′ 30″ N.)

77. TENAKEE INLET, CHATHAM STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8300—SHEET NO. 55.

All of small island located about 300 yards off South Passage Point; including rock awash shown on the chart ½ nautical mile northeasterly from South Passage Point.

(Approx. Long. 134° 56′ W. Lat. 57° 46′ N.)

78. TENAKEE, TENAKEE INLET, CHICAGOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8300—SHEET NO. 55.

All of a small island located just off the north shore of the inlet, about ¼ nautical mile eastward of Tenakee Village.

(Approx. Long. 135° 12′ W. Lat. 57° 47′ N.)

79. Point Augusta, Chatham Strait, Chicagof Island, Shown on U. S. Coast and Geodetic Survey Chart No. 8300—Sheet No. 55.

All of that part of the land in the vicinity of Point Augusta bounded by the low water line and a straight line bearing N. 42° W. and S. 42° E. true, distant 2280 feet S. 48° W. true, from the center of the concrete slab 4 feet square upon which the structure of Point Augusta Light is erected; including all adjacent rocks and reefs not covered at low water.

(Approx. Long. 134° 58′ W. Lat. 58° 03′ N.)

80. Hawk Inlet Entrance, Chatham Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8300—Sheets No. 55 & No. 56.

Small island on south side of entrance to Hawk Inlet upon which Hawk Inlet Entrance Light is maintained.

(Approx. Long. 134° 46′ W. Lat. 58° 05′ N.)

81. Rocky Island, Icy Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8302—Sheet No. 57.

Island about 50 feet high and 600 feet long, located ¼ mile S. 10° E., true, from Point Couverden.

(Approx. Long. 135° 02½′ W. Lat. 58° 11′ N.)

82. Inner Point Sophia, Icy Strait, Chicagof Island, Shown on U. S. Coast and Geodetic Survey Chart No. 8304—Sheet No. 58.

That part of the Point bounded by low water line, and a true north and south line and a true east and west line, 200 feet east and 200 feet south, respectively, from the center of the structure supporting the light, consisting of a skeleton tower on 4 concrete piers.

(Approx. Long. 135° 28′ W. Lat. 58° 08′ N.)

83. Lemesurier Island, Icy Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8304—Sheet No. 59.

All that part of the northeastern extremity of the island lying north of a true east and west line drawn across the point at a distance of 1520 feet south true from the center of the concrete slab 4 feet square upon which the structure of the light is erected; including all adjacent rocks and islets not covered at low water.

(Approx. Long. 136° 02′ W. Lat. 58° 19′ N.)

84. North Inian Pass, Icy Strait, Shown on U. S. Coast and Geodetic Survey Chart No. 8304—Sheet No. 60.

All of the northwestern extremity of North Inian Island lying on the northwestern side of a true northeast and southwest line drawn across the island at a distance of 1520 feet southeast true from the center of the concrete slab 4 feet by 6 feet, upon which the structure of the North Inian Pass Light is erected.

(Approx. Long. 136° 24′ W. Lat. 58° 16′ N.)

85. Vitskari Rocks, Sitka Sound, Shown on U. S. Coast and Geodetic Survey Chart No. 8240—Sheet No. 61.

All of a group of rocks located about 3 nautical miles easterly from Point of Shoals.

(Approx. Long. 135° 32½′ W. Lat. 57° 00′ N.)

86. THE ECKHOLMS, SITKA SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8244—SHEET NO. 62.

Group of three small islands and including also a fourth islet called Liar Rock on the charts and located 150 yards N. 75° W. from the Eckholms.
(Approx. Long. 135° 21½′ W. Lat. 57° 00′ 30″ N.)

87. CHANNEL ROCK, SITKA SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8244—SHEET NO. 63.

Rock covered at high water and bare at low water located ¼ nautical mile north of Japonski Island.
(Approx. Long. 135° 22′ W. Lat. 57° 03½′ N.)

88. HARBOR ROCK, SITKA HARBOR, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8244—SHEET NO. 63.

Small rock covered at high water and bare at low water located 300 yards north of the naval wharf on Japonski Island.
(Approx. Long. 135° 20′ 48″ W. Lat. 57° 03-½′ N.)

89. OLD SITKA ROCKS, SITKA SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8281—SHEET NO. 64.

Group of rocks about ¾ mile (nautical) north of Halibut Point.
(Approx. Long. 135° 24′ W. Lat. 57° 07′ N.)

90. SERGIUS POINT, PERIL STRAIT, CHICAGOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8282—SHEET NO. 65.

All of that part of Sergius Point lying south of a true east and west line drawn across the point at a distance of 300 feet north true from the high water line at the southernmost extremity of the point.
(Approx. Long. 135° 38′ W. Lat. 57° 24½′ N.)

91. DEEP BAY ENTRANCE, PERIL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8282—SHEET NO. 66.

Small islet in the middle of the entrance to Deep Bay, about midway between Little Island and Big Island.
(Approx. Long. 135° 35½′ W. Lat. 57° 26′ N.)

92. ROSE CHANNEL ROCK, ROSE CHANNEL, PERIL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8282—SHEET NO. 66.

Small rock 250 yards northwest of Little Rose Island.
(Approx. Long. 135° 33′ W. Lat. 57° 27½′ N.)

93. OTSTOIA ISLAND, PERIL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8283—SHEET NO. 67.

Island about 500 yards long and 200 yards wide, located 1 mile west of Nismeni Point. (Approx. Long. 135° 26′ 34″ W. Lat. 57° 33′ N.)

94. MCCLELLAN ROCK, PERIL STRAIT, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8283—SHEET NO. 68.

Rock about 600 feet S. 22° W., true off Lindenberg Head.
(Approx. Long. 135° 01′ W. Lat. 57° 27′ N.)

95. KLAG BAY ENTRANCE, KLAG BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8280—SHEET NO. 69.

The two islands lying on either side of the narrow entrance to Klag Bay, known as "The Gate", the one on the western side being, about 3/8 mile by 3/8 mile in extent and the one on the eastern side being about 200 yards in diameter.
(Approx. Long. 136° 06½′ W. Lat. 57° 36½′ N.)

96. CAPE EDWARDS, KUKKAN BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8250—SHEET NO. 70.

All that part of the point lying on west side of a true north and south line located 1520 feet east true from the center of the concrete slab upon which Cape Edward Entrance Light is erected.
(Approx. Long. 136° 15′ W. Lat. 57° 40′ N.)

97. LISIANSKI STRAIT ENTRANCE, OUTSIDE COAST, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8250—SHEET NO. 70.

Small island about 1/3 nautical mile long located in southeast entrance to Lisianski Strait about 3/4 nautical mile east of Point Theodore.
(Approx. Long. 136° 26′ W. Lat. 57° 50′ N.)

98. SPIRE ISLAND REEF, REVILLAGIGEDO CHANNEL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8075—SHEET NO. 3.

Detached reef covered at high water and partly bare at low water, located at northeast of Spire Island. Spire Island Light located on the reef consists of small house and lantern surmounting a concrete pier. See chart for "Angle Pt." (Approx. Long. 131° 30′ W. Lat. 55° 16′ N.)

99. LEWIS REEF, TONGASS NARROWS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8094—SHEET NO. 71.

Reef off Lewis Point, partly bare at low water. That part of the reef not covered at low water lying on northeast side of a true northwest and southeast line located 300 feet southwest true from the center of the concrete pier of Lewis Reef Light. (Approx. Long. 131° 44½′ W. Lat. 55° 22′ 25″ N.)

100. ROSA REEF, TONGASS NARROWS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8094—SHEET NO. 71.

That part of the reef not covered at low water and lying east of a true north and south line located 600 feet west true from the center of the concrete pier of Rosa Reef Light. The reef is covered at high water.
(Approx. Long. 131° 48′ W. Lat. 55° 24′ 15″ N.)

101. GAMBIER BAY ENTRANCE, STEPHENS PASSAGE, GAMBIER BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8224—SHEET NO. 72.

Reef covered at high water and bare at low water, located about 3/8 nautical mile northeast of northwest point of Gain Island. The proposed reservation includes that part of the reef not covered at low water and lying southeast of a northeast and southwest line located at a distance of 600 feet northwest of the Gambier Bay Entrance Light structure, which consists of a small house and skeleton steel tower surmounting a concrete pier.
(Approx. Long 133° 55′ W. Lat. 57° 28′ N.)

102. OCEAN CAPE, YAKUTAT BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8455—SHEET NO. 73.

Beginning at a point on low water line southeasterly from the Cape and distant from Ocean Cape Light 1520 feet in a straight line; thence northeast true 600 feet, more or less, to an intersection with the low water line in Ankau Creek; thence following the windings of the low water line of Ankau Creek northerly, etc., to intersection with an east and west line located 3040 feet north of the light; thence west true 400 feet, more or less, to an intersection with low water line; thence along low water line to point of beginning.

(Approx. Long. 139° 52′ W. Lat. 59° 32½′ N.)

103. POINT CARREW, YAKUTAT BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8455—SHEET NO. 73.

All that part of the Point lying north of a true east and west line located 1000 feet south true from the high water line at the northernmost extremity of the point.

(Approx. Long. 139° 50′ W. Lat. 59° 33½′ N.)

104. JOHNSTONE POINT, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8520—SHEET NO. 74.

Small island located close to shore off Johnstone Point.

(Approx. Long. 146° 34′ W. Lat. 60° 29′ N.)

105. GRAVINA POINT, PRINCE WILLIAM SOUND, SHOWN ON U. S. AND GEODETIC SURVEY CHART NO. 8520—SHEET NO. 75.

All that part of the point lying south of a true east and west line drawn across the point at a distance of 1520 feet north true from the high water line at the southernmost extremity of the Point.

(Approx. Long. 146° 15′ W. Lat. 60° 37′ N.)

106. CHANNEL ISLAND, ORCA BAY, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8520—SHEET NO. 76.

Island about ½ mile long located in Orca Bay 1¼ miles west of Salmo Point.

(Approx. Long. 145° 47′ W. Lat. 60° 37′ N.)

107. BUSBY ISLAND, VALDEX ARM, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8519—SHEET NO. 77.

All that part of the island lying on northwest side of a straight line bearing N. 40° E. and S. 40° W. true drawn across the island at a distance of 1520 feet S. 50° E. true from high water line at the northwestern extremity of the island.

(Approx. Long. 146° 50′ W. Lat. 60° 54′ N.)

108. MIDDLE ROCK, VALDEZ NARROWS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8519—SHEET NO. 78.

Small rock in the middle of the northerly part of the Narrows, occupied by a concrete pier supporting Middle Rock Light.

(Approx. Long. 146° 40′ W. Lat. 61° 05′ N.)

109. ENTRANCE ISLAND, PORT VALDEZ, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8519—SHEET NO. 78.

All of island about 400 yards long located close to south shore east side of north entrance to Valdez Narrows.

(Approx. Long. 146° 47′ W. Lat. 61° 05′ N.)

110. SMITH ISLAND, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8517—SHEET NO. 79.

All that part of the island lying east of a true north and south line located 1520 feet west true from the high water line at the eastern extremity of the island.

(Approx. Long. 147° 20′ W. Lat. 60° 32′ N.)

111. SEAL ISLAND, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8517—SHEET NO. 79.

All of island, about ⅛ mile in diameter located about 6½ nautical miles S. 25° W. true from east end of Smith Island.

(Approx. Long. 147° 25′ W. Lat. 60° 25½′ N.)

112. POINT HELEN, PRINCE WILLIAM SOUND, KNIGHT ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8523—SHEET NO. 80.

All that part of the point lying south of a true east and west line drawn across the same at a distance of 2280 feet north true from the high water line at the southernmost extremity of the Point; including all adjacent islets and rocks not covered at high water.

(Approx. Long 147° 46½′ W. Lat. 60° 09′ N.)

113. ELRINGTON PASSAGE, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8523—SHEET NO. 81.

Island about 500 yards long and 300 yards wide located 400 yards west of Bettles Island in the north entrance to Elrington Passage; also small island about 150 yards in diameter close to foregoing on southwest side.

(Approx. Long 148° 01′ W. Lat. 60° 03′ N.)

114. LONE TREE POINT, ELRINGTON PASSAGE, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8523—SHEET NO. 82.

At northern part of peninsula forming the northwestern part of Elrington Island. All that part of the projection of land lying on the northwesterly side of a true N. 60° E. and S. 60° W. line drawn across the Point at a distance of 300 feet S. 30° E. true from the center of the concrete slab 4 feet square, upon which the structure of Lone Tree Point Light is erected.

(Approx. Long. 148° 12′ W. Lat. 59° 59′ N.)

115. POINT ELRINGTON, PRINCE WILLIAM SOUND, ELRINGTON ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8523—SHEET NO. 82.

All of the peninsula bounded by the low water line of the shore and a true north and south line located 4000 feet east true from the high water line at the most westerly extremity of the island.

(Approx. Long. 148° 15½′ W. Lat. 59° 56′ N.)

116. PORT NELLIE JUAN, PRINCE WILLIAM SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8517—SHEET NO. 83.

All the north part of the projection of land lying between Port Nellie Juan and Knight Island Passage lying north of a true east and west line drawn across the point at a distance of 2280 feet south true from the high water mark at the northernmost extremity of the Point; and including all adjacent islets and rocks not covered at low water.

(Approx. Long. 148° 06′ W. Lat. 60° 36′ N.)

117. NEW YEAR ISLANDS, KNIGHT ISLAND PASSAGE, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8524—SHEET NO. 84.

The largest island of the group and including all rocks and islets not covered at low water located southwest of same within a distance of ¼ nautical mile.

(Approx. Long. 147° 55′ W. Lat. 60° 19′ N.)

118. RUGGED ISLAND, RESURRECTION BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8527—SHEET NO. 86.

All of Rugged Island, located in the entrance to Resurrection Bay about 15 nautical miles southerly from the town of Seward; including all adjacent islets and rocks.

(Approx. Long. 149° 22′ W. Lat. 59° 50′ N.)

119. PILOT ROCK, RESURRECTION BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8527—SHEET NO. 86.

A bare rock lying about S. 38° E. true 1¾ miles from Cheval Island and north 38° E. true 2¾ miles from Aialik Cape.

(Approx. Long. 149° 30′ W. Lat. 59° 44½′ N.)

120. CAINES HEAD, RESURRECTION BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8527—SHEET NO. 86.

Beginning at a point on low water line about 2400 feet westerly from the southeastern extremity of the point, and from which a rock awash about 200 yards off shore bears S. 22° W. true; thence N. 22° E. 4500 feet, more or less, to an intersection with low water line, then following the winding of low water line to point of beginning.

(Approx. Long. 149° 24′ W. Lat. 59° 59′ N.)

121. SEAL ROCKS, APPROACH TO RESURRECTION BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8527—SHEET NO. 87.

All of the group of small islands about 5 miles south of Chiswell Islands.

(Approx. Long. 149° 38′ W. Lat. 59° 31′ N.)

122. EAST CHUGACH ISLAND, CHUGACH ISLANDS, ENTRANCE TO COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8554—SHEET NO. 88.

All that part of East Chugach Island south of a true east and west line lying ½ nautical mile north true from the high water line at the southernmost point of the island.

(Approx. Long 151° 27′ W. Lat. 59° 06′ N.)

123. Pearl Island, Chugach Islands, Entrance to Cook Inlet, Shown on U. S. Coast and Geodetic Survey Chart No. 8554—Sheet No. 88.

Beginning at a point on low water line 3040 feet distant in a straight line southerly from northeastern extremity of Pearl Island; thence N. 45° W. true 5000 feet, more or less, to an intersection with the low water line on the northerly shore of the island; thence along low water line easterly and southerly to point of beginning; including detached rocks adjacent to above described area.

(Approx. Long. 151° 40′ W. Lat. 59° 06′ N.)

124. Elizabeth Island Spit, Chugach Islands, Entrance to Cook Inlet, Shown on U. S. Coast and Geodetic Survey Chart No. 8554.—Sheet No. 88.

Beginning at low water line on northeastern shore of Elizabeth Island at a point 4560 feet distant, S. 30° E., approximately from rock awash shown on the chart off the northern part of the island; thence N. 75° W. true about 8000 feet, more or less, to an intersection with low water line; thence westerly along low water line to point of beginning; including detached rocks, reefs and bars adjacent to above described area not covered at low water.

(Approx. Long. 151° 50′ W. Lat. 59° 10′ N.)

125. Chatham Island, Port Chatham, Shown on U. S. Coast and Geodetic Survey Chart No. 8588—Sheet No. 89.

Island about 200 yards in diameter in Port Chatham; including adjacent rocks and islets.

(Approx. Long. 150° 47′ W. Lat. 59° 12′ 23″ N.)

126. Flat Island, Cook Inlet, Shown on U. S. Coast and Geodetic Survey Chart No. 8554—Sheet No. 88.

The whole of the small island about 1 nautical mile N. 15° W. from Pt. Bede.

(Approx. Long. 152° 00′ W. Lat. 59° 20′ N.)

127. Port Graham Entrance, Cook Inlet, Shown on U. S. Coast and Geodetic Survey Chart No. 8589—Sheet No. 90.

The northern part of Passage Island, including all that part north of a true east and west line located 200 feet south true from the high water line at the northern extremity of the island; including also adjacent rocks and islets not covered at low water, located north of above mentioned east and west line.

(Approx. Long. 151° 53½′ W. Lat. 59° 22′ N.)

128. Gray Cliff, Seldovia Harbor, Cook Inlet, Shown on U. S. Coast and Geodetic Survey Chart No. 8589—Sheet No. 91.

Beginning on low water line southward from Gray Cliff, at a point from which a left tangent to high water line abreast of the light bears N. 30° W. true; thence northeast true 1350 feet, more or less, to an intersection with low water line; thence northwesterly, etc., following the windings of the low water line to point of beginning.

(Approx. Long. 151° 39′ W. Lat. 59° 27′ N.)

129. Anchor Point, Cook Inlet, Shown on U. S. Coast and Geodetic Survey Chart No. 8554—Sheet No. 92.

Beginning at a position which is 760 feet N. 35° E. true from a point equidistant from the three concrete piers supporting the structure of Anchor Point

Light; thence S. 10° E. true 1000 feet; thence S. 80° W. true 800 feet, more or less, to an intersection with low water line; thence along low water line northerly to a position from which point of beginning bears N. 80° E. true; thence N. 80° E. true 800 feet, more or less, to point of beginning.

(Approx. Long. 151° 52′ W. Lat. 59° 46′ N.)

130. CHISIK ISLAND, COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8554—SHEET NO. 93.

All the south Point of the Island lying south of a true east and west line located 760 feet north true from the high water line at the southernmost extremity of the Island.

(Approx. Long. 152° 36′ W. Lat. 60° 05½′ N.)

131. KALGIN ISLAND, COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8553—SHEET NO. 94.

All of the northeastern part of the island lying east of a true north and south line located 3040 feet west true from high water line at the easternmost extremity of the Point.

(Approx. Long. 151° 50′ W. Lat. 60° 29′ N.)

132. EAST FORELAND, COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8553—SHEET NO. 94.

Beginning at a point on high water line on northerly side of Point from which a left tangent to high water line at Boulder Point bears N. 50° E. true, distant about 3-⅜ nautical miles; thence S. 33° W. true 3¼ nautical miles, more or less, to an intersection with low water line southward of Point; thence northerly, etc., along low water line to a position from which point of beginning bears S. 33° W., true; thence S. 33° W. true, to point of beginning.

(Approx. Long. 151° 25′ W. Lat. 60° 43′ N.)

133. SUSITNA RIVER ENTRANCE, COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8553—SHEET NO. 95.

All of the small island in the mouth of the Susitna river, called Delta Island.

(Approx. Long. 150° 34′ W. Lat. 61° 16′ N.)

134. FIRE ISLAND, COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8557—SHEETS NOS. 95 AND 96.

All of the southwestern part of the island west of a true north and south line located 1520 feet east true from the high water mark at the western extremity of the Point.

(Approx. Long. 150° 17′ W. Lat. 61° 07½′ N.)

135. RACE POINT, COOK INLET, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8557—SHEET NO. 96.

Beginning at a point on high water line distant 3040 feet in a direct line in an easterly direction from the center of the concrete slab 4 feet square upon which the structure of Race Point Light is erected; thence S. 12° E. true, 1520 feet; thence S. 70° W. true, 1¼ nautical miles, more or less, to an intersection with low water line; thence northeasterly, etc., along low water line to a point from which the point of beginning bears S. 12° E. true; thence S. 12° E. true, to point of beginning.

(Approx. Long. 150° 13′ W. Lat. 61° 10′ N.)

136. TONKI CAPE, AFOGNAK ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8555—SHEET NO. 97.

All that part of the cape lying north of a true east and west line, south true one nautical mile from high water line at the northern extremity of the cape, including all outlying islands, islets and rocks.

(Approx. Long. 152° 00′ W. Lat. 58° 20′ N.)

137. HANIN ROCKS, KODIAK HARBOR, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8570—SHEET NO. 98.

Group of rocks located about ⅛ mile (nautical) northeast of Spruce Cape.

(Approx. Long 152° 20′ W. Lat. 57° 50′ N.)

138. WOODY ISLAND, KODIAK HARBOR, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8570—SHEET NO. 98.

Beginning at a point on high water line on northerly side of Woody Island distant 600 feet in a straight line southwesterly from the center of the concrete slab 4 feet square upon which the structure of Woody Island Light is erected; thence S. 30° E. true 600 feet; thence N. 60° E. true to an intersection with low water line; thence following the windings of the low water line around the northern point of the island to a position from which point of beginning bears S. 30° E. true; thence S. 30° E. true to point of beginning.

(Approx. Long. 152° 20′ W. Lat. 57° 47½′ N.)

139. UNGA SPIT, SHUMAGIN ISLANDS, UNGA ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8700—SHEET NO. 99.

Beginning at a point on low water line about ½ nautical mile southeasterly from the most northerly part of Unga Island, from which a left tangent to high water line of next point to eastward about 0.8 miles (nautical) bears due east; thence west true 4600 feet, more or less, to an intersection with low water line; thence northeasterly, etc., along low water line to point of beginning.

(Approx. Long. 160° 43½′ W. Lat. 55° 24½′ N.)

140. ARCH POINT, SHUMAGIN ISLANDS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8703—SHEET NO. 100.

All that part of the Point lying on the south side of a true east and west line drawn across the same at a distance of 3040 feet north true from the high water mark at the southernmost extremity of the Point.

(Approx. Long. 161° 55′ W. Lat. 55° 12½′ N.)

141. MOSS CAPE, SHUMAGIN ISLANDS, ALASKA PENINSULA, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8703—SHEET NO. 100.

The projection of the mainland about 3½ nautical miles northeasterly from the village of Belkofski and 1¼ nautical miles northwesterly from the northern extremity of Goloi Island. All that part of the Point lying on the east side of a true north and south line drawn across the same at a distance of 1520 feet west true from the high water mark at the easternmost extremity of the Point.

(Approx. Long. 161° 57½′ W. Lat. 55° 07½′ N.)

142. GOLOI SANDSPIT, SHUMAGIN ISLANDS, GOLOI ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8703—SHEET NO. 100.

The westernmost extremity of Goloi Island. All that part of the Point lying on west side of a true north and south line drawn across the same at a distance of 1216 feet east true from the high water mark at the westernmost extremity of the Point.

(Approx. Long. 161° 55′ W. Lat. 55° 06½ N.)

143. CAPE PANKOF, ALEUTIAN ISLANDS, UNIMAK ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8841—SHEET NO. 101.

Beginning at a point on low water line 3040 feet northeasterly from the highwater mark at the southernmost extremity of Ikatan Peninsula; thence west true 4560 feet; thence south true 1000 feet; more or less, to an intersection with low water line; thence easterly and northeasterly, following the windings of the low water line to point of beginning; including all islets and rocks adjacent to above described area not covered at low water.

(Approx. Long. 163° 04′ W. Lat. 54° 40′ N.)

144. AKUTAN HARBOR, ALEUTIAN ISLANDS, AKUTAN ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8860—SHEET NO. 102.

All of the Point on the north side of the entrance to the harbor lying east of a true north and south line drawn across the point at a distance of 300 feet west true from the easternmost extremity of the Point; including adjacent islets and rocks not covered at low water.

(Approx. Long. 165° 57′ W. Lat. 54° 09′ N.)

145. SPITHEAD, ALEUTIAN ISLANDS, DUTCH HARBOR, AMAKUAK ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9008—SHEET NO. 103.

At end of Spit, east side of Dutch Harbor. All that part of the Spit lying on southwesterly side of a line bearing N. 60° W. and S. 60° E. true, drawn across the same at a distance of 750 feet N. 30° E. true, from the high water line at the southernmost extremity of the Spit.

(Approx. Long. 166° 31′ W. Lat. 53° 54′ N.)

146. PROTECTION POINT, NUSHAGAK BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9050—SHEET NO. 104.

On west side of entrance to Nushagak Bay. All that part of the Point lying on east side of a true north and south line drawn across the same at a distance of 3040 feet west true from the high water line at the easternmost extremity of the Point.

(Approx. Long. 158° 40′ W. Lat. 58° 30′ N.)

147. POINT ROMANOF, NORTON SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9370—SHEET NO. 107.

Beginning at a point 1 nautical mile southeast true from Point Romanof lighthouse, consisting of a wooden house 4 feet square and 6 feet high; thence north, true, to an intersection with low water line; thence southwesterly, etc., following the low water line to a point from which point of beginning bears east true; thence east true to point of beginning.

(Approx. Long. 162° 50′ N. Lat. 63° 10′ N.)

148. PASTOL BAY RANGE, NORTON SOUND, PASTOL BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9372—SHEET NO. 105.

Beginning at a point 1200 feet west true from Pastol Bay Rear Light, consisting of a pole supporting a lantern; thence south true 760 feet; thence east true 3300 feet; thence north true 2280 feet, more or less, to an intersection with low water line on Pastol Bay; thence westerly along the low water line to a point from which point of beginning bears south true; thence south true 1440 feet, more or less, to point of beginning.

(Approx. Long. 163° 15′ W. Lat. 63° 02¼′ N.)

149. PASTOLIK RIVER, NORTON SOUND, PASTOL BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9372—SHEET NO. 106.

Beginning at a point 760 feet due south from Pastolik River Light, consisting of a pole supporting a lantern; thence east true 1520 feet; thence north true 1250 feet, more or less, to an intersection with low water line on Pastol Bay; thence southwesterly and southerly along low water line to a point from which point of beginning bears east true; thence east true 500 feet, more or less, to point of beginning.

(Approx. Long. 163° 19′ W. Lat. 63° 02¼′ N.)

150. APOON MOUTH, NORTON SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9372—SHEET NO. 106.

Beginning at a point south true 760 feet from Apoon Mouth Light, consisting of a pole supporting a lantern; thence east true 760 feet; thence north true to an intersection with low water line; thence westerly along low water line to a point from which point of beginning bears east true; thence east true 1080 feet, more or less, to point of beginning.

(Approx. Long. 163° 22′ W. Lat. 63° 02½′ N.)

151. CAPE STEPHENS, NORTON SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9370—SHEET NO. 107.

All that part of the northwestern extremity of St. Michael Island lying on northwest side of a true northeast and southwest line drawn across the island at a distance of 3040 feet southeast true from the highwater line at the northwestern extremity of Cape Stephens.

(Approx. Long. 162° 20′ W. Lat. 63° 32½′ N.)

152. WHALE ISLAND, NORTON SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9375—SHEET NO. 108.

All that part of the island lying east of a true north and south line drawn across the same at a distance of 600 feet west true from the high water line at the easternmost extremity of the island.

(Approx. Long. 161° 59¼′ W. Lat. 63° 29½′ N.)

153. CANAL POINT, NORTON SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 9370—SHEET NO. 107.

All of the land on the north side of the western end of the St. Michael Canal bounded by low water line in St. Michael Canal and on Norton Sound and lying on southwest side of a true northwest and southeast line drawn at a distance of 3040 feet northeast true from the high water line at the southwestern extremity of Canal Point.

(Approx. Long 162° 25′ W. Lat. 63° 24′ N.)

154. SLATE ISLAND, REVILLAGIGEDO CHANNEL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8075—SHEET NO. 109.

Island about ¼ mile long, the south one of group located on north side of entrance to Boca de Quadra.

(Approx. Long. 131° 03′ W. Lat. 55° 05′ N.)

155. POINT FRANCIS, BEHM CANAL, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8105—SHEET NO. 110.

That part of the Point lying east of a true north and south line drawn across the Point at a distance of 1200 feet west true from the high water line at the easternmost extremity of the Point; including the island lying close to southside of the Point.

(Approx. Long. 131° 50′ W. Lat. 55° 40′ N.)

156. CAPE DECISION, CHATHAM STRAIT, KUIU ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8152—SHEET NO. 111.

That part of the southern extremity of Kuiu Island lying south of a true east and west line located at a distance of 4560 feet north true from the high water line at the southernmost extremity of the Point.

(Approx. Long. 134° 08′ W. Lat. 56° 00′ N.)

157. POINT HILDA, STEPHENS PASSAGE, DOUGLAS ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8235—SHEET NO. 112.

That part of the Point, including tide lands not covered at low water, lying south of a true east and west line drawn across the Point at a distance of 600 feet north, true, from the high water line at the southernmost part of the point.

(Approx. Long. 134° 30′ W. Lat. 58° 13′ N.)

158. POINT ADOLPHUS, ICY STRAIT, CHICAGOF ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8304—SHEET NO. 113.

All that part of the point lying north of a true east and west line drawn across the same at a distance of 1520 feet south true from the high water line at the northernmost extremity of the Point.

(Approx. Long. 135° 47½′ W. Lat. 58° 17′ N.)

159. THE TWINS, SITKA SOUND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8244—SHEET NO. 114.

Three small islands about 75 by 150 yards in extent altogether located about ⅜ nautical mile northeast of Galankin Island, the eastern islands of group.

(Approx. Long. 135° 18¾′ W. Lat. 57° 02′ N.)

160. BARWELL ISLAND, RESURRECTION BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8538—SHEET NO. 115.

Island ⅜ mile south of Cape Resurrection.

(Approx. Long. 149° 17′ W. Lat. 59° 51½′ N.)

161. HIVE ISLAND, RESURRECTION BAY, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8538—SHEET NO. 115.

All of island.

(Approx. Long. 149° 22′ W. Lat. 59° 53′ N.)

162. EAST AMATULI ISLAND, BARREN ISLANDS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8554—SHEET NO. 116.

That part of the island lying east of a true north and south line drawn across the same at a distance of 3040 feet west true from high water line at the easternmost extremity of the island; including adjacent islets and rocks not covered at low water.

(Approx. Long. 152° 00′ W. Lat. 58° 55′ N.)

163. FOGGY CAPE, ALASKA PENINSULA, SUTWIK ISLAND, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8502—SHEET NO. 117.

All that part of the eastern end of Sutwik Island lying east of a true north and south line drawn across the island at a distance of 3040 feet west true from the high water mark at the easternmost extremity of the Cape; including adjacent rocks and islets not covered at low water.

(Approx. Long. 157° 00′ W. Lat. 56° 35′ N.)

164. CASTLE ROCK, SHUMAGIN ISLANDS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8802—SHEET NO. 118.

Island off north end of Big Koniuji Island.
(Approx. Long. 159° 27′ W. Lat. 55° 15′ N.)

165. NAGAI ISLAND, CAPE WEDGE, SHUMAGIN ISLANDS, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8700—SHEET NO. 119.

That part of the north end of Nagai Island lying north of a true east and west line located 1520 feet south true from the high water line at the northernmost extremity of Cape Wedge; including adjacent rocks and islets not covered at low water.
(Approx. Long. 159° 48′ W. Lat. 55° 19′ N.)

166. SEAL CAPE, ALASKA PENINSULA, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8700—SHEET NO. 120.

Island about 3 nautical miles eastward of Seal Cape.
(Approx. Long. 161° 20′ W. Lat. 55° 28′ N.)

167. INNER ILIASIK ISLAND, ALASKA PENINSULA, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8703—SHEET NO. 121.

That part of the southern end of the island lying south of a true east and west line drawn across the same at a distance of 1500 feet north true from the high water mark at the southernmost extremity of the island; including adjacent rocks and reefs not covered at low water.
(Approx. Long. 162° 00′ W. Lat. 55° 02′ N.)

168. FOX ISLAND, ALASKA PENINSULA, SHOWN ON U. S. COAST AND GEODETIC SURVEY CHART NO. 8703—SHEET NO. 122.

Island about 1 nautical mile northwest of Deer Island.
(Approx. Long. 162° 29′ W. Lat. 54° 57′ N.)

WOODROW WILSON

THE WHITE HOUSE,
13 February, 1921.

[No. 3406.]