Executive Order

I. WHEREAS, by Executive Order No. 2565, dated March 28, 1917, certain lands, containing a net area of 1510 acres, more or less, at Waimanalo, District of Koolaupolo, Island of Oahu, Territory of Hawaii, were withdrawn and set aside for military purposes, excepting therefrom all tracts of land, described by Land Commission Awards and Royal Patent Grants, Grants and Patents that were awarded by the authorities of Hawaii;

WHEREAS, the description of the reservation as given in said Executive Order No. 2565, dated March 28, 1917, has been found to be inaccurate and a resurvey has been made of the reservation;

NOW THEREFORE, pursuant to the authority vested in me by Section 91 of the Act of Congress approved April 30, 1900 (31 Stat. 141), entitled, "An Act to provide a government for the Territory of Hawaii," as amended by Section 7 of the Act of Congress approved May 27, 1910 (36 Stat. 443), it is hereby ordered that the description contained in said Executive Order No. 2565, dated March 28, 1917, be, and the same is hereby amended to read as follows:

TRACT NO. 1

Beginning at a standard concrete monument, No. 1, situated on the summit of a high peak (elevation approximately 580 feet) of a lateral ridge of the Koolau Mountains (grid coordinates approximately 1031.5–2682.25), the crest of said ridge being the boundary between the lands of Kailua and Waimanalo; said Monument No. 1 being further located by following azimuths and distances: (azimuths referred to north point)

To Territorial Triangulation Station "Mokapu":
351° 03′ 41″ 26,953.5 feet.
To Territorial Triangulation Station "Kailua":
273° 19′ 38″ 18,863.9 feet.

From said Monument No. 1, the boundary runs as follows:

In a general easterly direction along the crest of a spur of the above lateral ridge (crest of said spur being the boundary line between Kailua and Waimanalo), the following azimuths and distances:

149° 33′ 40″	305.33 feet, along ridge to a wooden hub, Station 1; thence
137° 19′ 20″	245.90 feet, along ridge to a hub, Station 2; thence
122° 38′ 20″	615.79 feet, along ridge to a hub, Station 3; thence
71° 12′ 00″	249.62 feet, along ridge to a hub in a saddle, Station 4; thence
98° 12′ 40″	305.94 feet, along ridge to a hub on a knoll, Station 5; thence
103° 16′ 20″	140.06 feet, along ridge to a 1-inch pipe, Station 6, azimuth to Monument No. 1 being 296° 59′ 20″; thence
77° 09′ 20″	182.72 feet, along ridge to a hub, Station 7; thence
94° 22′ 30″	355.38 feet, along ridge to a hub, Station 8; thence
91° 58′ 10″	407.53 feet, along ridge to a hub, Station 9; thence
87° 29′ 10″	126.71 feet, along ridge to a hub, Station 10; thence
59° 29′ 10″	503.00 feet, along ridge to a hub on a peak, Station 11; thence
99° 58′ 40″	496.99 feet, along ridge to a hub on a knoll, Station 12; thence
115° 44′ 00″	172.15 feet, along ridge to a spike, Station 13; thence
51° 34′ 00″	158.26 feet, along ridge to a hub, Station 14; thence
63° 50′ 20″	204.66 feet, along ridge to a hub, Station 15; thence
77° 05′ 40″	296.40 feet, along ridge to a spike, Station 16; thence

56° 44′ 40″	117.61 feet,	along ridge to a hub, Station 17; thence
94° 39′ 40″	330.32 feet,	along ridge to concrete Monument No. 2 on Wailea Point, approximately 30 feet west of and 10 feet above high water mark; said Monument No. 2 having the direct azimuths of 94° 37′ 45″ and distant 4,699.26 feet from the aforementioned concrete Monument No. 1; thence

In a general southerly direction along the high water mark the following azimuths and distances:

172° 55′ 00″	518.70 feet,	along beach to a hub, Station 18, same being northeast corner of a proposed landing field; thence
184° 26′ 00″	643.51 feet,	along beach to a hub, Station 19; thence
195° 55′ 00″	612.85 feet,	along beach to a hub, Station 20; thence
202° 30′ 30″	1371.90 feet,	along beach to a hub, Station 21; thence
198° 44′ 00″	1581.24 feet,	along beach to a hub, Station 22; thence
194° 17′ 00″	678.99 feet,	along beach to a hub, Station 23; thence
175° 57′ 00″	1316.92 feet,	along beach to a hub, Station 24; thence
171° 06′ 00″	873.30 feet,	along beach to a hub, Station 25; thence
161° 18′ 00″	1095.20 feet,	along beach to a hub, Station 26; thence
163° 14′ 00″	1624.60 feet,	along beach to a hub, Station 27; thence
156° 36′ 00″	1516.48 feet,	along beach to a hub, Station 28; thence
149° 59′ 00″	680.79 feet,	along beach to a hub, Station 29; thence
145° 37′ 10″	895.51 feet,	along beach to a hub, Station 30; thence
146° 02′ 30″	1500.59 feet,	along beach to a concrete monument, No. 3, said concrete monument No. 3 having the direct azimuth of 171° 53′ 30″ and distant 14,043.18 feet from the aforementioned concrete monument No. 2; thence
257° 52′ 00″	1565.20 feet,	along fence to a 1½-inch pipe corresponding to Monument No. 5 and marking the southwest corner of the reservation; thence
310° 37′ 00″	1176.85 feet,	along road right of way fence to a 2-inch pipe, Station 5-a; thence
310° 37′ 00″	1422.34 feet,	along road right of way fence to a concrete monument, No. 6 (new); thence
310° 37′ 00″	248.70 feet,	along road right of way fence to a hub, Station 31; thence
309° 41′ 00″	190.23 feet,	along road right of way fence to a hub, Station 32; thence
301° 50′ 20″	101.60 feet,	along road right of way fence to a hub, Station 33; thence
296° 39′ 20″	69.47 feet,	along road right of way fence to a hub, Station 34; thence
288° 16′ 20″	162.97 feet,	along road right of way fence to a hub, Station 35; thence
281° 11′ 20″	103.08 feet,	along road right of way fence to a hub, Station 36; thence
278° 43′ 40″	265.49 feet,	along road right of way fence to a 1½-inch pipe, Station 37; thence
298° 08′ 40″	2225.38 feet,	to a concrete monument, No. 7; thence
322° 30′ 40″	614.20 feet,	to a concrete monument, No. 8; thence
337° 04′ 20″	162.06 feet,	to a hub on the south boundary line of Lot Makai, Station 38; thence
97° 58′ 00″	53.21 feet,	along boundary of Makai to a hub marking the southeast corner thereof, Station 39; thence
17° 58′ 00″	120.78 feet,	along boundary of Makai to a cross in coral marking the northeast corner thereof, Station 40; thence
270° 28′ 00″	118.80 feet,	along boundary of Makai to a hub marking the northwest corner thereof, Station 41; thence

177° 05′ 00″	45.95 feet, along Makai to a hub, Station 42; thence
337° 04′ 20″	108.03 feet, to a concrete monument, No. 9; thence
9° 54′ 00″	160.38 feet, to a concrete monument, No. 10; thence
339° 13′ 40″	188.98 feet, to a concrete monument, No. 11; thence
335° 20′ 20″	383.10 feet, to a concrete monument, No. 12; thence
3° 20′ 00″	445.92 feet, to a concrete monument, No. 13; thence
336° 58′ 00″	345.65 feet, to a concrete monument, No. 14; thence
338° 06′ 40″	781.15 feet, to a concrete monument, No. 15; thence
316° 04′ 40″	1967.70 feet, to a concrete monument, No. 16; at foot of spur; thence
229° 45′ 40″	345.54 feet, to a concrete monument, No. 17, on top of the spur; thence

In a northwesterly direction along the crest of said spur, the following azimuths and distances:

289° 13′ 30″	368.97 feet, along ridge to a hub, Station 43; thence
271° 19′ 00″	573.23 feet, along ridge to a hub, Station 44; thence
318° 07′ 00″	769.36 feet, along ridge to a concrete monument, No. 18, located on the boundary between Kailua and Waimanalo, said concrete monument, No. 18, having the direct azimuth of 296° 14′ 20″ and distant 1600.02 feet from the aforementioned concrete monument, No. 17, thence

In a general northerly direction along the crest of main ridge, same being boundary line between Kailua and Waimanalo, the following azimuths and distances,

355° 35′ 50″	158.15 feet, along ridge to a hub, Station 45; thence
304° 32′ 30″	427.60 feet, along ridge to a hub, Station 46; thence
33° 24′ 10″	180.14 feet, along ridge to a hub, Station 47; thence
48° 25′ 50″	206.45 feet, along ridge to a hub, Station 48; thence
50° 26′ 30″	133.79 feet, along ridge to a hub, Station 49; thence
355° 30′ 50″	285.10 feet, along ridge to a hub, Station 50; thence
347° 50′ 10″	254.65 feet, along ridge to a hub, Station 51; thence
34° 26′ 10″	293.70 feet, along ridge to a concrete monument, said concrete monument, No. 19 having the direct azimuth of 3° 02′ 30″ and distant 1550.62 feet from the aforementioned concrete monument No. 18, thence

Continuing along crest of said ridge in a general northeasterly direction the following azimuths and distances,

9° 23′ 00″	185.25 feet, along ridge to a hub, Station 52; thence
52° 46′ 30″	190.00 feet, along ridge to a hub, Station 53; thence
30° 45′ 00″	183.37 feet, along ridge to a hub, Station 54; thence
52° 42′ 30″	251.66 feet, along ridge to a 1-inch pipe, Station 55; thence
68° 59′ 10″	189.00 feet, along ridge to a hub, Station 56; thence
134° 36′ 20″	110.63 feet, along ridge to a hub, Station 57; thence
92° 24′ 20″	355.80 feet, along ridge to a hub, Station 58; thence
172° 32′ 00″	127.46 feet, along ridge to a hub, Station 59; thence
124° 41′ 40″	473.70 feet, along ridge to a 1-inch pipe, Station 60; thence
64° 31′ 10″	137.47 feet, along ridge to a hub, Station 61; thence
85° 18′ 10″	359.68 feet, along ridge to a 1-inch pipe, Station 62; thence
145° 00′ 50″	130.14 feet, along ridge to a hub, Station 63; thence
108° 39′ 30″	107.39 feet, along ridge to a hub, Station 64; thence
72° 37′ 30″	189.43 feet, along ridge to a hub, Station 65; thence
96° 55′ 10″	223.13 feet, along ridge to a hub, Station 66; thence
31° 26′ 30″	207.62 feet, along ridge to a hub, Station 67; thence
91° 32′ 10″	175.13 feet, along ridge to a hub, Station 68; thence
42° 24′ 50″	133.19 feet, along ridge to a hub, Station 69; thence
81° 54′ 10″	275.88 feet, along ridge to a hub, Station 70; thence
137° 58′ 30″	78.95 feet, along ridge to a hub, Station 71; thence
95° 40′ 30″	268.35 feet, along ridge to a hub, Station 72; thence

46° 31′ 00″ 176.08 feet, along ridge to a 2½-inch pipe on a prominent knoll, Station 73.

(Station 73 is further located by following references:
Monument 19 being 262° 04′ 00″ 3,682.75′
Station 82 being 13° 25′ 50″ 2,194.34 feet
Triangulation Station "Gillies" 174° 00′ 30″ 2,193.20 feet); thence

21° 50′ 50″ 387.27 feet, along ridge to a hub, Station 74; thence
348° 55′ 50″ 242.60 feet, along ridge to a hub, Station 75; thence
15° 23′ 10″ 78.95 feet, along ridge to a hub on a knoll, Station 76; thence
5° 05′ 20″ 250.27 feet, along ridge to a hub, Station 77; thence
319° 48′ 00″ 220.21 feet, along ridge to a hub in a saddle, Station 78; thence
351° 25′ 00″ 162.43 feet, along ridge to a hub on a knoll, Station 79; thence
4° 56′ 00″ 379.45 feet, along ridge to a hub on a knoll, Station 80; thence
57° 33′ 30″ 300.08 feet, along ridge to a hub, Station 81; thence
35° 57′ 30″ 424.27 feet, along ridge to a cross on a rock, Station 82.

(Station 82 is further located by following references:
Station 73 being 193° 25′ 50″ 2,194.34′
Station 91 being 353° 46′ 50″ 1,482.97′); thence

350° 24′ 30″ 231.38 feet, along ridge to a cross on a rock, Station 83; thence
288° 33′ 50″ 279.73 feet, along ridge to a hub, Station 84; thence
347° 01′ 50″ 207.52 feet, along ridge to a hub, Station 85; thence
31° 33′ 00″ 140.09 feet, along ridge to a hub, Station 86; thence
348° 08′ 20″ 129.02 feet, along ridge to a hub, Station 87; thence
4° 47′ 20″ 171.11 feet, along ridge to a hub on a knoll, Station 88; thence
344° 52′ 10″ 237.52 feet, along ridge to a hub, Station 89; thence
12° 35′ 30″ 187.51 feet, along ridge to a hub in a saddle, Station 90; thence
49° 47′ 50″ 196.11 feet, along ridge to a 2½-inch pipe on a knoll, Station 91.

(Station 91 is further located by following azimuths:
Station 73 being 185° 31′ 50″
Station 82 being 173° 46′ 50″
Monument 19 being 244° 08′ 40″); thence

10° 18′ 30″ 264.41 feet, along ridge to a hub, Station 92; thence
355° 18′ 00″ 85.84 feet, along fence to a hub on a sidehill, Station 93; thence
339° 50′ 00″ 251.60 feet, over sidehill to a rocky ridge, nail in soft rock, Station 94; thence
327° 21′ 20″ 76.43 feet, along ridge to a hub, Station 95; thence
355° 24′ 10″ 207.82 feet, along ridge to point of beginning, Monument No. 1, said concrete Monument No. 1 having the direct azimuth of 38° 03′ 20″ and distant 6313.68 feet from the aforementioned concrete monument No. 19,

Containing a gross area of 1,500.57 acres, more or less.

The following described tracts of land, known as "Kuleanas", also described by Land Commission Awards granted by the authorities of Hawaii and contained within the limits of the above described Tract No. 1 of the Waimanalo Military Reservation, are excepted from the said reservation:

Land Commission Award No. 4501, Apana 3,
Dated Dec. 2, 1850, to Kaahuwalu.

Beginning at a hub on the edge of a swamp, Station 1, marking the southwest corner, coordinates of said corner being 229.33 feet west and 1682.15 feet north of Triangulation Station "Buchanan", thence running by true azimuths and distances as follows:

101° 40′ 150.50 feet, to a hub, Station 2, marking the southeast corner, azimuth to Station "Buchanan" 177° 08′; thence

339° 40′ 161.70 feet, to a hub, Station 3, marking the northeast corner; thence

279° 58′ 92.38 feet, to a hub, Station 4, on the edge of a swamp, marking the northwest corner; thence

201° 58′ 56.75 feet, to a hub, Station 5, marking the west corner; thence

166° 03′ 87.12 feet, to the point of beginning.

Containing an area of 0.41 acres, more or less.

Land Commission Award No. 4501, Apana 2, dated Dec. 2, 1850,
to Kaahuwalu.

Beginning at a hub, Station 1, marking the southeast corner, same being the northeast corner of Keliimama's house lot, coordinates of said corner being 608.54 feet east and 525.13 feet north of U. S. Military Reservation Monument 14, azimuth to U. S. Military Reservation Monument 15, being 282° 32′; thence

255° 58′ 107.58 feet, along Keliimama to a hub, Station 2, near edge of a swamp, thence

349° 25′ 88.4± feet, along bank to a hub, Station 3, near a stream; thence

72° 44′ 115.25 feet, along bank to a hub, Station 4, near a stream; thence

173° 40′ 95.65 feet, to point of beginning.

Containing an area of 0.23 acres, more or less.

Land Commission Award No. 4503, Apana 3, dated Dec. 2, 1850,
to Mauae.

Beginning at a ¼-inch pipe, Station 1, on the bank of a stream, marking the northeast corner, coordinates being 150.88 feet east and 1013.29 feet north of, and in azimuth 188° 28′ 10″ from Triangulation Station "Base", a concrete monument on a sand dune, thence running by true azimuths and distances as follows:

168° 10′ 59.40 feet, to a hub, Station 2, marking the southeast corner; thence

247° 28′ 145.20 feet, to a hub, Station 3, marking the southwest corner; thence

331° 10′ 165.00 feet, to a hub, Station 4, on bank of stream, marking northwest corner; thence

98° 41′ 203.84 feet, to point of beginning.

Containing an area of 0.40 acres, more or less.

Land Commission Award No. 6976, dated Dec. 2, 1850, to Kaluahinenui.

Beginning at a 1-inch pipe, Station 1, marking the southeast corner, coordinates being 985.94 feet east and 764.54 feet north of U. S. Military Reservation Monument 14, azimuth to Triangulation Station "Buchanan" being 152° 40′, thence running by true azimuths and distances as follows:

277° 43′ 100.35 feet, to a hub, Station 2, marking the southwest corner; thence

350° 40′ 195.36 feet, to a hub, Station 3, on bank of a stream, same marking northwest corner; thence

82° 28′ 132.00 feet, to a hub, Station 4, in a small draw, same being northeast corner; thence
179° 56′ 223.55 feet, to point of beginning.

Containing an area of 0.55 acres, more or less.

Land Commission Award No. 8612, Apana 1,
dated Dec. 2, 1850, to Kanehoalani.

Beginning at a hub, Station 1, marking the south corner, coordinates being 954.59 feet east and 446.05 feet north of U. S. Military Reservation Monument 14, the azimuth to Triangulation Station "Buchanan" being 144° 52′; thence running by true azimuths and distances as follows:

232° 10′ 341.88 feet, to a hub, Station 2, near bank of stream marking west corner; thence
62° 28′ 132.00 feet, to a hub, Station 3, marking north corner, thence
143° 25′ 303.65 feet, to a hub, Station 4, marking east corner; thence
225° 42′ 130.04 feet, to point of beginning.

Containing an area of 0.96 acres, more or less.

Land Commission Award No. 234 W, Apana 2,
dated Dec. 2, 1850, to Kealakai.

Beginning at a cross in coral, Station 1, marking the northwest corner, coordinates being 509.95 feet east and 159.44 feet north of U. S. Military Reservation Monument 14; thence running by true azimuths and distances as follows:

71° 43′ 166.98 feet, along the south boundary of Piia's house lot (L. C. A. 4502, Apana 1) to a ¼-inch pipe, Station 2, near foot of a hill marking north corner; thence
97° 49′ 117.95 feet, along side hill and near edge of cliff to a steel wedge driven in coral on ridge, Station 3, marking northeast corner; thence
144° 10′ 76.55 feet, along ridge and across fence ½-inch pipe, Station 4, marking southeast corner; thence
253° 13′ 254.08 feet, along ridge to a hub, Station 5, marking the southwest corner. Station 5 is in azimuth 84° 07′ 40″ and 590.00 feet distant from U. S. Military Reservation Monument 14; thence
322° 10′ 125.45 feet, across ridge to point of beginning.

Containing an area of 0.66 acres, more or less.

Land Commission Award No. 4500, Apana 2,
dated Dec. 2, 1850, to Keliimama.

Beginning at a hub, Station 1, marking the northwest corner, same being the southwest corner of Kaahuwalu's Lot (L. C. A. 4501, Apana 2), coordinates of which are 504.17 feet east and 499.04 feet north of U. S. Military Reservation Monument 14; thence by true azimuths and distances as follows:

75° 58′ 107.58 feet, along south boundary of Kaahuwalu to a hub, Station 2, marking the northeast corner; thence
172° 55′ 89.11 feet, to a hub, Station 3, marking southeast corner; thence
256° 43′ 102.97 feet, to a hub, Station 4, marking southwest corner; thence
350° 01′ 87.33 feet, to point of beginning.

Containing an area of 0.21 acres, more or less.

Land Commission Award No. 4502, Apana 1,
dated Dec. 2, 1850, to Piia.

Beginning at a pipe, Station 1, marking the southeast corner, same being the north corner of Kealakai's Lot (L. C. A. 234 W, Apana 2), coordinates being

668.50 feet east and 211.82 feet north of U. S. Military Reservation Monument 14; thence running by true azimuths and distances as follows:

349° 10′ 99.00 feet, to a hub, Station 2, marking the northeast corner; thence

258° 58′ 198.00 feet, to a 1-inch pipe, Station 3, marking the northwest corner; thence

154° 02′ 124.26 feet, to a cross in coral, Station 4, on hillside, marking southeast corner; thence

71° 43′ 166.98 feet, along north boundary of Kealakai to point of beginning.

Containing an area of 0.46 acres, more or less.

Gross Area of Tract No. 1–	1500.57 acres
Total Area of eight Kuleanas–	3.88 acres
Net Area of Tract No. 1–	1496.69 acres

TRACT NO. 2
(Cut off by road right of way)

Beginning at United States Military Monument No. 6 (old), located on the west side of the road, thence running by true azimuths and distances as follows:

310° 38′ 00″ 389.30 feet, along right of way fence to a hub, Station 1; thence

305° 12′ 00″ 101.38 feet, along right of way fence curving to the left to a hub, Station 2; thence

294° 54′ 20″ 148.06 feet, along right of way fence curving to the left to a hub, Station 3; thence

285° 35′ 20″ 151.54 feet, along right of way fence curving to the left to a hub, Station 4; thence

280° 17′ 00″ 180.66 feet, along right of way fence to a 1-inch pipe located on the boundry of the Waimanalo Sugar Company's land; thence

118° 08′ 20″ 948.39 feet, across canefield to point of beginning.

Containing an area of 1.24 acres, more or less.

Net Area of Tract No. 1–	1496.69 acres
Net Area of Tract No. 2–	1.24 acres
Net Area of Entire Reservation	1497.93 acres

II. The tract of land restored to the Territory of Hawaii by Executive Order No. 4052, dated July 21, 1924, is partially located between Tracts No. 1 and No. 2, described in Section 1, the balance being contiguous to a portion of the southwest boundary of said reservation.

III. A map of Waimanalo Military Reservation dated September 23, 1927, prepared by the Office of the Department Engineer, Hawaiian Department, Fort Shafter, T. H., and based on a resurvey made by that office is attached to and made a part hereof.*

CALVIN COOLIDGE

THE WHITE HOUSE,
February 2, 1928.

[No. 4802]

[*Map not printed*]

DEPARTMENT OF STATE.

February 18 1928

A true copy.

Chief, Division of Publications.

U. S. GOVERNMENT PRINTING OFFICE: 1928