Create file named grade.txt and write following contents in it. (grep , cut) ---------- ---------- John Smith: A Mary Johnson: B Alex Rodriguez: C Emily Wong: A David Lee: B James Johnson: A Edwin Albert: B ----------

1. Count the number of students. (wc)

```
rahulastic@IDEAPAD          cat > grade.txt << 'EOF'
John Smith: A
Mary Johnson: B
Alex Rodriguez: C
Emily Wong: A
David Lee: B
James Johnson: A
Edwin Albert: B
EOF
rahulastic@IDEAPAD          wc -l grade.txt
7 grade.txt
```

2.List the students having grade A. (grep)

```
rahulastic@IDEAPAD          grep 'A$' grade.txt
John Smith: A
Emily Wong: A
James Johnson: A
```

3.List the students not having grade B. (grep)

```
rahulastic@IDEAPAD          grep -v 'B$' grade.txt
John Smith: A
Alex Rodriguez: C
Emily Wong: A
James Johnson: A
```

4. Print the count of students not having grade C. (grep)

```
rahulastic@IDEAPAD          grep -vc 'C$' grade.txt
6
```

5. List the student/students whose name starts with E & having grade B. (grep)

```
rahulastic@IDEAPAD          grep '^E.*B$' grade.txt
Edwin Albert: B
rahulastic@IDEAPAD:~/prac28$
```

6. Show only Studetns first name & Last Name. (cut)

```
rahulastic@IDEAPAD          cut -d ':' -f 1 grade.txt
John Smith
Mary Johnson
Alex Rodriguez
Emily Wong
David Lee
James Johnson
Edwin Albert
```

7. Show only grades. (cut)

```
rahulastic@IDEAPAD          cut -d ' ' -f 3 grade.txt
A
B
C
A
B
A
B
```

8. Show only first name & grades. (cut)

```
rahulastic@IDEAPAD          cut -d ' ' -f 1,3 grade.txt
John A
Mary B
Alex C
Emily A
David B
James A
Edwin B
```