

/*1. Write a query that produces all rows from the Customers table
for which the salesperson's number is 1001.*/

```
mysql> SELECT * FROM Customers
-> WHERE SNUM = 1001;
```

cnum	cname	city	rating	snum
2001	Hoffman	London	100	1001
2006	Clemens	London	100	1001

```
2 rows in set (0.00 sec)
```

/*2. Write a select command that produces the rating followed by
the name of each customer in San Jose.*/

```
mysql> SELECT rating,cname
-> FROM customers
-> WHERE city = 'San jose';
```

rating	cname
200	Liu
300	Cisneros

```
2 rows in set (0.01 sec)
```

/*3. Write a query that will produce the snum values of all
salespeople from the Orders table (with the duplicate values
suppressed).*/

```
mysql> SELECT DISTINCT snum
-> FROM Orders;
```

snum
1007
1001
1004
1002
1003

```
5 rows in set (0.01 sec)
```

/*4. Write a query that will display all the orders for amount
more than Rs. 1,000. */

```
mysql> SELECT *
-> FROM Orders
-> WHERE amt > 1000;
```

onum	amt	odate	cnum	snum
3002	1900.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3008	4723.00	1990-10-04	2006	1001
3011	9891.88	1990-10-04	2006	1001

6 rows in set (0.00 sec)

/*5. Write a query that will give you the names and cities of all salespeople in London with a commission above 0.10. */

```
mysql> SELECT sname,city
-> FROM salespeople
-> WHERE city='london'
-> AND comm > 0.10;
```

sname	city
Peel	London
Motika	London

2 rows in set (0.00 sec)

/*6. Write an SQL query that returns all customers who have a rating greater than 100, along with the customers located in Rome regardless of their rating.*/

```
mysql> SELECT *
-> FROM Customers
-> WHERE rating > 100
-> OR city='rome';
```

cnum	cname	city	rating	snum
2002	Giovanni	Rome	200	1003
2003	Liu	San Jose	200	1002
2004	Grass	Berlin	300	1002
2008	Cisneros	San Jose	300	1007
2007	Pereira	Rome	100	1004

5 rows in set (0.00 sec)

/*7. What will be the output from the following query?

Select * from Orders where (amt < 1000 OR NOT (odate = `1990-10-03` AND cnum > 2003)); */

/*8. What will be the output of the following query?

```
Select * from Orders where NOT (odate = '1990-10-03' OR snum  
>1006) AND amt >= 1500; */
```

/*9. What is a simpler way to write this query?

```
Select snum, sname, city, comm from Salespeople
```

```
Where (comm >= .12 AND comm <= .14); */
```

Answer=>

```
SELECT *
```

```
FROM Salespeople
```

```
WHERE comm BETWEEN 0.12 AND 0.14;
```

/*10. Write a query that selects all orders except those with
amount less than 100.*/

```
mysql> SELECT *  
-> FROM Orders  
-> WHERE amt >= 100;  
+-----+-----+-----+-----+-----+  
| onum | amt   | odate   | cnum | snum |  
+-----+-----+-----+-----+-----+  
| 3003 | 767.19 | 1990-10-03 | 2001 | 1001 |  
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |  
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |  
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |  
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |  
| 3008 | 4723.00 | 1990-10-04 | 2006 | 1001 |  
| 3010 | 309.95 | 1990-10-04 | 2004 | 1002 |  
| 3011 | 9891.88 | 1990-10-04 | 2006 | 1001 |  
+-----+-----+-----+-----+-----+  
8 rows in set (0.00 sec)
```