

1) SELECT CONCAT(LOWER(FIRST_NAME), '-', UPPER(LAST_NAME)) AS FULL_NAME FROM EMPLOYEES;

```
john-SINGH
lindsey-SMITH
william-SMITH
stephen-STILES
martha-SULLIVAN
patrick-SULLY
jonathon-TAYLOR
winston-TAYLOR
sigal-TOBIAS
sean-TUCKER
oliver-TUVAULT
jose manuel-URMAN
peter-VARGAS
timothy-VENZL
clara-VISHNEY
shanta-VOLLMAN
alana-WALSH
matthew-WEISS
jennifer-WHALEN
david-WILLIAMS
neena-YANG
eleni-ZLOTKEY
+-----+
107 rows in set (0.00 sec)
```

2)

```
D4_99207_OM>SELECT SUBSTRING_INDEX(job_title, ' ', 1) AS first_word
-> FROM jobs;
+-----+
| first_word |
+-----+
| Public |
| Accounting |
| Administration |
| President |
| Administration |
| Accountant |
| Finance |
| Human |
| Programmer |
| Marketing |
| Marketing |
| Public |
| Purchasing |
| Purchasing |
| Sales |
| Sales |
| Shipping |
| Stock |
| Stock |
+-----+
19 rows in set (0.00 sec)
```

3)

```
mysql> SELECT FIRST_NAME, LAST_NAME, LENGTH(FIRST_NAME) FROM EMPLOYEES
-> WHERE LAST_NAME LIKE "___%b%";
+-----+-----+-----+
| FIRST_NAME | LAST_NAME | LENGTH(FIRST_NAME) |
+-----+-----+-----+
| Gerald | Cambrault | 6 |
| Nanette | Cambrault | 7 |
| Nancy | Gruenberg | 5 |
| Susan | Jacobs | 5 |
+-----+-----+-----+
4 rows in set (0.02 sec)
```

4)

```
D4_99207_OM>SELECT employee_id, first_name, last_name
-> FROM employees
-> WHERE first_name LIKE '% %'
-> OR last_name LIKE '% %';
```

employee_id	first_name	last_name
112	Jose Manuel	Urman

```
1 row in set (0.05 sec)
```

5) SELECT first_name, salary, ROUND(salary, -3) AS rounded_salary
FROM employees;

Nandita	4200.00	4000
Alexis	4100.00	4000
Julia	3400.00	3000
Anthony	3000.00	3000
Kelly	3800.00	4000
Jennifer	3600.00	4000
Timothy	2900.00	3000
Randall	2500.00	3000
Sarah	4000.00	4000
Britney	3900.00	4000
Samuel	3200.00	3000
Vance	2800.00	3000
Alana	3100.00	3000
Kevin	3000.00	3000
Donald	2600.00	3000
Douglas	2600.00	3000
Jennifer	4400.00	4000
Michael	13000.00	13000
Pat	6000.00	6000
Susan	6500.00	7000
Hermann	10000.00	10000
Shelley	12008.00	12000
William	8300.00	8000

```
107 rows in set (0.01 sec)
```

6)

```
D4_99207_OM>SELECT
-> employee_id,
-> DATE_FORMAT(MAX(end_date), '%W, %M %e') AS previous_job_end_date
-> FROM
-> job_history
-> GROUP BY
-> employee_id;
```

employee_id	previous_job_end_date
101	Sunday, March 15
102	Sunday, July 24
114	Sunday, December 31
122	Sunday, December 31
176	Sunday, December 31
200	Saturday, December 31
201	Tuesday, December 19

```
7 rows in set (0.05 sec)
```

7)

```
D4_99207_OM>SELECT first_name, hire_date,
->      DATE_ADD(LAST_DAY(hire_date), INTERVAL 1 DAY) AS first_salary_date
-> FROM employees;
```

first_name	hire_date	first_salary_date
Steven	2013-06-17	2013-07-01
Neena	2015-09-21	2015-10-01
Lex	2011-01-13	2011-02-01
Alexander	2016-01-03	2016-02-01
Bruce	2017-05-21	2017-06-01
David	2015-06-25	2015-07-01
Valli	2016-02-05	2016-03-01
Diana	2017-02-07	2017-03-01
Nancy	2012-08-17	2012-09-01
Daniel	2012-08-16	2012-09-01
John	2015-09-28	2015-10-01
Ismael	2015-09-30	2015-10-01
Jose Manuel	2016-03-07	2016-04-01
Luis	2017-12-07	2018-01-01
Den	2012-12-07	2013-01-01
Alexander	2013-05-18	2013-06-01
Shelli	2015-12-24	2016-01-01
Sigal	2015-07-24	2015-08-01
Guy	2016-11-15	2016-12-01
Karen	2017-08-10	2017-09-01
Matthew	2014-07-18	2014-08-01
Adam	2015-04-10	2015-05-01
Payam	2013-05-01	2013-06-01
Shanta	2015-10-10	2015-11-01
Kevin	2017-11-16	2017-12-01
Julia	2015-07-16	2015-08-01
Irene	2016-09-28	2016-10-01
James	2017-01-14	2017-02-01
Steven	2018-03-08	2018-04-01
Laura	2015-08-20	2015-09-01
Mozhe	2015-10-30	2015-11-01

8)

```
D4_99207_OM>SELECT first_name,
->      TIMESTAMPDIFF(YEAR, hire_date, CURDATE()) AS years,
->      TIMESTAMPDIFF(MONTH, hire_date, CURDATE()) % 12 AS months,
->      DATEDIFF(CURDATE(), hire_date) % 30 AS days
-> FROM employees;
```

first_name	years	months	days
Steven	13	2	20
Neena	10	11	4
Lex	15	7	6
Alexander	10	7	20
Bruce	9	3	26
David	11	2	2
Valli	10	6	17
Diana	9	6	9
Nancy	14	0	24
Daniel	14	0	25
John	10	11	27
Ismael	10	10	25
Jose Manuel	10	5	16
Luis	8	8	6
Den	13	8	2
Alexander	13	3	20
Shelli	10	8	0
Sigal	11	1	3
Guy	9	9	3
Karen	9	0	5
Matthew	12	1	14

9)

```
D4_99207_OM>SELECT employee_id,first_name,hire_date
-> FROM employees
-> WHERE MONTH(hire_date) = 8;
```

employee_id	first_name	hire_date
108	Nancy	2012-08-17
109	Daniel	2012-08-16
119	Karen	2017-08-10
129	Laura	2015-08-20
134	Michael	2016-08-26
152	Peter	2015-08-20
158	Allan	2014-08-01
189	Jennifer	2015-08-13
202	Pat	2015-08-17

9 rows in set (0.00 sec)

10)

```
D4_99207_OM>SELECT employee_id,hire_date FROM EMPLOYEES
-> WHERE YEAR(hire_date) < 2015;
```

employee_id	hire_date
100	2013-06-17
102	2011-01-13
108	2012-08-17
109	2012-08-16
114	2012-12-07
115	2013-05-18
120	2014-07-18
122	2013-05-01
133	2014-06-14
137	2013-07-14
141	2013-10-17
145	2014-10-01
156	2014-01-30
157	2014-03-04
158	2014-08-01
174	2014-05-11
184	2014-01-27
192	2014-02-04
200	2013-09-17
201	2014-02-17
203	2012-06-07
204	2012-06-07
205	2012-06-07
206	2012-06-07

24 rows in set (0.00 sec)

11)

```
D4_99207_OM>SELECT DATEDIFF(CURDATE(), '2011-01-01') AS days_difference;
```

days_difference
5718

1 row in set (0.00 sec)

12)

```
D4_99207_OM>SELECT COUNT(employee_id) FROM EMPLOYEES
-> WHERE DAY(hire_date) > 15;
```

COUNT(employee_id)
57

1 row in set (0.03 sec)

13)

```
D4_99207_OM>SELECT DISTINCT SALARY FROM EMPLOYEES
-> ORDER BY salary desc
-> LIMIT 2,1;
```

SALARY
14000.00

1 row in set (0.00 sec)

